

MY RHYTHM WHIFF OF PERFUME

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** MY RHYTHM WHIFF OF PERFUME
Other means of identification:
UFI: FJR0-N01V-8004-2MWX
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant uses: Air freshener
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**
MB ELIX sp. z oo sp.k.
ul. Skarżyńskiego 26
54-530 Wrocław - Poland
Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68
lab@elix.pl
www.elixscent.com
- 1.4 Emergency telephone number:** 0048 71 387 85 33 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
CLP Regulation (EC) No 1272/2008:
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412
Eye Irrit. 2: Eye irritation, Category 2, H319
Skin Sens. 1B: Sensitisation, skin, Category 1B, H317
- 2.2 Label elements:**
CLP Regulation (EC) No 1272/2008:
Labelling of packages where the contents do not exceed 125 ml:
Warning

Hazard statements:
H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements:
P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P302+P352: IF ON SKIN: Wash with plenty of water.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P501: Dispose of contents/container according to the separated collection system used in your municipality.
Supplementary information:
Contains (ethoxymethoxy)cyclododecane, [3R-(3α,3aβ,6β,7β,8α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene, 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one, 3,7-dimethylnona-1,6-dien-3-ol, benzyl salicylate, cinnamal, citral, citronellol, coumarin, d-limonene, ethyl linalyl acetate, geraniol, geranyl acetate, hydroxycitronellal, isopentyl salicylate, linalool, methyl 2,4-dihydroxy-3,6-dimethylbenzoate, para-anisyl propanal, pin-2(3)-ene, vetiveria zizanioides, ext., acetylated.
UFI: FJR0-N01V-8004-2MWX
- 2.3 Other hazards:**
Product does not meet PBT/vPvB criteria
Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substance:**

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 56539-66-3 EC: 260-252-4 Index: Non-applicable REACH: 01-2119976333-33-XXXX	3-methoxy-3-methylbutan-1-ol⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319 - Warning	35 - <40 %
CAS: 100-79-8 EC: 202-888-7 Index: Non-applicable REACH: 01-2120066005-66-XXXX	2,2-dimethyl-1,3-dioxolan-4-ylmethanol⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319 - Warning	35 - <40 %
CAS: 18479-58-8 EC: 242-362-4 Index: Non-applicable REACH: 01-2119457274-37-XXXX	2,6-dimethyloct-7-en-2-ol⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	3 - <4 %
CAS: 36306-87-3 EC: 252-961-2 Index: Non-applicable REACH: 01-2120224905-56-XXXX	4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Irrit. 2: H315 - Warning	2 - <3 %
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-xxxx	Linalool⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	1 - <2 %
CAS: 118-58-1 EC: 204-262-9 Index: 607-754-00-5 REACH: 01-2119969442-31-xxxx	Benzyl salicylate⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	1 - <2 %
CAS: 10339-55-6 EC: 233-732-6 Index: Non-applicable REACH: 01-2119969272-32-xxxx	3,7-dimethylnona-1,6-dien-3-ol⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	1 - <2 %
CAS: 5989-27-5 EC: 227-813-5 Index: 601-096-00-2 REACH: Non-applicable	d-Limonene⁽¹⁾ ATP ATP17 Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger	0,5 - <0,75 %
CAS: 106-24-1 EC: 203-377-1 Index: 603-241-00-5 REACH: 01-2119552430-49-xxxx	Geraniol⁽¹⁾ Self-classified Regulation 1272/2008 Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	0,25 - <0,5 %
CAS: 106-22-9 EC: 203-375-0 Index: Non-applicable REACH: 01-2119453995-23-xxxx	Citronellol⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0,25 - <0,5 %
CAS: 67634-00-8 EC: 266-803-5 Index: Non-applicable REACH: 01-2120795456-39-XXXX	Allyl (3-methylbutoxy)acetate⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 2: H330; Acute Tox. 4: H302+H312; Aquatic Acute 1: H400; STOT RE 2: H373 - Danger	0,25 - <0,5 %
CAS: 105-87-3 EC: 203-341-5 Index: Non-applicable REACH: 01-2119973480-35-xxxx	Geranyl acetate⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	0,25 - <0,5 %
CAS: 91-64-5 EC: 202-086-7 Index: Non-applicable REACH: 01-2119949300-45-xxxx	Coumarin⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 3: H301; Skin Sens. 1B: H317 - Danger	0,25 - <0,5 %
CAS: 61931-80-4 EC: 263-336-9 Index: Non-applicable REACH: 01-2120747785-40-xxxx	Ethyl linalyl acetate⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0,25 - <0,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

⁽²⁾ Substance with a Union workplace exposure limit

MY RHYTHM WHIFF OF PERFUME

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Chemical name/Classification	Concentration
CAS: 107-75-5 EC: 203-518-7 Index: Non-applicable REACH: 01-2119973482-31-xxxx	Hydroxycitronellal⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	0,25 - <0,5 %
CAS: 87-20-7 EC: 201-730-4 Index: Non-applicable REACH: 01-2120809315-60-xxxx	Isopentyl salicylate⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Skin Sens. 1B: H317 - Warning	0,25 - <0,5 %
CAS: 33704-61-9 EC: 251-649-3 Index: Non-applicable REACH: 01-2119977131-40-xxxx	1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0,1 - <0,25 %
CAS: 1506-02-1 EC: 216-133-4 Index: Non-applicable REACH: 01-2119539433-40-XXXX	1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	0,1 - <0,25 %
CAS: 84082-84-8 EC: 282-031-1 Index: Non-applicable REACH: Non-applicable	Vetiveria zizanioides, ext., acetylated⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	0,1 - <0,25 %
CAS: 5392-40-5 EC: 226-394-6 Index: 605-019-00-3 REACH: 01-2119462829-23-xxxx	Citral⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	0,1 - <0,25 %
CAS: 5462-06-6 EC: 226-749-5 Index: Non-applicable REACH: 01-2120629103-67-xxxx	Para-anisyl propanal⁽¹⁾ Self-classified Regulation 1272/2008 Skin Sens. 1B: H317 - Warning	0,1 - <0,25 %
CAS: 19870-74-7 EC: 243-384-7 Index: Non-applicable REACH: 01-2120228335-61-xxxx	[3R-(3α,3aβ,6β,7β,8α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1h-3a,7-methanoazulene⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	0,1 - <0,25 %
CAS: 68424-85-1 EC: 939-253-5 Index: Non-applicable REACH: 01-2119965180-41-XXXX	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (M=10)⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314 - Danger	0,1 - <0,25 %
CAS: 58567-11-6 EC: 261-332-1 Index: Non-applicable REACH: 01-2119971571-34-xxxx	(ethoxymethoxy)cyclododecane⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0,1 - <0,25 %
CAS: 4707-47-5 EC: 225-193-0 Index: Non-applicable REACH: 01-2120762759-36-xxxx	Methyl 2,4-dihydroxy-3,6-dimethylbenzoate⁽¹⁾ Self-classified Regulation 1272/2008 Skin Sens. 1B: H317 - Warning	0,1 - <0,25 %
CAS: 80-56-8 EC: 201-291-9 Index: Non-applicable REACH: 01-2119519223-49-xxxx	pin-2(3)-ene⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger	0,1 - <0,25 %
CAS: 107-21-1 EC: 203-473-3 Index: 603-027-00-1 REACH: 01-2119456816-28-XXXX	Ethanediol⁽²⁾ Self-classified Regulation 1272/2008 Acute Tox. 4: H302; STOT RE 2: H373 - Warning	0,01 - <0,05 %
CAS: 104-55-2 EC: 203-213-9 Index: Non-applicable REACH: 01-2119950687-24-xxxx	Cinnamal⁽¹⁾ Self-classified Regulation 1272/2008 Acute Tox. 4: H312; Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1A: H317 - Warning	0,01 - <0,05 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

⁽²⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	M-factor
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (M=10)	Acute 10
CAS: 68424-85-1 EC: 939-253-5	Chronic 1

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
Coumarin	LD50 oral	500 mg/kg (ATEi)	Rat
CAS: 91-64-5	LD50 dermal	Non-applicable	
EC: 202-086-7	LC50 inhalation	Non-applicable	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C
Maximum Temp.: 35 °C
Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification		Occupational exposure limits		
Ethanedial CAS: 107-21-1 EC: 203-473-3		IOELV (8h)	20 ppm	52 mg/m ³
		IOELV (STEL)	40 ppm	104 mg/m ³

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
3-methoxy-3-methylbutan-1-ol CAS: 56539-66-3 EC: 260-252-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	6,25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	18 mg/m ³	Non-applicable
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	20,8 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	73,5 mg/m ³	Non-applicable
4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone CAS: 36306-87-3 EC: 252-961-2	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	1,94 mg/kg	Non-applicable	1,94 mg/kg	Non-applicable
	Inhalation	6,84 mg/m ³	17,1 mg/m ³	6,84 mg/m ³	17,1 mg/m ³
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	3,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	24,58 mg/m ³	Non-applicable
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	2,21 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	7,8 mg/m ³	Non-applicable
3,7-dimethylnona-1,6-dien-3-ol CAS: 10339-55-6 EC: 233-732-6	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	5,5 mg/kg	Non-applicable	2,7 mg/kg	Non-applicable
	Inhalation	18 mg/m ³	Non-applicable	3 mg/m ³	Non-applicable
d-Limonene CAS: 5989-27-5 EC: 227-813-5	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	9,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	66,7 mg/m ³	Non-applicable
Geraniol CAS: 106-24-1 EC: 203-377-1	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	161,6 mg/m ³	Non-applicable
Citronellol CAS: 106-22-9 EC: 203-375-0	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	327,4 mg/kg	Non-applicable
	Inhalation	Non-applicable	10 mg/m ³	161,6 mg/m ³	10 mg/m ³
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,4 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	4,93 mg/m ³	Non-applicable
Geranyl acetate CAS: 105-87-3 EC: 203-341-5	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	35,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	62,59 mg/m ³	Non-applicable
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,79 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	6,78 mg/m ³	Non-applicable
Ethyl linalyl acetate CAS: 61931-80-4 EC: 263-336-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	23 mg/m ³	Non-applicable
Hydroxycitronellal CAS: 107-75-5 EC: 203-518-7	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,9 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	18 mg/m ³	Non-applicable

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one CAS: 33704-61-9 EC: 251-649-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,42 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,47 mg/m ³	Non-applicable
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one CAS: 1506-02-1 EC: 216-133-4	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,61 mg/kg	Non-applicable
	Inhalation	0,525 mg/m ³	Non-applicable	0,175 mg/m ³	Non-applicable
Citral CAS: 5392-40-5 EC: 226-394-6	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,7 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	9 mg/m ³	Non-applicable
Para-anisyl propanal CAS: 5462-06-6 EC: 226-749-5	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,8 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	6,35 mg/m ³	Non-applicable
(ethoxymethoxy)cyclododecane CAS: 58567-11-6 EC: 261-332-1	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	3,3 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	23,5 mg/m ³	Non-applicable
pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,542 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	3,8 mg/m ³	Non-applicable
Ethanediol CAS: 107-21-1 EC: 203-473-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	106 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	Non-applicable	35 mg/m ³
Cinnamal CAS: 104-55-2 EC: 203-213-9	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,75 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	6,11 mg/m ³	Non-applicable

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
3-methoxy-3-methylbutan-1-ol CAS: 56539-66-3 EC: 260-252-4	Oral	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	3,1 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	4,4 mg/m ³	Non-applicable
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	Oral	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	21,7 mg/m ³	Non-applicable
4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone CAS: 36306-87-3 EC: 252-961-2	Oral	0,97 mg/kg	Non-applicable	0,97 mg/kg	Non-applicable
	Dermal	0,97 mg/kg	Non-applicable	0,97 mg/kg	Non-applicable
	Inhalation	1,69 mg/m ³	4,22 mg/m ³	1,69 mg/m ³	4,22 mg/m ³
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Non-applicable	Non-applicable	2,49 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	4,33 mg/m ³	Non-applicable
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	Oral	Non-applicable	Non-applicable	0,79 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,79 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,37 mg/m ³	Non-applicable
3,7-dimethylnona-1,6-dien-3-ol CAS: 10339-55-6 EC: 233-732-6	Oral	1,3 mg/kg	Non-applicable	0,2 mg/kg	Non-applicable
	Dermal	2,7 mg/kg	Non-applicable	1,4 mg/kg	Non-applicable
	Inhalation	4,4 mg/m ³	Non-applicable	0,74 mg/m ³	Non-applicable
d-Limonene CAS: 5989-27-5 EC: 227-813-5	Oral	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	16,6 mg/m ³	Non-applicable

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Geraniol CAS: 106-24-1 EC: 203-377-1	Oral	Non-applicable	Non-applicable	13,75 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	7,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	47,8 mg/m ³	Non-applicable
Citronellol CAS: 106-22-9 EC: 203-375-0	Oral	Non-applicable	Non-applicable	13,8 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	196,4 mg/kg	Non-applicable
	Inhalation	Non-applicable	10 mg/m ³	47,8 mg/m ³	10 mg/m ³
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	Oral	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,87 mg/m ³	Non-applicable
Geranyl acetate CAS: 105-87-3 EC: 203-341-5	Oral	Non-applicable	Non-applicable	8,9 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	17,75 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	15,4 mg/m ³	Non-applicable
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,69 mg/m ³	Non-applicable
Ethyl linalyl acetate CAS: 61931-80-4 EC: 263-336-9	Oral	Non-applicable	Non-applicable	1,6 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	13 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	5,7 mg/m ³	Non-applicable
Hydroxycitronellal CAS: 107-75-5 EC: 203-518-7	Oral	Non-applicable	Non-applicable	0,6 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,1 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	5,4 mg/m ³	Non-applicable
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one CAS: 33704-61-9 EC: 251-649-3	Oral	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,44 mg/m ³	Non-applicable
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one CAS: 1506-02-1 EC: 216-133-4	Oral	1,2 mg/kg	Non-applicable	0,013 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,305 mg/kg	Non-applicable
	Inhalation	0,131 mg/m ³	Non-applicable	0,043 mg/m ³	Non-applicable
Citral CAS: 5392-40-5 EC: 226-394-6	Oral	Non-applicable	Non-applicable	0,6 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	2,7 mg/m ³	Non-applicable
Para-anisyl propanal CAS: 5462-06-6 EC: 226-749-5	Oral	Non-applicable	Non-applicable	1,08 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,08 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,88 mg/m ³	Non-applicable
(ethoxymethoxy)cyclododecane CAS: 58567-11-6 EC: 261-332-1	Oral	Non-applicable	Non-applicable	1,67 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	1,67 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	5,8 mg/m ³	Non-applicable
pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	Oral	Non-applicable	Non-applicable	0,225 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,225 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	0,674 mg/m ³	Non-applicable
Ethanedial CAS: 107-21-1 EC: 203-473-3	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
	Dermal	Non-applicable	Non-applicable	53 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	Non-applicable	7 mg/m ³
Cinnamal CAS: 104-55-2 EC: 203-213-9	Oral	Non-applicable	Non-applicable	0,625 mg/kg	Non-applicable
	Dermal	Non-applicable	Non-applicable	0,625 mg/kg	Non-applicable
	Inhalation	Non-applicable	Non-applicable	1,09 mg/m ³	Non-applicable

PNEC:

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
2,2-dimethyl-1,3-dioxolan-4-ylmethanol CAS: 100-79-8 EC: 202-888-7	STP	10 mg/L	Fresh water	0,2 mg/L
	Soil	2,5 mg/kg	Marine water	0,2 mg/L
	Intermittent	0,09 mg/L	Sediment (Fresh water)	1,18316 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,1183 mg/kg
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	STP	10 mg/L	Fresh water	0,0278 mg/L
	Soil	0,103 mg/kg	Marine water	0,00278 mg/L
	Intermittent	0,278 mg/L	Sediment (Fresh water)	0,594 mg/kg
	Oral	0,111 g/kg	Sediment (Marine water)	0,059 mg/kg
4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone CAS: 36306-87-3 EC: 252-961-2	STP	10 mg/L	Fresh water	0,0084 mg/L
	Soil	0,571 mg/kg	Marine water	0,00084 mg/L
	Intermittent	0,084 mg/L	Sediment (Fresh water)	2,871 mg/kg
	Oral	0,0065 g/kg	Sediment (Marine water)	0,287 mg/kg
Linalool CAS: 78-70-6 EC: 201-134-4	STP	10 mg/L	Fresh water	0,2 mg/L
	Soil	0,327 mg/kg	Marine water	0,02 mg/L
	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	STP	10 mg/L	Fresh water	0,001 mg/L
	Soil	1,41 mg/kg	Marine water	0 mg/L
	Intermittent	0,01 mg/L	Sediment (Fresh water)	0,583 mg/kg
	Oral	0,0527 g/kg	Sediment (Marine water)	0,058 mg/kg
3,7-dimethylnona-1,6-dien-3-ol CAS: 10339-55-6 EC: 233-732-6	STP	10 mg/L	Fresh water	0,023 mg/L
	Soil	0,031 mg/kg	Marine water	0,002 mg/L
	Intermittent	0,23 mg/L	Sediment (Fresh water)	0,223 mg/kg
	Oral	0,00853 g/kg	Sediment (Marine water)	0,022 mg/kg
d-Limonene CAS: 5989-27-5 EC: 227-813-5	STP	1,8 mg/L	Fresh water	0,014 mg/L
	Soil	0,763 mg/kg	Marine water	0,0014 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	3,85 mg/kg
	Oral	0,133 g/kg	Sediment (Marine water)	0,385 mg/kg
Geraniol CAS: 106-24-1 EC: 203-377-1	STP	0,7 mg/L	Fresh water	0,011 mg/L
	Soil	0,017 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,108 mg/L	Sediment (Fresh water)	0,115 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,011 mg/kg
Citronellol CAS: 106-22-9 EC: 203-375-0	STP	580 mg/L	Fresh water	0,002 mg/L
	Soil	0,004 mg/kg	Marine water	0 mg/L
	Intermittent	0,024 mg/L	Sediment (Fresh water)	0,026 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,003 mg/kg
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	STP	Non-applicable	Fresh water	0,00077 mg/L
	Soil	0,00133 mg/kg	Marine water	0,000077 mg/L
	Intermittent	0,0077 mg/L	Sediment (Fresh water)	0,00893 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,000893 mg/kg
Geranyl acetate CAS: 105-87-3 EC: 203-341-5	STP	8 mg/L	Fresh water	0,00372 mg/L
	Soil	0,086 mg/kg	Marine water	0,000372 mg/L
	Intermittent	0,0372 mg/L	Sediment (Fresh water)	0,442 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,044 mg/kg
Coumarin CAS: 91-64-5 EC: 202-086-7	STP	6,4 mg/L	Fresh water	0,019 mg/L
	Soil	0,018 mg/kg	Marine water	0,0019 mg/L
	Intermittent	0,0142 mg/L	Sediment (Fresh water)	0,15 mg/kg
	Oral	0,0307 g/kg	Sediment (Marine water)	0,015 mg/kg
Ethyl linalyl acetate CAS: 61931-80-4 EC: 263-336-9	STP	1,6 mg/L	Fresh water	0,0012 mg/L
	Soil	0,02 mg/kg	Marine water	0,00012 mg/L
	Intermittent	0,012 mg/L	Sediment (Fresh water)	0,103 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,01 mg/kg

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Hydroxycitronellal CAS: 107-75-5 EC: 203-518-7	STP	10 mg/L	Fresh water	0,0316 mg/L
	Soil	0,011 mg/kg	Marine water	0,00316 mg/L
	Intermittent	0,316 mg/L	Sediment (Fresh water)	0,145 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,015 mg/kg
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one CAS: 33704-61-9 EC: 251-649-3	STP	10 mg/L	Fresh water	0,004 mg/L
	Soil	0,0174 mg/kg	Marine water	0 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	0,0991 mg/kg
	Oral	0,00111 g/kg	Sediment (Marine water)	0,00991 mg/kg
1-(5,6,7,8-tetrahydro-3,5,5,6,8-hexamethyl-2-naphthyl)ethan-1-one CAS: 1506-02-1 EC: 216-133-4	STP	2,2 mg/L	Fresh water	0,0022 mg/L
	Soil	0,01 mg/kg	Marine water	0,00022 mg/L
	Intermittent	0,0061 mg/L	Sediment (Fresh water)	1,72 mg/kg
	Oral	0,0011 g/kg	Sediment (Marine water)	0,345 mg/kg
Citral CAS: 5392-40-5 EC: 226-394-6	STP	1,6 mg/L	Fresh water	0,007 mg/L
	Soil	0,021 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,068 mg/L	Sediment (Fresh water)	0,125 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,013 mg/kg
Para-anisyl propanal CAS: 5462-06-6 EC: 226-749-5	STP	3 mg/L	Fresh water	0,0052 mg/L
	Soil	0,0178 mg/kg	Marine water	0,00052 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	0,104 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0104 mg/kg
(ethoxymethoxy)cyclododecane CAS: 58567-11-6 EC: 261-332-1	STP	100 mg/L	Fresh water	0,002 mg/L
	Soil	0,468 mg/kg	Marine water	0 mg/L
	Intermittent	0,016 mg/L	Sediment (Fresh water)	2,35 mg/kg
	Oral	0,0333 g/kg	Sediment (Marine water)	0,235 mg/kg
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 EC: 225-193-0	STP	10 mg/L	Fresh water	0,0033 mg/L
	Soil	0,016 mg/kg	Marine water	0,00033 mg/L
	Intermittent	Non-applicable	Sediment (Fresh water)	0,089 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0089 mg/kg
pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	STP	0,2 mg/L	Fresh water	0,000606 mg/L
	Soil	0,0317 mg/kg	Marine water	0,000061 mg/L
	Intermittent	0,00303 mg/L	Sediment (Fresh water)	0,157 mg/kg
	Oral	0,00876 g/kg	Sediment (Marine water)	0,0157 mg/kg
Ethenediol CAS: 107-21-1 EC: 203-473-3	STP	199,5 mg/L	Fresh water	10 mg/L
	Soil	1,53 mg/kg	Marine water	1 mg/L
	Intermittent	10 mg/L	Sediment (Fresh water)	37 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	3,7 mg/kg
Cinnamal CAS: 104-55-2 EC: 203-213-9	STP	7,1 mg/L	Fresh water	0,008 mg/L
	Soil	0,0156 mg/kg	Marine water	0,0008 mg/L
	Intermittent	0,0321 mg/L	Sediment (Fresh water)	0,101 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0101 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:	Liquid
Appearance:	Fluid
Colour:	Light yellow
Odour:	Pleasant
Odour threshold:	Non-applicable *

Volatility:

Boiling point at atmospheric pressure:	187 °C
Vapour pressure at 20 °C:	57 Pa
Vapour pressure at 50 °C:	426,6 Pa (0,43 kPa)
Evaporation rate at 20 °C:	Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Product description:

Density at 20 °C:	984,7 kg/m ³
Relative density at 20 °C:	0,985
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *

Flammability:

Flash Point:	90 °C
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	225 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

Particle characteristics:

Median equivalent diameter:	Non-applicable
-----------------------------	----------------

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Corrosive to metals:	Non-applicable *
Heat of combustion:	Non-applicable *
Aerosols-total percentage (by mass) of flammable components:	Non-applicable *

Other safety characteristics:

Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 10: STABILITY AND REACTIVITY (continued)

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health.

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: d-Limonene (3); Coumarin (3); 7-methyl-3-methyleneocta-1,6-diene (2B); Eugenol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Linalool CAS: 78-70-6 EC: 201-134-4	LD50 oral	3500 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	LD50 oral	2200 mg/kg	Rat
	LD50 dermal	14150 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
3,7-dimethylnona-1,6-dien-3-ol CAS: 10339-55-6 EC: 233-732-6	LD50 oral	5283 mg/kg	Mouse
	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	LD50 oral	3600 mg/kg	
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Coumarin CAS: 91-64-5 EC: 202-086-7	LD50 oral	500 mg/kg (ATEi)	Rat
	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	Non-applicable	
2,2-dimethyl-1,3-dioxolan-4-ylmethanol CAS: 100-79-8 EC: 202-888-7	LD50 oral	7000 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	LD50 oral	500 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	0,51 mg/L (4 h)	Rat
d-Limonene CAS: 5989-27-5 EC: 227-813-5	LD50 oral	4400 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Geraniol CAS: 106-24-1 EC: 203-377-1	LD50 oral	4200 mg/kg	Rat
	LD50 dermal	5100 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Citronellol CAS: 106-22-9 EC: 203-375-0	LD50 oral	3450 mg/kg	Rat
	LD50 dermal	2650 mg/kg	
	LC50 inhalation	Non-applicable	
Ethyl linalyl acetate CAS: 61931-80-4 EC: 263-336-9	LD50 oral	2790 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Isopentyl salicylate CAS: 87-20-7 EC: 201-730-4	LD50 oral	1310 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one CAS: 33704-61-9 EC: 251-649-3	LD50 oral	2900 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one CAS: 1506-02-1 EC: 216-133-4	LD50 oral	920 mg/kg	Rat
	LD50 dermal	7940 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Citral CAS: 5392-40-5 EC: 226-394-6	LD50 oral	4950 mg/kg	Rat
	LD50 dermal	2250 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute toxicity		Genus
Para-anisyl propanal CAS: 5462-06-6 EC: 226-749-5	LD50 oral	4500 mg/kg	
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (M=10) CAS: 68424-85-1 EC: 939-253-5	LD50 oral	500 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 EC: 225-193-0	LD50 oral	>5000 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	Rat
	LC50 inhalation	Non-applicable	
pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	LD50 oral	500 mg/kg	Rat
	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Ethanediol CAS: 107-21-1 EC: 203-473-3	LD50 oral	Non-applicable	
	LD50 dermal	>3500 mg/kg	Rabbit
	LC50 inhalation	Non-applicable	
Cinnamal CAS: 104-55-2 EC: 203-213-9	LD50 oral	2220 mg/kg	Rat
	LD50 dermal	1260 mg/kg	Rabbit
	LC50 inhalation	68,88 mg/L (4 h)	Rat

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification	Concentration	Species	Genus
4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone CAS: 36306-87-3 EC: 252-961-2	LC50	9,1 mg/L (96 h)	Cyprinus carpio
	EC50	8,4 mg/L (48 h)	Daphnia magna
	EC50	25 mg/L (72 h)	Pseudokirchneriella subcapitata
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	LC50	1,03 mg/L (96 h)	Brachydanio rerio
	EC50	1,2 mg/L (48 h)	Daphnia magna
	EC50	1,3 mg/L (72 h)	Selenastrum capricornutum
d-Limonene CAS: 5989-27-5 EC: 227-813-5	LC50	0,702 mg/L (96 h)	Pimephales promelas
	EC50	0,577 mg/L (48 h)	Daphnia magna
	EC50	Non-applicable	
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	LC50	>0.1 - 1 mg/L (96 h)	Fish
	EC50	>0.1 - 1 mg/L (48 h)	Crustacean
	EC50	>0.1 - 1 mg/L (72 h)	Algae
Geranyl acetate CAS: 105-87-3 EC: 203-341-5	LC50	>10 - 100 mg/L (96 h)	Fish
	EC50	>10 - 100 mg/L (48 h)	Crustacean
	EC50	>10 - 100 mg/L (72 h)	Algae
Ethyl linalyl acetate CAS: 61931-80-4 EC: 263-336-9	LC50	Non-applicable	
	EC50	2,8 mg/L (48 h)	Daphnia magna
	EC50	7,5 mg/L (72 h)	Desmodesmus subspicatus

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration	Species	Genus
Isopentyl salicylate CAS: 87-20-7 EC: 201-730-4	LC50 >0.1 - 1 mg/L (96 h) EC50 >0.1 - 1 mg/L (48 h) EC50 >0.1 - 1 mg/L (72 h)		Fish Crustacean Algae
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one CAS: 33704-61-9 EC: 251-649-3	LC50 2,12 mg/L (96 h) EC50 1,5 mg/L (48 h) EC50 10 mg/L (72 h)	Oryzias latipes Daphnia magna Desmodesmus subspicatus	Fish Crustacean Algae
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one CAS: 1506-02-1 EC: 216-133-4	LC50 >0.1 - 1 mg/L (96 h) EC50 >0.1 - 1 mg/L (48 h) EC50 >0.1 - 1 mg/L (72 h)		Fish Crustacean Algae
Vetiveria zizanioides, ext., acetylated CAS: 84082-84-8 EC: 282-031-1	LC50 >1 - 10 mg/L (96 h) EC50 >1 - 10 mg/L (48 h) EC50 >1 - 10 mg/L (72 h)		Fish Crustacean Algae
Citral CAS: 5392-40-5 EC: 226-394-6	LC50 6,1 mg/L (24 h) EC50 11 mg/L (24 h) EC50 16 mg/L (72 h)	Oryzias latipes Daphnia magna Scenedesmus subspicatus	Fish Crustacean Algae
[3R-(3 α ,3a β ,6 β ,7 β ,8a α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1h-3a,7-methanoazulene CAS: 19870-74-7 EC: 243-384-7	LC50 >0.1 - 1 mg/L (96 h) EC50 >0.1 - 1 mg/L (48 h) EC50 >0.1 - 1 mg/L (72 h)		Fish Crustacean Algae
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (M=10) CAS: 68424-85-1 EC: 939-253-5	LC50 Non-applicable EC50 0,0058 mg/L (48 h) EC50 Non-applicable	Daphnia magna	Crustacean
(ethoxymethoxy)cyclododecane CAS: 58567-11-6 EC: 261-332-1	LC50 1,9 mg/L (96 h) EC50 1,6 mg/L (48 h) EC50 53 mg/L (96 h)	Brachydanio rerio Daphnia magna Scenedesmus subspicatus	Fish Crustacean Algae
pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	LC50 >0.1 - 1 mg/L (96 h) EC50 >0.1 - 1 mg/L (48 h) EC50 >0.1 - 1 mg/L (72 h)		Fish Crustacean Algae
Ethanediol CAS: 107-21-1 EC: 203-473-3	LC50 53000 mg/L (96 h) EC50 51000 mg/L (48 h) EC50 24000 mg/L (168 h)	Pimephales promelas Daphnia magna Selenastrum capricornutum	Fish Crustacean Algae
Cinnamal CAS: 104-55-2 EC: 203-213-9	LC50 >10 - 100 mg/L (96 h) EC50 >10 - 100 mg/L (48 h) EC50 >10 - 100 mg/L (72 h)		Fish Crustacean Algae

Chronic toxicity:

Identification	Concentration	Species	Genus
2,2-dimethyl-1,3-dioxolan-4-ylmethanol CAS: 100-79-8 EC: 202-888-7	NOEC Non-applicable NOEC 10 mg/L	Daphnia magna	Crustacean
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	NOEC Non-applicable NOEC 9,5 mg/L	Daphnia magna	Crustacean
Cinnamal CAS: 104-55-2 EC: 203-213-9	NOEC 15,159 mg/L NOEC Non-applicable	N/A	Fish

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability	Biodegradability
2,6-dimethyloct-7-en-2-ol CAS: 18479-58-8 EC: 242-362-4	BOD5 Non-applicable COD Non-applicable BOD5/COD Non-applicable	Concentration 10 mg/L Period 28 days % Biodegradable 72 %
4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone CAS: 36306-87-3 EC: 252-961-2	BOD5 Non-applicable COD Non-applicable BOD5/COD Non-applicable	Concentration 30 mg/L Period 28 days % Biodegradable 4 %

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradability	
Linalool CAS: 78-70-6 EC: 201-134-4	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	90 %
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	93 %
3,7-dimethylnona-1,6-dien-3-ol CAS: 10339-55-6 EC: 233-732-6	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	91 %
d-Limonene CAS: 5989-27-5 EC: 227-813-5	BOD5	Non-applicable	Concentration	10 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	71,4 %
Geraniol CAS: 106-24-1 EC: 203-377-1	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	21 days
	BOD5/COD	Non-applicable	% Biodegradable	70 %
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	BOD5	Non-applicable	Concentration	240 mg/L
	COD	Non-applicable	Period	13 days
	BOD5/COD	Non-applicable	% Biodegradable	78 %
Coumarin CAS: 91-64-5 EC: 202-086-7	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	14 days
	BOD5/COD	Non-applicable	% Biodegradable	100 %
Ethyl linalyl acetate CAS: 61931-80-4 EC: 263-336-9	BOD5	Non-applicable	Concentration	16 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	30 %
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one CAS: 33704-61-9 EC: 251-649-3	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	0 %
Citral CAS: 5392-40-5 EC: 226-394-6	BOD5	0,56 g O2/g	Concentration	100 mg/L
	COD	1,99 g O2/g	Period	28 days
	BOD5/COD	0,28	% Biodegradable	92 %
(ethoxymethoxy)cyclododecane CAS: 58567-11-6 EC: 261-332-1	BOD5	Non-applicable	Concentration	10 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	5 %
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 EC: 225-193-0	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	59 %
pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	BOD5	Non-applicable	Concentration	100 mg/L
	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	95 %
Ethanediol CAS: 107-21-1 EC: 203-473-3	BOD5	0,47 g O2/g	Concentration	100 mg/L
	COD	1,29 g O2/g	Period	14 days
	BOD5/COD	0,36	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
2,2-dimethyl-1,3-dioxolan-4-ylmethanol CAS: 100-79-8 EC: 202-888-7	BCF	1
	Pow Log	
	Potential	Low
Linalool CAS: 78-70-6 EC: 201-134-4	BCF	
	Pow Log	2.97
	Potential	

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential	
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	BCF	311
	Pow Log	4
	Potential	High
d-Limonene CAS: 5989-27-5 EC: 227-813-5	BCF	
	Pow Log	4.83
	Potential	
Geraniol CAS: 106-24-1 EC: 203-377-1	BCF	110
	Pow Log	3.56
	Potential	High
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	BCF	
	Pow Log	1.85
	Potential	
Coumarin CAS: 91-64-5 EC: 202-086-7	BCF	10
	Pow Log	1.39
	Potential	Low
Ethyl linalyl acetate CAS: 61931-80-4 EC: 263-336-9	BCF	
	Pow Log	2.92
	Potential	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one CAS: 33704-61-9 EC: 251-649-3	BCF	82
	Pow Log	4.2
	Potential	Moderate
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one CAS: 1506-02-1 EC: 216-133-4	BCF	
	Pow Log	5.7
	Potential	
Citral CAS: 5392-40-5 EC: 226-394-6	BCF	10
	Pow Log	3.45
	Potential	Low
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 EC: 225-193-0	BCF	232
	Pow Log	
	Potential	High
pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	BCF	2800
	Pow Log	4.83
	Potential	Very High
Ethanediol CAS: 107-21-1 EC: 203-473-3	BCF	10
	Pow Log	-1.36
	Potential	Low
Cinnamal CAS: 104-55-2 EC: 203-213-9	BCF	8
	Pow Log	1.9
	Potential	Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
4-(1-ethoxyvinyl)-3,3,5,5-tetramethylcyclohexanone CAS: 36306-87-3 EC: 252-961-2	Koc	Non-applicable	Henry	2,02 Pa·m ³ /mol
	Conclusion	Non-applicable	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
Benzyl salicylate CAS: 118-58-1 EC: 204-262-9	Koc	5600	Henry	Non-applicable
	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
d-Limonene CAS: 5989-27-5 EC: 227-813-5	Koc	6324	Henry	2533,13 Pa·m ³ /mol
	Conclusion	Immobile	Dry soil	Yes
	Surface tension	2,675E-2 N/m (25 °C)	Moist soil	Yes

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorption/desorption		Volatility	
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	Koc	80	Henry	Non-applicable
	Conclusion	Very High	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
Coumarin CAS: 91-64-5 EC: 202-086-7	Koc	42	Henry	Non-applicable
	Conclusion	Very High	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
Ethyl linalyl acetate CAS: 61931-80-4 EC: 263-336-9	Koc	824.7	Henry	Non-applicable
	Conclusion	Low	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one CAS: 33704-61-9 EC: 251-649-3	Koc	200	Henry	Non-applicable
	Conclusion	Moderate	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
(ethoxymethoxy)cyclododecane CAS: 58567-11-6 EC: 261-332-1	Koc	14600	Henry	Non-applicable
	Conclusion	Immobile	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate CAS: 4707-47-5 EC: 225-193-0	Koc	235	Henry	1,1E-2 Pa·m ³ /mol
	Conclusion	Moderate	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable
pin-2(3)-ene CAS: 80-56-8 EC: 201-291-9	Koc	Non-applicable	Henry	Non-applicable
	Conclusion	Non-applicable	Dry soil	Non-applicable
	Surface tension	2,587E-2 N/m (25 °C)	Moist soil	Non-applicable
Ethanediol CAS: 107-21-1 EC: 203-473-3	Koc	0	Henry	1,327E-1 Pa·m ³ /mol
	Conclusion	Very High	Dry soil	No
	Surface tension	4,989E-2 N/m (25 °C)	Moist soil	No
Cinnamal CAS: 104-55-2 EC: 203-213-9	Koc	37	Henry	3,546E-1 Pa·m ³ /mol
	Conclusion	Very High	Dry soil	Yes
	Surface tension	Non-applicable	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

- CONTINUED ON NEXT PAGE -

MY RHYTHM WHIFF OF PERFUME

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Geraniol (Product-type 18, 19) ; Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (M=10) (Product-type 1, 2, 3, 4, 8, 10, 11, 12, 22) ; Cinnamal (Product-type 2)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

MY RHYTHM WHIFF OF PERFUME

SECTION 16: OTHER INFORMATION (continued)

Acute Tox. 2: H330 - Fatal if inhaled.
 Acute Tox. 3: H301 - Toxic if swallowed.
 Acute Tox. 4: H302 - Harmful if swallowed.
 Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin.
 Acute Tox. 4: H312 - Harmful in contact with skin.
 Aquatic Acute 1: H400 - Very toxic to aquatic life.
 Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
 Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
 Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
 Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
 Eye Dam. 1: H318 - Causes serious eye damage.
 Eye Irrit. 2: H319 - Causes serious eye irritation.
 Flam. Liq. 3: H226 - Flammable liquid and vapour.
 Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
 Skin Irrit. 2: H315 - Causes skin irritation.
 Skin Sens. 1: H317 - May cause an allergic skin reaction.
 Skin Sens. 1A: H317 - May cause an allergic skin reaction.
 Skin Sens. 1B: H317 - May cause an allergic skin reaction.
 STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral).
 STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure.

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>
<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road
 IMDG: International maritime dangerous goods code
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organisation
 COD: Chemical Oxygen Demand
 BOD5: 5day biochemical oxygen demand
 BCF: Bioconcentration factor
 LD50: Lethal Dose 50
 LC50: Lethal Concentration 50
 EC50: Effective concentration 50
 LogPOW: Octanolwater partition coefficient
 Koc: Partition coefficient of organic carbon
 UFI: unique formula identifier
 IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -