

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BONDÉ Car Perfume Noir infusion

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: BONDÉ Car Perfume Noir infusion

Other means of identification:

UFI: 7JE3-20GR-E00P-RREA

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses (Consumer use): Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

MB ELIX sp. z oo sp.k. ul. Skarżyńskiego 26 54-530 Wrocław - Poland

Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68

lab@elix.pl www.elixscent.com

1.4 Emergency telephone number: 0048 71 387 85 33 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411 Skin Sens. 1: Sensitisation, skin, Category 1, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Labelling of packages where the contents do not exceed 125 ml:

Warning





Hazard statements:

H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, hexyl cinnamaldehyde, benzyl salicylate, alphamethyl-1,3-benzodioxole-5-propionaldehyde, linalool, hydroxycitronellal, piperonal, 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one, muguet shiseol, geranyl acetate.

UFI: 7JE3-20GR-E00P-RREA

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Not relevant

3.2 Mixture:

Chemical description: Mixture composed of chemical products





BONDÉ Car Perfume Noir infusion

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
34590-94-8 252-104-2 Not relevant 01-2119450011-60- XXXX	Dipropylene Glycol Methyl Ether ⁽¹⁾ Regulation 1272/2008 Not classifie	5 - <7.5%
54464-57-2 259-174-3 Not relevant 01-2119489989-04	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one(2) Self-classifie Regulation 1272/2008 Aquatic Chronic 1: H410; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	3 - <4%
101-86-0 202-983-3 Not relevant 01-2119533092-50	Hexyl cinnamaldehyde ⁽²⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Sens. 1: H317 - Warning	2 - <3%
118-58-1 204-262-9 607-754-00-5 01-2119969442-31-XXXX	Benzyl salicylate ⁽²⁾ Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1: H317 - Warning	1 - <2%
120-51-4 204-402-9 607-085-00-9 01-2119976371-33- XXXX	Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning	1 - <2%
1222-05-5 214-946-9 603-212-00-7 01-2119488227-29- XXXX	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran(2) ATP ATP01 Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	0.25 - <0.5%
1205-17-0 214-881-6 605-042-00-9 01-2120740119-58-XXXX	alpha-methyl-1,3-benzodioxole-5-propionaldehyde(2)Self-classifieRegulation 1272/2008Aquatic Chronic 2: H411; Repr. 2: H361; Skin Sens. 1: H317 - Warning	0.25 -
78-70-6 201-134-4 603-235-00-2 01-2119474016-42-XXXX	Linalool ⁽²⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.25 -
107-75-5 203-518-7 Not relevant 01-2119973482-31-XXXX	Hydroxycitronellal ⁽²⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Sens. 1: H317 - Warning	0.25 -
33704-61-9 251-649-3 Not relevant 01-2119977131-40-XXXX	1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ⁽²⁾ Self-classifie Regulation 1272/2008 Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.1 - <0.25%
120-57-0 204-409-7 Not relevant 01-2119983608-21-XXXX	Piperonal ⁽²⁾ Regulation 1272/2008 Repr. 2: H361fd; Skin Sens. 1: H317 - Warning	0.1 -
5502-75-0 Not relevant Not relevant 01-2119983532-32-XXXX	Muguet shiseol(2) Self-classifie Regulation 1272/2008 Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.1 - <0.25%
105-87-3 203-341-5 Not relevant 01-2119973480-35-XXXX	Geranyl acetate(2) Regulation 1272/2008 Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.1 -
34902-57-3 422-320-3 Not relevant 01-0000016883-62- XXXX	(3E)-Oxacyclohexadec-3-en-2-one(2) Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	0.1 -

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

⁽¹⁾ Substance with a Union workplace exposure limit (2) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BONDÉ Car Perfume Noir infusion

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Acute toxicity		Genus
Benzyl benzoate	LD50 oral	1500 mg/kg	Rat
CAS: 120-51-4	LD50 dermal	Not relevant	
EC: 204-402-9	LC50 inhalation dust	Not relevant	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters), seek medical advice with this Safety Data Sheet

By eve contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BONDÉ Car Perfume Noir infusion

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Preferably use vacuum extraction for cleaning. Given the environmental hazard of the product, it is advisable to use cleaning methods that minimize its dispersion into the surround

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification	Occupa	tional exposure lim	its
Dipropylene Glycol Methy	yl Ether (1)	IOELV (8h)	50 ppm	308 mg/m ³
CAS: 34590-94-8 EC:	2: 252-104-2	IOELV (STEL)		

(1) Skin





BONDÉ Car Perfume Noir infusion

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

· ·		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Dipropylene Glycol Methyl Ether	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 34590-94-8	Dermal	Not relevant	Not relevant	283 mg/kg	Not relevant
EC: 252-104-2	Inhalation	Not relevant	Not relevant	308 mg/m ³	Not relevant
Benzyl salicylate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 118-58-1	Dermal	Not relevant	Not relevant	2,21 mg/kg	Not relevant
EC: 204-262-9	Inhalation	Not relevant	Not relevant	7,8 mg/m ³	Not relevant
Benzyl benzoate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 120-51-4	Dermal	Not relevant	Not relevant	2,6 mg/kg	Not relevant
EC: 204-402-9	Inhalation	102 mg/m ³	Not relevant	5,1 mg/m ³	Not relevant
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 1222-05-5	Dermal	Not relevant	Not relevant	36,7 mg/kg	Not relevant
EC: 214-946-9	Inhalation	Not relevant	Not relevant	13,5 mg/m ³	Not relevant
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 1205-17-0	Dermal	Not relevant	Not relevant	0,17 mg/kg	Not relevant
EC: 214-881-6	Inhalation	Not relevant	Not relevant	1,2 mg/m ³	Not relevant
Linalool	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 78-70-6	Dermal	Not relevant	Not relevant	3,5 mg/kg	Not relevant
EC: 201-134-4	Inhalation	Not relevant	Not relevant	24,58 mg/m ³	Not relevant
Hydroxycitronellal	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 107-75-5	Dermal	Not relevant	Not relevant	1,9 mg/kg	Not relevant
EC: 203-518-7	Inhalation	Not relevant	Not relevant	18 mg/m³	Not relevant
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 33704-61-9	Dermal	Not relevant	Not relevant	0,42 mg/kg	Not relevant
EC: 251-649-3	Inhalation	Not relevant	Not relevant	1,47 mg/m ³	Not relevant
Piperonal	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 120-57-0	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
EC: 204-409-7	Inhalation	Not relevant	Not relevant	17,6 mg/m ³	Not relevant
Muguet shiseol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 5502-75-0	Dermal	Not relevant	Not relevant	1,88 mg/kg	Not relevant
EC: Not relevant	Inhalation	Not relevant	Not relevant	6,63 mg/m ³	Not relevant
Geranyl acetate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 105-87-3	Dermal	Not relevant	Not relevant	35,5 mg/kg	Not relevant
EC: 203-341-5	Inhalation	Not relevant	Not relevant	62,59 mg/m ³	Not relevant

DNEL (General population):

		Short e	Short exposure		xposure
Identification		Systemic	Local	Systemic	Local
Dipropylene Glycol Methyl Ether	Oral	Not relevant	Not relevant	36 mg/kg	Not relevant
CAS: 34590-94-8	Dermal	Not relevant	Not relevant	121 mg/kg	Not relevant
EC: 252-104-2	Inhalation	Not relevant	Not relevant	37,2 mg/m ³	Not relevant
Benzyl salicylate	Oral	Not relevant	Not relevant	0,79 mg/kg	Not relevant
CAS: 118-58-1	Dermal	Not relevant	Not relevant	0,79 mg/kg	Not relevant
EC: 204-262-9	Inhalation	Not relevant	Not relevant	1,37 mg/m³	Not relevant
Benzyl benzoate	Oral	78 mg/kg	Not relevant	0,4 mg/kg	Not relevant
CAS: 120-51-4	Dermal	Not relevant	Not relevant	1,3 mg/kg	Not relevant
EC: 204-402-9	Inhalation	25 mg/m ³	Not relevant	1,25 mg/m ³	Not relevant
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Not relevant	Not relevant	2,3 mg/kg	Not relevant
CAS: 1222-05-5	Dermal	Not relevant	Not relevant	22 mg/kg	Not relevant
EC: 214-946-9	Inhalation	Not relevant	Not relevant	4 mg/m³	Not relevant

Date of compilation: 18/07/2025 Version: 1 Page 5/16



BONDÉ Car Perfume Noir infusion

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Oral	Not relevant	Not relevant	0,17 mg/kg	Not relevant
CAS: 1205-17-0	Dermal	Not relevant	Not relevant	0,083 mg/kg	Not relevant
EC: 214-881-6	Inhalation	Not relevant	Not relevant	0,29 mg/m ³	Not relevant
Linalool	Oral	Not relevant	Not relevant	2,49 mg/kg	Not relevant
CAS: 78-70-6	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
EC: 201-134-4	Inhalation	Not relevant	Not relevant	4,33 mg/m ³	Not relevant
Hydroxycitronellal	Oral	Not relevant	Not relevant	0,6 mg/kg	Not relevant
CAS: 107-75-5	Dermal	Not relevant	Not relevant	1,1 mg/kg	Not relevant
EC: 203-518-7	Inhalation	Not relevant	Not relevant	5,4 mg/m ³	Not relevant
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one	Oral	Not relevant	Not relevant	0,25 mg/kg	Not relevant
CAS: 33704-61-9	Dermal	Not relevant	Not relevant	0,25 mg/kg	Not relevant
EC: 251-649-3	Inhalation	Not relevant	Not relevant	0,44 mg/m ³	Not relevant
Piperonal	Oral	Not relevant	Not relevant	1,25 mg/kg	Not relevant
CAS: 120-57-0	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
EC: 204-409-7	Inhalation	Not relevant	Not relevant	4,3 mg/m ³	Not relevant
Muguet shiseol	Oral	Not relevant	Not relevant	0,94 mg/kg	Not relevant
CAS: 5502-75-0	Dermal	Not relevant	Not relevant	0,94 mg/kg	Not relevant
EC: Not relevant	Inhalation	Not relevant	Not relevant	1,63 mg/m ³	Not relevant
Geranyl acetate	Oral	Not relevant	Not relevant	8,9 mg/kg	Not relevant
CAS: 105-87-3	Dermal	Not relevant	Not relevant	17,75 mg/kg	Not relevant
EC: 203-341-5	Inhalation	Not relevant	Not relevant	15,4 mg/m ³	Not relevant

PNEC:

Identification				
Dipropylene Glycol Methyl Ether	STP	4168 mg/L	Fresh water	19 mg/L
CAS: 34590-94-8	Soil	2,74 mg/kg	Marine water	1,9 mg/L
EC: 252-104-2	Intermittent	190 mg/L	Sediment (Fresh water)	70,2 mg/kg
	Oral	Not relevant	Sediment (Marine water)	7,02 mg/kg
Benzyl salicylate	STP	10 mg/L	Fresh water	0,001 mg/L
CAS: 118-58-1	Soil	1,41 mg/kg	Marine water	0 mg/L
EC: 204-262-9	Intermittent	0,01 mg/L	Sediment (Fresh water)	0,583 mg/kg
	Oral	0,0527 g/kg	Sediment (Marine water)	0,058 mg/kg
Benzyl benzoate	STP	100 mg/L	Fresh water	0,017 mg/L
CAS: 120-51-4	Soil	2,12 mg/kg	Marine water	0,002 mg/L
EC: 204-402-9	Intermittent	Not relevant	Sediment (Fresh water)	10,66 mg/kg
	Oral	Not relevant	Sediment (Marine water)	1,07 mg/kg
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	STP	1 mg/L	Fresh water	0,0068 mg/L
CAS: 1222-05-5	Soil	1,5 mg/kg	Marine water	0,00044 mg/L
EC: 214-946-9	Intermittent	Not relevant	Sediment (Fresh water)	2 mg/kg
	Oral	20,4 g/kg	Sediment (Marine water)	0,394 mg/kg
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	STP	10 mg/L	Fresh water	0,005 mg/L
CAS: 1205-17-0	Soil	0,008 mg/kg	Marine water	0,001 mg/L
EC: 214-881-6	Intermittent	0,053 mg/L	Sediment (Fresh water)	0,057 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,006 mg/kg
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
Hydroxycitronellal	STP	10 mg/L	Fresh water	0,0316 mg/L
CAS: 107-75-5	Soil	0,011 mg/kg	Marine water	0,00316 mg/L
EC: 203-518-7	Intermittent	0,316 mg/L	Sediment (Fresh water)	0,145 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,015 mg/kg

Date of compilation: 18/07/2025 Version: 1 Page 6/16





BONDÉ Car Perfume Noir infusion

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	STP	10 mg/L	Fresh water	0,004 mg/L
CAS: 33704-61-9	Soil	0,0174 mg/kg	Marine water	0 mg/L
EC: 251-649-3	Intermittent	Not relevant	Sediment (Fresh water)	0,0991 mg/kg
	Oral	0,00111 g/kg	Sediment (Marine water)	0,00991 mg/kg
Piperonal	STP	10 mg/L	Fresh water	0,0025 mg/L
CAS: 120-57-0	Soil	0,00084 mg/kg	Marine water	0,00025 mg/L
EC: 204-409-7	Intermittent	0,025 mg/L	Sediment (Fresh water)	0,0119 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,0012 mg/kg
Muguet shiseol	STP	1,9 mg/L	Fresh water	0,0044 mg/L
CAS: 5502-75-0	Soil	0,051 mg/kg	Marine water	0,00044 mg/L
EC: Not relevant	Intermittent	0,044 mg/L	Sediment (Fresh water)	0,266 mg/kg
	Oral	0,04178 g/kg	Sediment (Marine water)	0,0266 mg/kg
Geranyl acetate	STP	8 mg/L	Fresh water	0,00372 mg/L
CAS: 105-87-3	Soil	0,086 mg/kg	Marine water	0,000372 mg/L
EC: 203-341-5	Intermittent	0,0372 mg/L	Sediment (Fresh water)	0,442 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,044 mg/kg
(3E)-Oxacyclohexadec-3-en-2-one	STP	10 mg/L	Fresh water	0,0027 mg/L
CAS: 34902-57-3	Soil	5,44 mg/kg	Marine water	0,00027 mg/L
EC: 422-320-3	Intermittent	Not relevant	Sediment (Fresh water)	21 mg/kg
	Oral	Not relevant	Sediment (Marine water)	4,2 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Butyl, Breakthrough time: > 480 min, Thickness: 0.7 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.





BONDÉ Car Perfume Noir infusion

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Anti-slip work shoes	CATII	EN ISO 20347:2022	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Odour:

Odour threshold:

Solid

Compact

Pink

Pleasant

Not relevant *

Volatility:

Boiling point at atmospheric pressure:

Vapour pressure at 20 °C:

Vapour pressure at 50 °C:

Evaporation rate at 20 °C:

Not relevant *

Not relevant *

Product description:

Density at 20 °C: 1318,5 kg/m3 Relative density at 20 °C: 1,319 Dynamic viscosity at 20 °C: Not relevant * Kinematic viscosity at 20 °C: Not relevant * Kinematic viscosity at 40 °C: Not relevant * Concentration: Not relevant * pH: Not relevant * Vapour density at 20 °C: Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant * Solubility in water at 20 °C: Not relevant * Solubility properties: Not relevant * Decomposition temperature: Not relevant * Melting point/freezing point: Not relevant *

Flammability:

*Not relevant due to the nature of the product, not providing information property of its hazards.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BONDÉ Car Perfume Noir infusion

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Flash Point: Not relevant *
Flammability (solid, gas): Not relevant *
Autoignition temperature: 110 °C
Lower flammability limit: Not relevant *

Upper flammability limit: Not relevant *

Not relevant *

Explosive (Solid):

Lower explosive limit:

Upper explosive limit:

Not relevant *

Not relevant *

Particle characteristics:

Median equivalent diameter: Not relevant *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Not relevant *

Not relevant *

Not relevant *

components:

Surface tension at 20 °C: Not relevant * Refraction index: Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

Other safety characteristics:

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BONDÉ Car Perfume Noir infusion

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Benzyl acetate (3); Indole (2B)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Hexyl cinnamaldehyde	LD50 oral	3100 mg/kg	Rat
CAS: 101-86-0	LD50 dermal	3000 mg/kg	Rabbit
EC: 202-983-3	LC50 inhalation vapour		





BONDÉ Car Perfume Noir infusion

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute	Acute toxicity	
Benzyl salicylate	LD50 oral	2200 mg/kg	Rat
CAS: 118-58-1	LD50 dermal	14150 mg/kg	Rabbit
EC: 204-262-9	LC50 inhalation dust		
Benzyl benzoate	LD50 oral	1500 mg/kg	Rat
CAS: 120-51-4	LD50 dermal	4000 mg/kg	Rabbit
EC: 204-402-9	LC50 inhalation vapour		
Dipropylene Glycol Methyl Ether	LD50 oral	>5000 mg/kg	Rat
CAS: 34590-94-8 EC: 252-104-2	LD50 dermal	9510 mg/kg	Rabbit
	LC50 inhalation vapour		
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	LD50 oral	3550 mg/kg	Rat
CAS: 1205-17-0 EC: 214-881-6	LD50 dermal		
	LC50 inhalation vapour		
Linalool	LD50 oral	3500 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
EC: 201-134-4	LC50 inhalation vapour		
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	LD50 oral	2900 mg/kg	Rat
CAS: 33704-61-9	LD50 dermal		
EC: 251-649-3	LC50 inhalation dust		
Piperonal	LD50 oral	2700 mg/kg	Rat
CAS: 120-57-0 EC: 204-409-7	LD50 dermal		
	LC50 inhalation dust		
Muguet shiseol	LD50 oral	10000 mg/kg	Rat
CAS: 5502-75-0	LD50 dermal		
EC: Not relevant	LC50 inhalation vapour		

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available Toxic to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Dipropylene Glycol Methyl Ether	LC50	10000 mg/L (96 h)	Pimephales promelas	Fish
CAS: 34590-94-8	EC50	1919 mg/L (48 h)	Daphnia magna	Crustacean
EC: 252-104-2	EC50	Not relevant		
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 259-174-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
Hexyl cinnamaldehyde	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 101-86-0	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 202-983-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
Benzyl salicylate	LC50	1,03 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 118-58-1	EC50	1,2 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-262-9	EC50	1,3 mg/L (72 h)	Selenastrum capricornutum	Algae





BONDÉ Car Perfume Noir infusion

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration		Species	Genus
Benzyl benzoate	LC50	2,32 mg/L (96 h)	Danio rerio	Fish
CAS: 120-51-4	EC50	3,1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-402-9	EC50	0,36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	LC50	0,95 mg/L (96 h)	Oryzias latipes	Fish
CAS: 1222-05-5	EC50	0,194 mg/L (48 h)	Daphnia magna	Crustacean
EC: 214-946-9	EC50	0,723 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	LC50	5,3 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 1205-17-0	EC50	8 mg/L (48 h)	Daphnia magna	Crustacean
EC: 214-881-6	EC50	28 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	LC50	2,12 mg/L (96 h)	Oryzias latipes	Fish
CAS: 33704-61-9	EC50	1,5 mg/L (48 h)	Daphnia magna	Crustacean
EC: 251-649-3	EC50	10 mg/L (72 h)	Desmodesmus subspicatus	Algae
Geranyl acetate	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 105-87-3	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 203-341-5	EC50	>10 - 100 mg/L (72 h)		Algae
(3E)-Oxacyclohexadec-3-en-2-one	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 34902-57-3	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 422-320-3	EC50	>0.1 - 1 mg/L (72 h)		Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
Dipropylene Glycol Methyl Ether	NOEC	Not relevant		
CAS: 34590-94-8 EC: 252-104-2	NOEC	0,5 mg/L	Daphnia magna	Crustacean
Benzyl benzoate	NOEC	Not relevant		
CAS: 120-51-4 EC: 204-402-9	NOEC	0,258 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
Dipropylene Glycol Methyl Ether	BOD5	Not relevant	Concentration	Not relevant
CAS: 34590-94-8	COD	0 g O2/g	Period	28 days
EC: 252-104-2	BOD5/COD	Not relevant	% Biodegradable	73 %
Benzyl salicylate	BOD5	Not relevant	Concentration	100 mg/L
CAS: 118-58-1	COD	Not relevant	Period	28 days
EC: 204-262-9	BOD5/COD	Not relevant	% Biodegradable	93 %
Benzyl benzoate	BOD5	Not relevant	Concentration	100 mg/L
CAS: 120-51-4	COD	Not relevant	Period	28 days
EC: 204-402-9	BOD5/COD	Not relevant	% Biodegradable	94 %
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	BOD5	Not relevant	Concentration	100 mg/L
CAS: 1205-17-0	COD	Not relevant	Period	28 days
EC: 214-881-6	BOD5/COD	Not relevant	% Biodegradable	65 %
Linalool	BOD5	Not relevant	Concentration	100 mg/L
CAS: 78-70-6	COD	Not relevant	Period	28 days
EC: 201-134-4	BOD5/COD	Not relevant	% Biodegradable	90 %
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one	BOD5	Not relevant	Concentration	100 mg/L
CAS: 33704-61-9	COD	Not relevant	Period	28 days
EC: 251-649-3	BOD5/COD	Not relevant	% Biodegradable	0 %
Muguet shiseol	BOD5	Not relevant	Concentration	100 mg/L
CAS: 5502-75-0	COD	Not relevant	Period	28 days
EC: Not relevant	BOD5/COD	Not relevant	% Biodegradable	91 %

12.3 Bioaccumulative potential:

Substance-specific information:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BONDÉ Car Perfume Noir infusion

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioacc	umulation potential
Dipropylene Glycol Methyl Ether	BCF	1
CAS: 34590-94-8	Pow Log	-0.06
EC: 252-104-2	Potential	Low
Hexyl cinnamaldehyde	BCF	17
CAS: 101-86-0	Pow Log	
EC: 202-983-3	Potential	Low
Benzyl salicylate	BCF	311
CAS: 118-58-1	Pow Log	4
EC: 204-262-9	Potential	High
Benzyl benzoate	BCF	193
CAS: 120-51-4	Pow Log	4
EC: 204-402-9	Potential	High
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	BCF	1584
CAS: 1222-05-5	Pow Log	5.9
EC: 214-946-9	Potential	Very High
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	BCF	
CAS: 1205-17-0	Pow Log	2.4
EC: 214-881-6	Potential	
Linalool	BCF	
CAS: 78-70-6	Pow Log	2.97
EC: 201-134-4	Potential	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	BCF	82
CAS: 33704-61-9	Pow Log	4.2
EC: 251-649-3	Potential	Moderate
Muguet shiseol	BCF	82
CAS: 5502-75-0	Pow Log	3.45
EC: Not relevant	Potential	Moderate

12.4 Mobility in soil:

Identification	Absorption/desorption		Volat	ility
Benzyl salicylate	Koc	5600	Henry	Not relevant
CAS: 118-58-1	Conclusion	Immobile	Dry soil	Not relevant
EC: 204-262-9	Surface tension	Not relevant	Moist soil	Not relevant
Benzyl benzoate	Koc	6310	Henry	Not relevant
CAS: 120-51-4	Conclusion	Immobile	Dry soil	Not relevant
EC: 204-402-9	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Not relevant
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Koc	71	Henry	Not relevant
CAS: 1205-17-0	Conclusion	Very High	Dry soil	Not relevant
EC: 214-881-6	Surface tension	Not relevant	Moist soil	Not relevant
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one	Koc	200	Henry	Not relevant
CAS: 33704-61-9	Conclusion	Moderate	Dry soil	Not relevant
EC: 251-649-3	Surface tension	Not relevant	Moist soil	Not relevant
Muguet shiseol	Koc	569	Henry	Not relevant
CAS: 5502-75-0	Conclusion	Moderate	Dry soil	Not relevant
EC: Not relevant	Surface tension	Not relevant	Moist soil	Not relevant

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BONDÉ Car Perfume Noir infusion

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2025 and RID 2025:



14.1 UN number or ID number: UN3077

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-

(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-

one)

9 14.3 Transport hazard class(es):

9 Labels: 14.4 Packing group: TTT

14.5 Environmental hazards: Yes

14.6 Special precautions for user

Special regulations: 274, 335, 375, 601

Tunnel restriction code:

Physico-Chemical properties: see section 9 Limited quantities: 5 ka

14.7 Maritime transport in bulk

according to IMO instruments:

Not relevant

Transport of dangerous goods by sea:

With regard to IMDG 41-22:

14.1 UN number or ID number: UN3077

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-

(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-

one)

14.3 Transport hazard class(es): 9

> 9 Labels:

III14.4 Packing group: 14.5 Marine pollutant: Yes

14.6 Special precautions for user

Special regulations: 335, 966, 274, 967, 969

FmS Codes: F-A, S-F Physico-Chemical properties: see section 9

Limited quantities: 5 kg Segregation group: Not relevant Not relevant

14.7 Maritime transport in bulk

according to IMO

instruments:

- CONTINUED ON NEXT PAGE -

Date of compilation: 18/07/2025 Version: 1 Page 14/16



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BONDÉ Car Perfume Noir infusion

SECTION 14: TRANSPORT INFORMATION (continued)

Transport of dangerous goods by air:

With regard to IATA/ICAO 2025:



14.1 UN number or ID number: UN3077

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (1-

(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-

one) 9

9

III

14.3 Transport hazard class(es):

Labels: **14.4 Packing group:**

14.5 Environmental hazards: Ye

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Maritime transport in bulk

according to IMO instruments:

Not relevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Contains Indole. From 1 January 2010, extender oils shall not be placed on the market, or used for the production of tyres or parts of tyres if they contain:

- more than 1 mg/kg (0,0001 % by weight) BaP, or,
- more than 10 mg/kg (0,001 % by weight) of the sum of all listed PAHs.

Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs. Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.

By way of derogation from paragraphs 5 and 6, these paragraphs shall not apply to articles placed on the market for the first time before 27 December 2015.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

Date of compilation: 18/07/2025

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

Version: 1

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Page 15/16

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

BONDÉ Car Perfume Noir infusion

SECTION 16: OTHER INFORMATION (continued)

Not relevant

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Repr. 2: H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Classification procedure:

Skin Sens. 1: Calculation method Aquatic Chronic 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50 LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -Date of compilation: 18/07/2025 Version: 1 Page 16/16