

SECT	TION 1: IDENTIFICATION OF THE SU	JBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
1.1	Product identifier:	CLIP IT FRESH BUBBLE GUM				
	Other means of identification:					
	UFI:	YX21-V0JW-A000-3XER				
1.2	Relevant identified uses of the subs	ance or mixture and uses advised against:				
	Relevant uses (Consumer use): Air freshener					
	Uses advised against: All uses not specified in this section or in section 7.3					
1.3	Details of the supplier of the safety data sheet:					
	MB ELIX sp. z oo sp.k. ul. Skarżyńskiego 26 54-530 Wrocław - Poland Phone: 0048 71 387 85 33 - Fax: 0048 7 lab@elix.pl www.elixscent.com	1 722 29 68				
1.4	<b>Emergency telephone number:</b> 004	48 71 387 85 33 (8.00-16.00)				

## SECTION 2: HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

# 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

Labelling of packages where the contents do not exceed 125 ml:

Warning



## Hazard statements:

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

# **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

#### Supplementary information:

Contains linalool, linalyl acetate, ethyl 2,3-epoxy-3-phenylbutyrate.

UFI: YX21-V0JW-A000-3XER

## 2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substance:

Not relevant

3.2 Mixture:



# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

### Chemical description: Mixture composed of chemical products

# Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identi	ification		Chemical name/Classification		Concentration
CAS: 56539- EC: 260-25 Index: Not rel REACH: 01-211 XXXX	52-4 levant	3-methoxy-3-methylt Regulation 1272/2008	butan-1-ol(1) Eye Irrit. 2: H319 - Warning	Self-classified	25 - <30 %
CAS: 34590- EC: 252-10 Index: Not rel REACH: 01-211 XXXX	04-2 levant	Dipropylene Glycol Ma Regulation 1272/2008	ethyl Ether <sup>(2)</sup>	Not classified	20 - <25 %
CAS: 78-70- EC: 201-13 Index: 603-23 REACH: 01-211	34-4	Linalool <sup>(1)</sup> Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified	5 - <7,5 %
CAS: 115-95 EC: 204-11 Index: Not rel REACH: 01-211	16-4	Linalyl acetate <sup>(1)</sup> Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified	4 - <5 %
CAS: 77-83- EC: 201-06 Index: Not rel REACH: 01-211	61-8	Ethyl 2,3-epoxy-3-ph Regulation 1272/2008	enylbutyrate <sup>(1)</sup> Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	Self-classified	4 - <5 %
CAS: 140-11 EC: 205-39 Index: Not rel REACH: 01-211 XXXX	99-7 levant	Benzyl acetate <sup>(1)</sup> Regulation 1272/2008	Aquatic Chronic 3: H412	Self-classified	2 - <3 %
CAS: 121-32 EC: 204-46 Index: Not rel REACH: 01-211 XXXX	64-7 levant	3-ethoxy-4-hydroxyb Regulation 1272/2008	enzaldehyde(1) Eye Irrit. 2: H319 - Warning	Self-classified	1 - <2 %
CAS: 68901- EC: 272-65 Index: Not rel REACH: 01-212 XXXX	57-3 levant	Allyl (cyclohexyloxy)a Regulation 1272/2008	ccetate <sup>(1)</sup> Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	Self-classified	0,5 - <0,75 %
CAS: 128-37 EC: 204-88 Index: Not rel REACH: 01-211 XXXX	81-4 levant	2,6-di-tert-butyl-p-cro Regulation 1272/2008	esol(1) Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	Self-classified	0,25 - <0,5 %
CAS: 123-68 EC: 204-64 Index: Not rel REACH: 01-211 XXXX	42-4 levant	Allyl hexanoate <sup>(1)</sup> Regulation 1272/2008	Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Dar	Self-classified	0,1 - <0,25 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 <sup>(2)</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute to	Acute toxicity		
Linalool	LD50 oral	3500 mg/kg	Rat	
CAS: 78-70-6	LD50 dermal	Not relevant		
EC: 201-134-4	LC50 inhalation vapour	Not relevant		
Allyl hexanoate	LD50 oral	220 mg/kg		
CAS: 123-68-2	LD50 dermal	300 mg/kg		
EC: 204-642-4	LC50 inhalation vapour	Not relevant		
Allyl (cyclohexyloxy)acetate	LD50 oral	620,42 mg/kg	Rat	
CAS: 68901-15-5	LD50 dermal	Not relevant		
EC: 272-657-3	LC50 inhalation vapour	Not relevant		



# SECTION 4: FIRST AID MEASURES 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

# SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

## Unsuitable extinguishing media:

Water jet

# 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

## 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

## Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

- CONTINUED ON NEXT PAGE -



## SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

#### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

## 6.3 Methods and material for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation. Spillages in water or sea:

Spillages in water of

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.:5 °CMaximum Temp.:35 °CMaximum time:36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	ational exposure lim	nits
Dipropylene Glycol Methyl Ether (1)	IOELV (8h)	50 ppm	308 mg/m <sup>3</sup>
CAS: 34590-94-8 EC: 252-104-2	IOELV (STEL)		

<sup>(1)</sup> Skin

## DNEL (Workers):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
3-methoxy-3-methylbutan-1-ol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 56539-66-3	Dermal	Not relevant	Not relevant	6,25 mg/kg	Not relevant
EC: 260-252-4	Inhalation	Not relevant	Not relevant	18 mg/m <sup>3</sup>	Not relevant
Dipropylene Glycol Methyl Ether	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 34590-94-8	Dermal	Not relevant	Not relevant	283 mg/kg	Not relevant
EC: 252-104-2	Inhalation	Not relevant	Not relevant	308 mg/m <sup>3</sup>	Not relevant
Linalool	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 78-70-6	Dermal	Not relevant	Not relevant	3,5 mg/kg	Not relevant
EC: 201-134-4	Inhalation	Not relevant	Not relevant	24,58 mg/m <sup>3</sup>	Not relevant
Linalyl acetate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 115-95-7	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
EC: 204-116-4	Inhalation	Not relevant	Not relevant	2,75 mg/m <sup>3</sup>	Not relevant
Ethyl 2,3-epoxy-3-phenylbutyrate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 77-83-8	Dermal	Not relevant	Not relevant	0,7 mg/kg	Not relevant
EC: 201-061-8	Inhalation	Not relevant	Not relevant	2,45 mg/m <sup>3</sup>	Not relevant
Benzyl acetate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 140-11-4	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
EC: 205-399-7	Inhalation	Not relevant	Not relevant	9 mg/m <sup>3</sup>	Not relevant
3-ethoxy-4-hydroxybenzaldehyde	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 121-32-4	Dermal	Not relevant	Not relevant	7 mg/kg	Not relevant
EC: 204-464-7	Inhalation	98 mg/m <sup>3</sup>	Not relevant	49 mg/m <sup>3</sup>	Not relevant
Allyl (cyclohexyloxy)acetate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 68901-15-5	Dermal	Not relevant	Not relevant	0,448 mg/kg	Not relevant
EC: 272-657-3	Inhalation	Not relevant	Not relevant	3,16 mg/m <sup>3</sup>	Not relevant
2,6-di-tert-butyl-p-cresol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 128-37-0	Dermal	Not relevant	Not relevant	0,5 mg/kg	Not relevant
EC: 204-881-4	Inhalation	Not relevant	Not relevant	3,5 mg/m <sup>3</sup>	Not relevant
Allyl hexanoate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 123-68-2	Dermal	Not relevant	Not relevant	4,3 mg/kg	Not relevant
EC: 204-642-4	Inhalation	Not relevant	Not relevant	15 mg/m <sup>3</sup>	Not relevant

# DNEL (General population):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
3-methoxy-3-methylbutan-1-ol	Oral	Not relevant	Not relevant	2,5 mg/kg	Not relevant
CAS: 56539-66-3	Dermal	Not relevant	Not relevant	3,1 mg/kg	Not relevant
EC: 260-252-4	Inhalation	Not relevant	Not relevant	4,4 mg/m <sup>3</sup>	Not relevant
Dipropylene Glycol Methyl Ether	Oral	Not relevant	Not relevant	36 mg/kg	Not relevant
CAS: 34590-94-8	Dermal	Not relevant	Not relevant	121 mg/kg	Not relevant
EC: 252-104-2	Inhalation	Not relevant	Not relevant	37,2 mg/m <sup>3</sup>	Not relevant
Linalool	Oral	Not relevant	Not relevant	2,49 mg/kg	Not relevant
CAS: 78-70-6	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
EC: 201-134-4	Inhalation	Not relevant	Not relevant	4,33 mg/m <sup>3</sup>	Not relevant



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Linalyl acetate	Oral	Not relevant	Not relevant	0,2 mg/kg	Not relevant	
CAS: 115-95-7	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant	
EC: 204-116-4	Inhalation	Not relevant	Not relevant	0,68 mg/m <sup>3</sup>	Not relevant	
Ethyl 2,3-epoxy-3-phenylbutyrate	Oral	Not relevant	Not relevant	0,35 mg/kg	Not relevant	
CAS: 77-83-8	Dermal	Not relevant	Not relevant	0,35 mg/kg	Not relevant	
EC: 201-061-8	Inhalation	Not relevant	Not relevant	0,61 mg/m <sup>3</sup>	Not relevant	
Benzyl acetate	Oral	Not relevant	Not relevant	1,3 mg/kg	Not relevant	
CAS: 140-11-4	Dermal	Not relevant	Not relevant	1,3 mg/kg	Not relevant	
EC: 205-399-7	Inhalation	Not relevant	Not relevant	2,2 mg/m <sup>3</sup>	Not relevant	
3-ethoxy-4-hydroxybenzaldehyde	Oral	Not relevant	Not relevant	2,5 mg/kg	Not relevant	
CAS: 121-32-4	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant	
EC: 204-464-7	Inhalation	17,5 mg/m <sup>3</sup>	Not relevant	8,75 mg/m <sup>3</sup>	Not relevant	
Allyl (cyclohexyloxy)acetate	Oral	Not relevant	Not relevant	0,16 mg/kg	Not relevant	
CAS: 68901-15-5	Dermal	Not relevant	Not relevant	0,16 mg/kg	Not relevant	
EC: 272-657-3	Inhalation	Not relevant	Not relevant	0,557 mg/m <sup>3</sup>	Not relevant	
2,6-di-tert-butyl-p-cresol	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 128-37-0	Dermal	Not relevant	Not relevant	0,25 mg/kg	Not relevant	
EC: 204-881-4	Inhalation	Not relevant	Not relevant	0,86 mg/m <sup>3</sup>	Not relevant	
	Oral	Not relevant	Not relevant	. 5,	Not relevant	
Allyl hexanoate CAS: 123-68-2	Dermal	Not relevant	Not relevant	2,1 mg/kg 2,1 mg/kg	Not relevant	
EC: 204-642-4	Inhalation	Not relevant	Not relevant	3,7 mg/m <sup>3</sup>	Not relevant	
	Innaiation	Not relevant	Not relevant	5,7 mg/m²	Not relevant	
PNEC:						
Identification						
Dipropylene Glycol Methyl Ether	STP	4168 mg/L	Fresh water		19 mg/L	
CAS: 34590-94-8	Soil	2,74 mg/kg	Marine water		1,9 mg/L	
EC: 252-104-2	Intermittent	190 mg/L	Sediment (Free	sh water)	70,2 mg/kg	
	Oral	Not relevant	Sediment (Mar	ine water)	7,02 mg/kg	
Linalool	STP	10 mg/L	Fresh water		0,2 mg/L	
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water		0,02 mg/L	
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Free	sh water)	2,22 mg/kg	
	Oral	0,0078 g/kg	Sediment (Mar	ine water)	0,222 mg/kg	
Linalyl acetate	STP	1 mg/L	Fresh water		0,011 mg/L	
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water		0,001 mg/L	
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Free	sh water)	0,609 mg/kg	
	Oral	Not relevant	Sediment (Mar	ine water)	0,061 mg/kg	
Ethyl 2,3-epoxy-3-phenylbutyrate	STP	10 mg/L	Fresh water		0,008 mg/L	
CAS: 77-83-8	Soil	0,038 mg/kg	Marine water		0,0084 mg/L	
EC: 201-061-8	Intermittent	0,084 mg/L	Sediment (Free	sh water)	0,214 mg/kg	
	Oral	0,0233 g/kg	Sediment (Mar	ine water)	0,021 mg/kg	
Benzyl acetate	STP	8,55 mg/L	Fresh water		0,018 mg/L	
CAS: 140-11-4	Soil	0,094 mg/kg	Marine water		0,002 mg/L	
EC: 205-399-7	Intermittent	0,04 mg/L	Sediment (Free	sh water)	0,526 mg/kg	
	Oral	Not relevant	Sediment (Mar	ine water)	0,053 mg/kg	
3-ethoxy-4-hydroxybenzaldehyde	STP	10 mg/L	Fresh water		0,118 mg/L	
CAS: 121-32-4	Soil	2,923 mg/kg	Marine water		0,012 mg/L	
EC: 204-464-7	Intermittent	Not relevant	Sediment (Free		15 mg/kg	
	Oral	Not relevant	Sediment (Mar	·	1,5 mg/kg	
Allyl (cyclohexyloxy)acetate	STP	0,3 mg/L	Fresh water		0,00205 mg/L	
CAS: 68901-15-5	Soil	0,375 mg/kg	Marine water		0,00205 mg/L	
EC: 272-657-3	Intermittent	0,00205 mg/L	Sediment (Free		0,000203 mg/kg	
	internitterit	0,00205 mg/L	Scament (Tes	in Water)	0,000/ mg/kg	



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
2,6-di-tert-butyl-p-cresol	STP	0,17 mg/L	Fresh water	0,000199 mg/L
CAS: 128-37-0	Soil	0,04769 mg/kg	Marine water	0,00002 mg/L
EC: 204-881-4	Intermittent	0,00199 mg/L	Sediment (Fresh water)	0,0996 mg/kg
	Oral	0,00833 g/kg	Sediment (Marine water)	0,00996 mg/kg
Allyl hexanoate	STP	10 mg/L	Fresh water	0,000117 mg/L
CAS: 123-68-2	Soil	0,000825 mg/kg	Marine water	0,000012 mg/L
EC: 204-642-4	Intermittent	0,00117 mg/L	Sediment (Fresh water)	0,00446 mg/kg
	Oral	0,04756 g/kg	Sediment (Marine water)	0,000446 mg/kg

## 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

#### C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

#### D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

### E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2022	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

#### **Environmental exposure controls:**

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties: For complete information see the product datasheet. **Appearance:** Physical state at 20 °C: Liquid Fluid Appearance: Colour: Pink Odour: Pleasant Odour threshold: Not relevant \* Volatility: Boiling point at atmospheric pressure: 190 °C Vapour pressure at 20 °C: 65 Pa Vapour pressure at 50 °C: 485,82 Pa (0,49 kPa) Evaporation rate at 20 °C: Not relevant \* **Product description:** Density at 20 °C: 985,1 kg/m<sup>3</sup> Relative density at 20 °C: 0,985 Dynamic viscosity at 20 °C: Not relevant \* Kinematic viscosity at 20 °C: Not relevant \* Kinematic viscosity at 40 °C: Not relevant \* Concentration: Not relevant \* pH: Not relevant \* Vapour density at 20 °C: Not relevant \* Partition coefficient n-octanol/water 20 °C: Not relevant \* Solubility in water at 20 °C: Not relevant \* Solubility properties: Not relevant \* Decomposition temperature: Not relevant \* Melting point/freezing point: Not relevant \* Flammability: 77 °C Flash Point: Not relevant \* Flammability (solid, gas): 235 °C Autoignition temperature: Lower flammability limit: Not relevant \* Upper flammability limit: Not relevant \* Particle characteristics: Median equivalent diameter: Not relevant \* 9.2 Other information: Information with regard to physical hazard classes: Explosive properties: Not relevant \* Oxidising properties: Not relevant \* Corrosive to metals: Not relevant \* \*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Revised: 03/01/2025



ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)					
Heat of combustion:	Not relevant *				
Aerosols-total percentage (by mass) of flammable components:	Not relevant *				
Other safety characteristics:					
Surface tension at 20 °C:	Not relevant *				
Refraction index:	Not relevant *				
*Not relevant due to the nature of the product, not providing infor	mation property of its hazards.				

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# **10.3** Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

## **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces eye damage after contact.

- CONTINUED ON NEXT PAGE -



## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Benzyl acetate (3); 2,6-di-tert-butyl-p-cresol (3); Eugenol (3); d-limonene (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Not relevant

#### Specific toxicology information on the substances:

Identification	Ac	cute toxicity	Genus
Linalool	LD50 oral	3500 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
EC: 201-134-4	LC50 inhalation		
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
EC: 204-116-4	LC50 inhalation		
Benzyl acetate	LD50 oral	2490 mg/kg	Rat
CAS: 140-11-4	LD50 dermal		
EC: 205-399-7	LC50 inhalation		
3-ethoxy-4-hydroxybenzaldehyde	LD50 oral	3000 mg/kg	Rat
CAS: 121-32-4	LD50 dermal		
EC: 204-464-7	LC50 inhalation		
Allyl hexanoate	LD50 oral	220 mg/kg	
CAS: 123-68-2	LD50 dermal	300 mg/kg	
EC: 204-642-4	LC50 inhalation		
Dipropylene Glycol Methyl Ether	LD50 oral	>5000 mg/kg	Rat
CAS: 34590-94-8	LD50 dermal	9510 mg/kg	Rabbit
EC: 252-104-2	LC50 inhalation		
Allyl (cyclohexyloxy)acetate	LD50 oral	620,42 mg/kg	Rat
CAS: 68901-15-5	LD50 dermal		
EC: 272-657-3	LC50 inhalation		
2,6-di-tert-butyl-p-cresol	LD50 oral	>6000 mg/kg	Rat
CAS: 128-37-0	LD50 dermal	>2000 mg/kg	Rat
EC: 204-881-4	LC50 inhalation		

# **11.2** Information on other hazards:

- CONTINUED ON NEXT PAGE -



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

## **Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available Harmful to aquatic life with long lasting effects.

#### 12.1 Toxicity:

#### Acute toxicity:

Identification		Concentration	Species	Genus
Dipropylene Glycol Methyl Ether	LC50	10000 mg/L (96 h)	Pimephales promelas	Fish
CAS: 34590-94-8	EC50	1919 mg/L (48 h)	Daphnia magna	Crustacean
EC: 252-104-2	EC50	Not relevant		
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-116-4	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
Ethyl 2,3-epoxy-3-phenylbutyrate	LC50	4,2 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 77-83-8	EC50	52 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-061-8	EC50	36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Benzyl acetate	LC50	Not relevant		
CAS: 140-11-4	EC50	17 mg/L (48 h)	Daphnia magna	Crustacean
EC: 205-399-7	EC50	110 mg/L (72 h)	Desmodesmus subspicatus	Algae
Allyl (cyclohexyloxy)acetate	LC50	0,205 mg/L (96 h)	Danio rerio	Fish
CAS: 68901-15-5	EC50	6,09 mg/L (48 h)	Daphnia magna	Crustacean
EC: 272-657-3	EC50	36,6 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
2,6-di-tert-butyl-p-cresol	LC50	>0,57 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 128-37-0	EC50	0,48 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-881-4	EC50	>0,4 mg/L (72 h)	Desmodesmus subspicatus	Algae
Allyl hexanoate	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 123-68-2	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 204-642-4	EC50	>0.1 - 1 mg/L (72 h)		Algae

#### **Chronic toxicity:**

Identification		Concentration	Species	Genus
Dipropylene Glycol Methyl Ether	NOEC	Not relevant		
CAS: 34590-94-8 EC: 252-104-2	NOEC	0,5 mg/L	Daphnia magna	Crustacean
Benzyl acetate	NOEC	0,92 mg/L	Oryzias latipes	Fish
CAS: 140-11-4 EC: 205-399-7	NOEC	Not relevant		
Allyl (cyclohexyloxy)acetate	NOEC	Not relevant		
CAS: 68901-15-5 EC: 272-657-3	NOEC	3,2 mg/L	Daphnia magna	Crustacean

# 12.2 Persistence and degradability:

## Substance-specific information:

Identification	Degradability		Biodegradability	
Dipropylene Glycol Methyl Ether	BOD5	Not relevant	Concentration	Not relevant
CAS: 34590-94-8	COD	0 g O2/g	Period	28 days
EC: 252-104-2	BOD5/COD	Not relevant	% Biodegradable	73 %
Linalool	BOD5	Not relevant	Concentration	100 mg/L
CAS: 78-70-6	COD	Not relevant	Period	28 days
EC: 201-134-4	BOD5/COD	Not relevant	% Biodegradable	90 %



# SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	De	gradability Biodegrad		egradability
Linalyl acetate	BOD5	Not relevant	Concentration	81 mg/L
CAS: 115-95-7	COD	Not relevant	Period	28 days
EC: 204-116-4	BOD5/COD	Not relevant	% Biodegradable	80 %
Ethyl 2,3-epoxy-3-phenylbutyrate	BOD5	Not relevant	Concentration	100 mg/L
CAS: 77-83-8	COD	Not relevant	Period	28 days
EC: 201-061-8	BOD5/COD	Not relevant	% Biodegradable	53 %
Benzyl acetate	BOD5	Not relevant	Concentration	10 mg/L
CAS: 140-11-4	COD	Not relevant	Period	28 days
EC: 205-399-7	BOD5/COD	Not relevant	% Biodegradable	100 %
2,6-di-tert-butyl-p-cresol	BOD5	Not relevant	Concentration	50 mg/L
CAS: 128-37-0	COD	Not relevant	Period	28 days
EC: 204-881-4	BOD5/COD	Not relevant	% Biodegradable	4,5 %

# 12.3 Bioaccumulative potential:

## Substance-specific information:

Identification	Bioaccum	nulation potential
Dipropylene Glycol Methyl Ether	BCF	1
CAS: 34590-94-8	Pow Log	-0.06
EC: 252-104-2	Potential	Low
Linalool	BCF	
CAS: 78-70-6	Pow Log	2.97
EC: 201-134-4	Potential	
Linalyl acetate	BCF	174
CAS: 115-95-7	Pow Log	3.9
EC: 204-116-4	Potential	High
Benzyl acetate	BCF	8
CAS: 140-11-4	Pow Log	1.96
EC: 205-399-7	Potential	Low
Allyl (cyclohexyloxy)acetate	BCF	
CAS: 68901-15-5	Pow Log	2.18
EC: 272-657-3	Potential	
2,6-di-tert-butyl-p-cresol	BCF	1365
CAS: 128-37-0	Pow Log	5.1
EC: 204-881-4	Potential	Very High

# 12.4 Mobility in soil:

Identification	Absorp	tion/desorption		Volatility
Linalyl acetate	Кос	518	Henry	177 Pa·m <sup>3</sup> /mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
EC: 204-116-4	Surface tension	Not relevant	Moist soil	Yes
Ethyl 2,3-epoxy-3-phenylbutyrate	Кос	240	Henry	Not relevant
CAS: 77-83-8	Conclusion	Moderate	Dry soil	Not relevant
EC: 201-061-8	Surface tension	Not relevant	Moist soil	Not relevant
Benzyl acetate	Кос	Not relevant	Henry	Not relevant
CAS: 140-11-4	Conclusion	Not relevant	Dry soil	Not relevant
EC: 205-399-7	Surface tension	3,558E-2 N/m (25 °C)	Moist soil	Not relevant
3-ethoxy-4-hydroxybenzaldehyde	Кос	Not relevant	Henry	Not relevant
CAS: 121-32-4	Conclusion	Not relevant	Dry soil	Not relevant
EC: 204-464-7	Surface tension	1,87E-2 N/m (276,18 °C)	Moist soil	Not relevant
Allyl (cyclohexyloxy)acetate	Кос	152.71	Henry	6,23 Pa·m³/mol
CAS: 68901-15-5	Conclusion	High	Dry soil	Not relevant
EC: 272-657-3	Surface tension	Not relevant	Moist soil	Not relevant



#### SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorption/desorption		Volati	lity
2,6-di-tert-butyl-p-cresol	Кос	8183	Henry	3,42E-1 Pa·m <sup>3</sup> /mol
CAS: 128-37-0	Conclusion	Immobile	Dry soil	Yes
EC: 204-881-4	Surface tension	1,255E-2 N/m (258,85 °C)	Moist soil	Yes

# 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

## 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

#### **12.7** Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1** Waste treatment methods:

	Code	Description	Waste class (Regulation (EU) No 1357/2014)
Γ	07 01 04*	other organic solvents, washing liquids and mother liquors	Hazardous

#### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP4 Irritant - skin irritation and eye damage

## Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

# SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant

- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

---ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

# Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.



## SECTION 15: REGULATORY INFORMATION (continued)

#### Other legislation:

The product could be affected by sectorial legislation

#### **15.2** Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

## Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

#### Not relevant

#### Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H319: Causes serious eye irritation.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1B: H317 - May cause an allergic skin reaction.

# Classification procedure:

Skin Irrit. 2: Calculation method Skin Sens. 1B: Calculation method Aquatic Chronic 3: Calculation method Eye Irrit. 2: Calculation method

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **CLIP IT FRESH BUBBLE GUM**

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -