

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CLIP IT FRESH FOCUS

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier: CLIP IT FRESH FOCUS

Other means of identification:

MF31-W009-400Y-2YX4

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses (Consumer use): Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

MB ELIX sp. z oo sp.k. ul. Skarżyńskiego 26 54-530 Wrocław - Poland

Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68

lab@elix.pl www.elixscent.com

1.4 **Emergency telephone number:** 0048 71 387 85 33 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Labelling of packages where the contents do not exceed 125 ml:

Warning





Hazard statements:

H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains citronella, ext., orange sweet, ext., dipentene, linalool, citral, Citrus Aurantium Dulcis Oil, lemon, oil, linalyl acetate, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, citronellol, hexyl cinnamaldehyde, 2,4-dimethylcyclohex-3ene-1-carbaldehyde, p-mentha-1,4(8)-diene, 2-methylundecanal, citral diethyl acetal.

UFI: MF31-W0Q9-400Y-2YX4

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Not relevant

3.2 Mixture:

Date of compilation: 09/09/2020 Revised: 03/01/2025 Version: 3 (Replaced 2) Page 1/18





CLIP IT FRESH FOCUS

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | Chemical name/Classification | | | | |
|---------------------------|--|--|------------------|--|--|--|
| | 34590-94-8 252-104-2 Not relevant 01-2119450011-60- XXXX | Dipropylene Glycol Methyl Ether(1) Regulation 1272/2008 Not classified | 30 - <35 % | | | |
| CAS: | 56539-66-3 | 3-methoxy-3-methylbutan-1-ol (2) Self-classified | d | | | |
| | 260-252-4 Not relevant : 01-2119976333-33- XXXX | Regulation 1272/2008 Eye Irrit. 2: H319 - Warning | 30 - <35 % | | | |
| CAS: | 8000-29-1 | Citronella, ext. ⁽²⁾ Self-classified | i | | | |
| | 294-954-7 Not relevant 01-2120741487-48 | Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Eye Dam. 1: H318; Skin Sens. 1: H317 - Danger | 2 - <3 % | | | |
| CAS: | 8028-48-6 | Orange sweet, ext. ⁽²⁾ Self-classifier | d | | | |
| | 232-433-8 Not relevant : 01-2119493353-35 | Regulation 1272/2008 Aquatic Chronic 1: H410; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning | 2 - <3 % | | | |
| CAS: | 5989-54-8 | Dipentene ⁽²⁾ Self-classifier | i | | | |
| | 227-813-5 Not relevant 01-2119493353-35-0082 | Regulation 1272/2008 Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger | 2 - <3 % | | | |
| CAS: | 68990-83-0 | Cedarwood oil(2) Self-classified | d | | | |
| Index: Not REACH: 01-2 | 294-461-7 Not relevant 01-2120753603-56- XXXX | Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304 - Danger | 2 - <3 % | | | |
| CAS: | 78-70-6 | Linalool ⁽²⁾ Self-classified | i | | | |
| | 201-134-4 603-235-00-2 01-2119474016-42-XXXX | Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 1 - <2 % | | | |
| CAS: | 5392-40-5 | Citral ⁽²⁾ Self-classifier | i | | | |
| | 226-394-6 605-019-00-3 01-2119462829-23-XXXX | Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 1 - <2 % | | | |
| CAS: | 8008-57-9 | Citrus Aurantium Dulcis Oil ⁽²⁾ Self-classified | i | | | |
| | 616-926-9 Not relevant 01-2120060289-52-XXXX | Regulation 1272/2008 Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger | 1 - <2 % | | | |
| CAS: | 18479-58-8 | 2,6-dimethyloct-7-en-2-ol (2) Self-classified | i | | | |
| | 242-362-4 Not relevant : 01-2119457274-37- XXXX | Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT SE 3: H336 - Warning | 1 - <2 % | | | |
| CAS: | 8008-56-8 | Lemon, oil(2) Self-classifier | d | | | |
| | 284-515-8 Not relevant 01-2119495512-35-XXXX | Regulation 1272/2008 Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger | 1 - <2 % | | | |
| CAS: | 115-95-7 | Linalyl acetate ⁽²⁾ Self-classifier | i | | | |
| | 204-116-4 Not relevant 01-2119454789-19-XXXX | Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 0,75 - <1 % | | | |
| CAS: | 106-22-9 | Citronellol ⁽²⁾ Self-classifier | d | | | |
| | 203-375-0 Not relevant 01-2119453995-23-XXXX | Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 0,25 - <0,5 % | | | |
| CAS: | 54464-57-2 | 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ⁽²⁾ Self-classified | i | | | |
| | 259-174-3 Not relevant 01-2119489989-04 | Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning | 0,25 - <0,5 % | | | |
| CAS: | 101-86-0 | Hexyl cinnamaldehyde ⁽²⁾ Self-classified | i | | | |
| | 202-983-3 Not relevant 01-2119533092-50-xxxx | Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning | 0,25 - <0,5 % | | | |

- CONTINUED ON NEXT PAGE -Date of compilation: 09/09/2020 Revised: 03/01/2025 Version: 3 (Replaced 2) Page 2/18

⁽¹⁾ Substance with a Union workplace exposure limit (2) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878





CLIP IT FRESH FOCUS

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

| | Identification | | Chemical name/Classification | | | | |
|---------------------------------|---|--|--|------------------|--|--|--|
| CAS: EC: Index: REACH: | 1222-05-5 214-946-9 603-212-00-7 01-2119488227-29- XXXX | 1,3,4,6,7,8-hexahydro Regulation 1272/2008 | o-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran(2) Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning | 0,1 - <0,25 | | | |
| CAS: | 68039-49-6 | 2,4-dimethylcyclohex | Self-classified | | | | |
| EC: Index: REACH: | 268-264-1 Not relevant 01-2119982384-28 | Regulation 1272/2008 | Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 0,1 - <0,25 % | | | |
| CAS: EC: Index: REACH: | 586-62-9 209-578-0 Not relevant 01-2119982325-32-XXXX | p-mentha-1,4(8)-dier Regulation 1272/2008 | Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger | 0,1 - <0,25 | | | |
| CAS: EC: Index: REACH: | 110-41-8 203-765-0 Not relevant 01-2119969443-29-XXXX | 2-methylundecanal ⁽²⁾ Regulation 1272/2008 | Self-classified Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 0,1 - <0,25 | | | |
| CAS: EC: Index: REACH: | 90480-35-6 291-768-8 Not relevant 01-2120784883-37-XXXX | Citral diethyl acetal ⁽²⁾ Regulation 1272/2008 | Self-classified Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Repr. 2: H361; Skin Sens. 1B: H317 - Danger | 0,1 - <0,25 | | | |

⁽¹⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

| Identification | Acute toxicit | Genus | |
|----------------|------------------------|--------------|-----|
| Linalool | LD50 oral | 3500 mg/kg | Rat |
| · · · · · · · | LD50 dermal | Not relevant | |
| EC: 201-134-4 | LC50 inhalation vapour | Not relevant | |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

⁽²⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CLIP IT FRESH FOCUS

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

Date of compilation: 09/09/2020 Revised: 03/01/2025 Version: 3 (Replaced 2) **Page 4/18**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CLIP IT FRESH FOCUS

SECTION 7: HANDLING AND STORAGE (continued)

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification | Occupa | itional exposure lim | nits |
|-------------------------------------|--------------|----------------------|-----------------------|
| Dipropylene Glycol Methyl Ether (1) | IOELV (8h) | 50 ppm | 308 mg/m ³ |
| CAS: 34590-94-8 | IOELV (STEL) | | |

⁽¹⁾ Skin

DNEL (Workers):

| | | Short exposure | | Long exposure | |
|---------------------------------|------------|----------------|--------------|-------------------------|--------------|
| Identification | | Systemic | Local | Systemic | Local |
| Dipropylene Glycol Methyl Ether | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 34590-94-8 | Dermal | Not relevant | Not relevant | 283 mg/kg | Not relevant |
| EC: 252-104-2 | Inhalation | Not relevant | Not relevant | 308 mg/m ³ | Not relevant |
| 3-methoxy-3-methylbutan-1-ol | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 56539-66-3 | Dermal | Not relevant | Not relevant | 6,25 mg/kg | Not relevant |
| EC: 260-252-4 | Inhalation | Not relevant | Not relevant | 18 mg/m³ | Not relevant |
| Orange sweet, ext. | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 8028-48-6 | Dermal | Not relevant | Not relevant | 8,89 mg/kg | Not relevant |
| EC: 232-433-8 | Inhalation | Not relevant | Not relevant | 31,1 mg/m³ | Not relevant |
| Dipentene | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 5989-54-8 | Dermal | Not relevant | Not relevant | Not relevant | Not relevant |
| EC: 227-815-6 | Inhalation | Not relevant | Not relevant | 33,3 mg/m ³ | Not relevant |
| Cedarwood oil | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 68990-83-0 | Dermal | Not relevant | Not relevant | 7,1 mg/kg | Not relevant |
| EC: 294-461-7 | Inhalation | Not relevant | Not relevant | 6,41 mg/m ³ | Not relevant |
| Linalool | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 78-70-6 | Dermal | Not relevant | Not relevant | 3,5 mg/kg | Not relevant |
| EC: 201-134-4 | Inhalation | Not relevant | Not relevant | 24,58 mg/m ³ | Not relevant |

- CONTINUED ON NEXT PAGE -

Date of compilation: 09/09/2020 Revised: 03/01/2025 Version: 3 (Replaced 2) **Page 5/18**





CLIP IT FRESH FOCUS

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| | | Short exposure | | Long exposure | | |
|--|------------|--------------------------|--------------------------|-------------------------|-------------------------|--|
| Identification | | Systemic | Local | Systemic | Local | |
| Citral | Oral | Not relevant | Not relevant | Not relevant | Not relevant | |
| CAS: 5392-40-5 | Dermal | Not relevant | Not relevant | 1,7 mg/kg | Not relevant | |
| EC: 226-394-6 | Inhalation | Not relevant | Not relevant | 9 mg/m³ | Not relevant | |
| 2,6-dimethyloct-7-en-2-ol | Oral | Not relevant | Not relevant | Not relevant | Not relevant | |
| CAS: 18479-58-8 | Dermal | Not relevant | Not relevant | 20,8 mg/kg | Not relevant | |
| EC: 242-362-4 | Inhalation | Not relevant | Not relevant | 73,5 mg/m ³ | Not relevant | |
| Lemon, oil | Oral | Not relevant | Not relevant | Not relevant | Not relevant | |
| CAS: 8008-56-8 | Dermal | Not relevant | Not relevant | 6,67 mg/kg | Not relevant | |
| EC: 284-515-8 | Inhalation | Not relevant | Not relevant | 23,3 mg/m ³ | Not relevant | |
| Linalyl acetate | Oral | Not relevant | Not relevant | Not relevant | Not relevant | |
| CAS: 115-95-7 | Dermal | Not relevant | Not relevant | 2,5 mg/kg | Not relevant | |
| EC: 204-116-4 | Inhalation | Not relevant | Not relevant | 2,75 mg/m ³ | Not relevant | |
| Citronellol | Oral | Not relevant | Not relevant | Not relevant | Not relevant | |
| CAS: 106-22-9 | Dermal | Not relevant | Not relevant | 327,4 mg/kg | Not relevant | |
| EC: 203-375-0 | Inhalation | Not relevant | 10 mg/m ³ | 161,6 mg/m ³ | 10 mg/m ³ | |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6- c]pyran | Oral | Not relevant | Not relevant | Not relevant | Not relevant | |
| CAS: 1222-05-5 | Dermal | Not relevant | Not relevant | 36,7 mg/kg | Not relevant | |
| EC: 214-946-9 | Inhalation | Not relevant | Not relevant | 13,5 mg/m ³ | Not relevant | |
| p-mentha-1,4(8)-diene | Oral | Not relevant | Not relevant | Not relevant | Not relevant | |
| CAS: 586-62-9 | Dermal | Not relevant | Not relevant | 0,52 mg/kg | Not relevant | |
| EC: 209-578-0 | Inhalation | Not relevant | Not relevant | 3,6 mg/m ³ | Not relevant | |
| 2-methylundecanal | Oral | Not relevant | Not relevant | Not relevant | Not relevant | |
| CAS: 110-41-8 | Dermal | 100 mg/kg | Not relevant | 10,46 mg/kg | Not relevant | |
| EC: 203-765-0 | Inhalation | 352,63 mg/m ³ | 881,58 mg/m ³ | 36,89 mg/m ³ | 92,21 mg/m ³ | |
| Citral diethyl acetal | Oral | Not relevant | Not relevant | Not relevant | Not relevant | |
| CAS: 90480-35-6 | Dermal | Not relevant | Not relevant | 0,75 mg/kg | Not relevant | |
| EC: 291-768-8 | Inhalation | Not relevant | Not relevant | 2,6 mg/m ³ | Not relevant | |

DNEL (General population):

| | | Short | Short exposure | | Long exposure | |
|---------------------------------|------------|--------------|----------------|------------------------|---------------|--|
| Identification | | Systemic | Local | Systemic | Local | |
| Dipropylene Glycol Methyl Ether | Oral | Not relevant | Not relevant | 36 mg/kg | Not relevant | |
| CAS: 34590-94-8 | Dermal | Not relevant | Not relevant | 121 mg/kg | Not relevant | |
| EC: 252-104-2 | Inhalation | Not relevant | Not relevant | 37,2 mg/m ³ | Not relevant | |
| 3-methoxy-3-methylbutan-1-ol | Oral | Not relevant | Not relevant | 2,5 mg/kg | Not relevant | |
| CAS: 56539-66-3 | Dermal | Not relevant | Not relevant | 3,1 mg/kg | Not relevant | |
| EC: 260-252-4 | Inhalation | Not relevant | Not relevant | 4,4 mg/m³ | Not relevant | |
| Orange sweet, ext. | Oral | Not relevant | Not relevant | 4,44 mg/kg | Not relevant | |
| CAS: 8028-48-6 | Dermal | Not relevant | Not relevant | 4,44 mg/kg | Not relevant | |
| EC: 232-433-8 | Inhalation | Not relevant | Not relevant | 7,78 mg/m ³ | Not relevant | |
| Dipentene | Oral | Not relevant | Not relevant | 4,76 mg/kg | Not relevant | |
| CAS: 5989-54-8 | Dermal | Not relevant | Not relevant | Not relevant | Not relevant | |
| EC: 227-815-6 | Inhalation | Not relevant | Not relevant | 8,33 mg/m ³ | Not relevant | |
| Cedarwood oil | Oral | Not relevant | Not relevant | 1,09 mg/kg | Not relevant | |
| CAS: 68990-83-0 | Dermal | Not relevant | Not relevant | 4,26 mg/kg | Not relevant | |
| EC: 294-461-7 | Inhalation | Not relevant | Not relevant | 1,9 mg/m ³ | Not relevant | |
| Linalool | Oral | Not relevant | Not relevant | 2,49 mg/kg | Not relevant | |
| CAS: 78-70-6 | Dermal | Not relevant | Not relevant | 1,25 mg/kg | Not relevant | |
| EC: 201-134-4 | Inhalation | Not relevant | Not relevant | 4,33 mg/m ³ | Not relevant | |
| Citral | Oral | Not relevant | Not relevant | 0,6 mg/kg | Not relevant | |
| CAS: 5392-40-5 | Dermal | Not relevant | Not relevant | 1 mg/kg | Not relevant | |
| EC: 226-394-6 | Inhalation | Not relevant | Not relevant | 2,7 mg/m ³ | Not relevant | |

Date of compilation: 09/09/2020 Revised: 03/01/2025 Version: 3 (Replaced 2) **Page 6/18**





CLIP IT FRESH FOCUS

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| | | Short | Short exposure | | Long exposure | |
|--|------------|-------------------------|--------------------------|------------------------|-------------------------|--|
| Identification | | Systemic | Local | Systemic | Local | |
| 2,6-dimethyloct-7-en-2-ol | Oral | Not relevant | Not relevant | 12,5 mg/kg | Not relevant | |
| CAS: 18479-58-8 | Dermal | Not relevant | Not relevant | 12,5 mg/kg | Not relevant | |
| EC: 242-362-4 | Inhalation | Not relevant | Not relevant | 21,7 mg/m ³ | Not relevant | |
| Lemon, oil | Oral | Not relevant | Not relevant | 3,33 mg/kg | Not relevant | |
| CAS: 8008-56-8 | Dermal | Not relevant | Not relevant | 3,33 mg/kg | Not relevant | |
| EC: 284-515-8 | Inhalation | Not relevant | Not relevant | 5,8 mg/m ³ | Not relevant | |
| Linalyl acetate | Oral | Not relevant | Not relevant | 0,2 mg/kg | Not relevant | |
| CAS: 115-95-7 | Dermal | Not relevant | Not relevant | 1,25 mg/kg | Not relevant | |
| EC: 204-116-4 | Inhalation | Not relevant | Not relevant | 0,68 mg/m ³ | Not relevant | |
| Citronellol | Oral | Not relevant | Not relevant | 13,8 mg/kg | Not relevant | |
| CAS: 106-22-9 | Dermal | Not relevant | Not relevant | 196,4 mg/kg | Not relevant | |
| EC: 203-375-0 | Inhalation | Not relevant | 10 mg/m ³ | 47,8 mg/m ³ | 10 mg/m ³ | |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran | Oral | Not relevant | Not relevant | 2,3 mg/kg | Not relevant | |
| CAS: 1222-05-5 | Dermal | Not relevant | Not relevant | 22 mg/kg | Not relevant | |
| EC: 214-946-9 | Inhalation | Not relevant | Not relevant | 4 mg/m³ | Not relevant | |
| p-mentha-1,4(8)-diene | Oral | Not relevant | Not relevant | 0,26 mg/kg | Not relevant | |
| CAS: 586-62-9 | Dermal | Not relevant | Not relevant | 0,26 mg/kg | Not relevant | |
| EC: 209-578-0 | Inhalation | Not relevant | Not relevant | 0,9 mg/m ³ | Not relevant | |
| 2-methylundecanal | Oral | 25 mg/kg | Not relevant | 5,23 mg/kg | Not relevant | |
| CAS: 110-41-8 | Dermal | 50 mg/kg | Not relevant | 5,23 mg/kg | Not relevant | |
| EC: 203-765-0 | Inhalation | 86,96 mg/m ³ | 217,39 mg/m ³ | 9,1 mg/m³ | 22,74 mg/m ³ | |
| Citral diethyl acetal | Oral | Not relevant | Not relevant | 0,375 mg/kg | Not relevant | |
| CAS: 90480-35-6 | Dermal | Not relevant | Not relevant | 0,375 mg/kg | Not relevant | |
| EC: 291-768-8 | Inhalation | Not relevant | Not relevant | 0,62 mg/m ³ | Not relevant | |

PNEC:

| Identification | | | | |
|---------------------------------|--------------|----------------|-------------------------|---------------|
| Dipropylene Glycol Methyl Ether | STP | 4168 mg/L | Fresh water | 19 mg/L |
| CAS: 34590-94-8 | Soil | 2,74 mg/kg | Marine water | 1,9 mg/L |
| EC: 252-104-2 | Intermittent | 190 mg/L | Sediment (Fresh water) | 70,2 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 7,02 mg/kg |
| Orange sweet, ext. | STP | 2,1 mg/L | Fresh water | 0,0054 mg/L |
| CAS: 8028-48-6 | Soil | 0,261 mg/kg | Marine water | 0,00054 mg/L |
| EC: 232-433-8 | Intermittent | 0,00577 mg/L | Sediment (Fresh water) | 1,3 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,13 mg/kg |
| Dipentene | STP | 0,2 mg/L | Fresh water | 0,0054 mg/L |
| CAS: 5989-54-8 | Soil | 0,262 mg/kg | Marine water | 0,00054 mg/L |
| EC: 227-815-6 | Intermittent | 0,0036 mg/L | Sediment (Fresh water) | 1,322 mg/kg |
| | Oral | 0,133 g/kg | Sediment (Marine water) | 0,132 mg/kg |
| Cedarwood oil | STP | 10 mg/L | Fresh water | 0,0005 mg/L |
| CAS: 68990-83-0 | Soil | 0,163448 mg/kg | Marine water | 0,00005 mg/L |
| EC: 294-461-7 | Intermittent | Not relevant | Sediment (Fresh water) | 0,8168 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,08168 mg/kg |
| Linalool | STP | 10 mg/L | Fresh water | 0,2 mg/L |
| CAS: 78-70-6 | Soil | 0,327 mg/kg | Marine water | 0,02 mg/L |
| EC: 201-134-4 | Intermittent | 2 mg/L | Sediment (Fresh water) | 2,22 mg/kg |
| | Oral | 0,0078 g/kg | Sediment (Marine water) | 0,222 mg/kg |
| Citral | STP | 1,6 mg/L | Fresh water | 0,007 mg/L |
| CAS: 5392-40-5 | Soil | 0,021 mg/kg | Marine water | 0,001 mg/L |
| EC: 226-394-6 | Intermittent | 0,068 mg/L | Sediment (Fresh water) | 0,125 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,013 mg/kg |

Date of compilation: 09/09/2020 Revised: 03/01/2025 Version: 3 (Replaced 2) **Page 7/18**





CLIP IT FRESH FOCUS

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Identification | | | | |
|--|--------------|--------------|-------------------------|---------------|
| 2,6-dimethyloct-7-en-2-ol | STP | 10 mg/L | Fresh water | 0,0278 mg/L |
| CAS: 18479-58-8 | Soil | 0,103 mg/kg | Marine water | 0,00278 mg/L |
| EC: 242-362-4 | Intermittent | 0,278 mg/L | Sediment (Fresh water) | 0,594 mg/kg |
| | Oral | 0,111 g/kg | Sediment (Marine water) | 0,059 mg/kg |
| Lemon, oil | STP | 2,1 mg/L | Fresh water | 0,0054 mg/L |
| CAS: 8008-56-8 | Soil | 0,29 mg/kg | Marine water | 0,00054 mg/L |
| EC: 284-515-8 | Intermittent | 0,00577 mg/L | Sediment (Fresh water) | 1,3 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,13 mg/kg |
| Linalyl acetate | STP | 1 mg/L | Fresh water | 0,011 mg/L |
| CAS: 115-95-7 | Soil | 0,115 mg/kg | Marine water | 0,001 mg/L |
| EC: 204-116-4 | Intermittent | 0,11 mg/L | Sediment (Fresh water) | 0,609 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,061 mg/kg |
| Citronellol | STP | 580 mg/L | Fresh water | 0,002 mg/L |
| CAS: 106-22-9 | Soil | 0,004 mg/kg | Marine water | 0 mg/L |
| EC: 203-375-0 | Intermittent | 0,024 mg/L | Sediment (Fresh water) | 0,026 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,003 mg/kg |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6- c]pyran | STP | 1 mg/L | Fresh water | 0,0068 mg/L |
| CAS: 1222-05-5 | Soil | 1,5 mg/kg | Marine water | 0,00044 mg/L |
| EC: 214-946-9 | Intermittent | Not relevant | Sediment (Fresh water) | 2 mg/kg |
| | Oral | 20,4 g/kg | Sediment (Marine water) | 0,394 mg/kg |
| p-mentha-1,4(8)-diene | STP | 0,2 mg/L | Fresh water | 0,000634 mg/L |
| CAS: 586-62-9 | Soil | 0,0291 mg/kg | Marine water | 0,000063 mg/L |
| EC: 209-578-0 | Intermittent | 0,00634 mg/L | Sediment (Fresh water) | 0,147 mg/kg |
| | Oral | 0,01031 g/kg | Sediment (Marine water) | 0,0147 mg/kg |
| 2-methylundecanal | STP | 10 mg/L | Fresh water | 0,00066 mg/L |
| CAS: 110-41-8 | Soil | 0,0526 mg/kg | Marine water | 0,000066 mg/L |
| EC: 203-765-0 | Intermittent | 0,0018 mg/L | Sediment (Fresh water) | 0,265 mg/kg |
| | Oral | 0,116 g/kg | Sediment (Marine water) | 0,0265 mg/kg |
| Citral diethyl acetal | STP | 0,29 mg/L | Fresh water | 0,004 mg/L |
| CAS: 90480-35-6 | Soil | 0,09 mg/kg | Marine water | 0 mg/L |
| EC: 291-768-8 | Intermittent | 0,043 mg/L | Sediment (Fresh water) | 0,457 mg/kg |
| | Oral | 0,01 g/kg | Sediment (Marine water) | 0,046 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|---------------------------|--|-----------|-------------------|--|
| Mandatory hand protection | Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.425 mm) | CAT III | EN ISO 21420:2020 | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection





CLIP IT FRESH FOCUS

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|---------------------------|---|-----------|---------------------------------|---|
| Mandatory face protection | Panoramic glasses against splash/projections. | CATII | EN 166:2002 EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|-----------|----------------------|-----------|-------------------|---|
| | Work clothing | CATI | | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
| | Anti-slip work shoes | CATII | EN ISO 20347:2022 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019 |

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

| Emergency measure | Standards | Emergency measure | Standards |
|-------------------|---|-------------------|--|
| Emergency shower | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 | Eyewash stations | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:

Appearance:

Fluid

Colour:

Colourless

Odour:

Scented

Odour threshold:

Not relevant *

Volatility:

Boiling point at atmospheric pressure: Not relevant *

Vapour pressure at 20 °C: 177 Pa

Vapour pressure at 50 °C: 1062,97 Pa (1,06 kPa)

Evaporation rate at 20 °C: Not relevant *

Product description:

Density at 20 °C: 945,6 kg/m³

Relative density at 20 °C: 0,946

Dynamic viscosity at 20 °C: Not relevant *

Kinematic viscosity at 20 °C: Not relevant *

Kinematic viscosity at 40 °C: Not relevant *

 ${}^*\mbox{Not}$ relevant due to the nature of the product, not providing information property of its hazards.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CLIP IT FRESH FOCUS

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Concentration:

pH:

Not relevant *

Vapour density at 20 °C:

Partition coefficient n-octanol/water 20 °C:

Not relevant *

Solubility in water at 20 °C:

Not relevant *

Not relevant *

Decomposition temperature: Not relevant *
Melting point/freezing point: Not relevant *

Flammability:

Flash Point: Non Flammable (>60 °C)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Not relevant *

Not relevant *

Particle characteristics:

Median equivalent diameter: Not relevant *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable

Not relevant *

Not relevant *

Not relevant *

components:

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Not relevant *

Not relevant *

*Not relevant of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable | Not applicable | Precaution | Precaution | Not applicable |

10.5 Incompatible materials:

| Acids | | Water | Oxidising materials | Combustible materials | Others |
|--------------|-------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong | acids | Not applicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CLIP IT FRESH FOCUS

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Benzyl acetate (3); Eugenol (3); d-limonene (3); Coumarin (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

| Identification | Acute toxicity | | Genus |
|------------------|-----------------|------------|-------|
| Citronella, ext. | LD50 oral | 4100 mg/kg | |
| CAS: 8000-29-1 | LD50 dermal | 4200 mg/kg | |
| EC: 294-954-7 | LC50 inhalation | | |





CLIP IT FRESH FOCUS

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

| Identification | Ac | ute toxicity | Genus |
|---|-----------------|--------------|--------|
| Citral | LD50 oral | 4950 mg/kg | Rat |
| CAS: 5392-40-5 | LD50 dermal | 2250 mg/kg | Rabbit |
| EC: 226-394-6 | LC50 inhalation | | |
| 2,6-dimethyloct-7-en-2-ol | LD50 oral | 3600 mg/kg | |
| CAS: 18479-58-8 | LD50 dermal | | |
| EC: 242-362-4 | LC50 inhalation | | |
| Linalool | LD50 oral | 3500 mg/kg | Rat |
| CAS: 78-70-6 | LD50 dermal | 5610 mg/kg | Rabbit |
| EC: 201-134-4 | LC50 inhalation | | |
| Orange sweet, ext. | LD50 oral | >5000 mg/kg | Rat |
| CAS: 8028-48-6 EC: 232-433-8 | LD50 dermal | >5000 mg/kg | Rabbit |
| | LC50 inhalation | | |
| Dipropylene Glycol Methyl Ether | LD50 oral | >5000 mg/kg | Rat |
| CAS: 34590-94-8 | LD50 dermal | 9510 mg/kg | Rabbit |
| EC: 252-104-2 | LC50 inhalation | | |
| Linalyl acetate | LD50 oral | 14500 mg/kg | Rat |
| CAS: 115-95-7 | LD50 dermal | 5610 mg/kg | Rabbit |
| EC: 204-116-4 | LC50 inhalation | | |
| Citronellol | LD50 oral | 3450 mg/kg | Rat |
| CAS: 106-22-9 | LD50 dermal | 2650 mg/kg | |
| EC: 203-375-0 | LC50 inhalation | | |
| Hexyl cinnamaldehyde | LD50 oral | 3100 mg/kg | Rat |
| CAS: 101-86-0 | LD50 dermal | 3000 mg/kg | Rabbit |
| EC: 202-983-3 | LC50 inhalation | | |
| 2,4-dimethylcyclohex-3-ene-1-carbaldehyde | LD50 oral | 2500 mg/kg | |
| CAS: 68039-49-6 | LD50 dermal | | |
| EC: 268-264-1 | LC50 inhalation | | |
| 2-methylundecanal | LD50 oral | >5000 mg/kg | Rat |
| CAS: 110-41-8 | LD50 dermal | 8300 mg/kg | Rabbit |
| EC: 203-765-0 | LC50 inhalation | | |

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available Toxic to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

| Identification | | Concentration | Species | Genus |
|---------------------------------|------|---------------------|---------------------|------------|
| Dipropylene Glycol Methyl Ether | LC50 | 10000 mg/L (96 h) | Pimephales promelas | Fish |
| CAS: 34590-94-8 | EC50 | 1919 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 252-104-2 | EC50 | Not relevant | | |
| Citronella, ext. | LC50 | >1 - 10 mg/L (96 h) | | Fish |
| CAS: 8000-29-1 | EC50 | >1 - 10 mg/L (48 h) | | Crustacean |
| EC: 294-954-7 | EC50 | >1 - 10 mg/L (72 h) | | Algae |





CLIP IT FRESH FOCUS

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | | Concentration | Species | Genus |
|---|------|-----------------------|---------------------------------|------------|
| Orange sweet, ext. | LC50 | Not relevant | | |
| CAS: 8028-48-6 | EC50 | Not relevant | | |
| EC: 232-433-8 | EC50 | 4,3 mg/L (72 h) | Desmodesmus subspicatus | Algae |
| Dipentene | LC50 | >1 - 10 mg/L (96 h) | | Fish |
| CAS: 5989-54-8 | EC50 | >1 - 10 mg/L (48 h) | | Crustacean |
| EC: 227-815-6 | EC50 | >1 - 10 mg/L (72 h) | | Algae |
| Cedarwood oil | LC50 | >0.1 - 1 mg/L (96 h) | | Fish |
| CAS: 68990-83-0 | EC50 | >0.1 - 1 mg/L (48 h) | | Crustacean |
| EC: 294-461-7 | EC50 | >0.1 - 1 mg/L (72 h) | | Algae |
| Citrus Aurantium Dulcis Oil | LC50 | >1 - 10 mg/L (96 h) | | Fish |
| CAS: 8008-57-9 | EC50 | >1 - 10 mg/L (48 h) | | Crustacean |
| EC: 616-926-9 | EC50 | >1 - 10 mg/L (72 h) | | Algae |
| Lemon, oil | LC50 | >0.1 - 1 mg/L (96 h) | | Fish |
| CAS: 8008-56-8 | EC50 | >0.1 - 1 mg/L (48 h) | | Crustacean |
| EC: 284-515-8 | EC50 | >0.1 - 1 mg/L (72 h) | | Algae |
| Linalyl acetate | LC50 | 11 mg/L (96 h) | Cyprinus carpio | Fish |
| CAS: 115-95-7 | EC50 | 15 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 204-116-4 | EC50 | 62 mg/L (72 h) | Desmodesmus subspicatus | Algae |
| $1\hbox{-}(1,2,3,4,5,6,7,8\hbox{-}octahydro-2,3,8,8\hbox{-}tetramethyl-2\hbox{-}naphthyl)ethanlone$ | LC50 | >1 - 10 mg/L (96 h) | | Fish |
| CAS: 54464-57-2 | EC50 | >1 - 10 mg/L (48 h) | | Crustacean |
| EC: 259-174-3 | EC50 | >1 - 10 mg/L (72 h) | | Algae |
| Hexyl cinnamaldehyde | LC50 | >0.1 - 1 mg/L (96 h) | | Fish |
| CAS: 101-86-0 | EC50 | >0.1 - 1 mg/L (48 h) | | Crustacean |
| EC: 202-983-3 | EC50 | >0.1 - 1 mg/L (72 h) | | Algae |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran | LC50 | 0,95 mg/L (96 h) | Oryzias latipes | Fish |
| CAS: 1222-05-5 | EC50 | 0,194 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 214-946-9 | EC50 | 0,723 mg/L (72 h) | Pseudokirchneriella subcapitata | Algae |
| 2,4-dimethylcyclohex-3-ene-1-carbaldehyde | LC50 | >1 - 10 mg/L (96 h) | | Fish |
| CAS: 68039-49-6 | EC50 | >1 - 10 mg/L (48 h) | | Crustacean |
| EC: 268-264-1 | EC50 | >1 - 10 mg/L (72 h) | | Algae |
| p-mentha-1,4(8)-diene | LC50 | 0,8 mg/L (96 h) | Danio rerio | Fish |
| CAS: 586-62-9 | EC50 | 0,63 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 209-578-0 | EC50 | 0,7 mg/L (72 h) | Pseudokirchneriella subcapitata | Algae |
| 2-methylundecanal | LC50 | 0,35 mg/L (96 h) | Oncorhynchus mykiss | Fish |
| CAS: 110-41-8 | EC50 | 0,21 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 203-765-0 | EC50 | 0,11 mg/L (72 h) | Pseudokirchneriella subcapitata | Algae |
| Citral diethyl acetal | LC50 | >10 - 100 mg/L (96 h) | | Fish |
| CAS: 90480-35-6 | EC50 | >10 - 100 mg/L (48 h) | | Crustacean |
| EC: 291-768-8 | EC50 | >10 - 100 mg/L (72 h) | | Algae |

Chronic toxicity:

| Identification | | Concentration | Species | Genus |
|---------------------------------|------|---------------|---------------|------------|
| Dipropylene Glycol Methyl Ether | NOEC | Not relevant | | |
| CAS: 34590-94-8 EC: 252-104-2 | NOEC | 0,5 mg/L | Daphnia magna | Crustacean |
| 2,6-dimethyloct-7-en-2-ol | NOEC | Not relevant | | |
| CAS: 18479-58-8 EC: 242-362-4 | NOEC | 9,5 mg/L | Daphnia magna | Crustacean |
| 2-methylundecanal | NOEC | Not relevant | | |
| CAS: 110-41-8 EC: 203-765-0 | NOEC | 0,033 mg/L | Daphnia magna | Crustacean |

12.2 Persistence and degradability:

Substance-specific information:





CLIP IT FRESH FOCUS

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | De | egradability | Biode | egradability |
|---------------------------------|----------|--------------|-----------------|--------------|
| Dipropylene Glycol Methyl Ether | BOD5 | Not relevant | Concentration | Not relevant |
| CAS: 34590-94-8 | COD | 0 g O2/g | Period | 28 days |
| EC: 252-104-2 | BOD5/COD | Not relevant | % Biodegradable | 73 % |
| Orange sweet, ext. | BOD5 | Not relevant | Concentration | 10 mg/L |
| CAS: 8028-48-6 | COD | 2,52 g O2/g | Period | 28 days |
| EC: 232-433-8 | BOD5/COD | Not relevant | % Biodegradable | 72 % |
| Linalool | BOD5 | Not relevant | Concentration | 100 mg/L |
| CAS: 78-70-6 | COD | Not relevant | Period | 28 days |
| EC: 201-134-4 | BOD5/COD | Not relevant | % Biodegradable | 90 % |
| Citral | BOD5 | 0,56 g O2/g | Concentration | 100 mg/L |
| CAS: 5392-40-5 | COD | 1,99 g O2/g | Period | 28 days |
| EC: 226-394-6 | BOD5/COD | 0,28 | % Biodegradable | 92 % |
| 2,6-dimethyloct-7-en-2-ol | BOD5 | Not relevant | Concentration | 10 mg/L |
| CAS: 18479-58-8 | COD | Not relevant | Period | 28 days |
| EC: 242-362-4 | BOD5/COD | Not relevant | % Biodegradable | 72 % |
| Linalyl acetate | BOD5 | Not relevant | Concentration | 81 mg/L |
| CAS: 115-95-7 | COD | Not relevant | Period | 28 days |
| EC: 204-116-4 | BOD5/COD | Not relevant | % Biodegradable | 80 % |
| p-mentha-1,4(8)-diene | BOD5 | Not relevant | Concentration | 2 mg/L |
| CAS: 586-62-9 | COD | Not relevant | Period | 28 days |
| EC: 209-578-0 | BOD5/COD | Not relevant | % Biodegradable | 81 % |
| 2-methylundecanal | BOD5 | Not relevant | Concentration | 100 mg/L |
| CAS: 110-41-8 | COD | Not relevant | Period | 28 days |
| EC: 203-765-0 | BOD5/COD | Not relevant | % Biodegradable | 68 % |

12.3 Bioaccumulative potential:

Substance-specific information:

| Identification | Bioaccur | Bioaccumulation potential | | |
|--|-----------|---------------------------|--|--|
| Dipropylene Glycol Methyl Ether | BCF | 1 | | |
| CAS: 34590-94-8 | Pow Log | -0.06 | | |
| EC: 252-104-2 | Potential | Low | | |
| Linalool | BCF | | | |
| CAS: 78-70-6 | Pow Log | 2.97 | | |
| EC: 201-134-4 | Potential | | | |
| Citral | BCF | 10 | | |
| CAS: 5392-40-5 | Pow Log | 3.45 | | |
| EC: 226-394-6 | Potential | Low | | |
| Linalyl acetate | BCF | 174 | | |
| CAS: 115-95-7 | Pow Log | 3.9 | | |
| EC: 204-116-4 | Potential | High | | |
| Hexyl cinnamaldehyde | BCF | 17 | | |
| CAS: 101-86-0 | Pow Log | | | |
| EC: 202-983-3 | Potential | Low | | |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran | BCF | 1584 | | |
| CAS: 1222-05-5 | Pow Log | 5.9 | | |
| EC: 214-946-9 | Potential | Very High | | |
| p-mentha-1,4(8)-diene | BCF | 334 | | |
| CAS: 586-62-9 | Pow Log | 4.29 | | |
| EC: 209-578-0 | Potential | High | | |
| 2-methylundecanal | BCF | | | |
| CAS: 110-41-8 | Pow Log | 5 | | |
| EC: 203-765-0 | Potential | | | |

12.4 Mobility in soil:

Date of compilation: 09/09/2020 Revised: 03/01/2025 Version: 3 (Replaced 2) **Page 14/18**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CLIP IT FRESH FOCUS

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Absorp | Absorption/desorption | | Volatility | |
|-----------------------|-----------------|-----------------------|------------|---------------|--|
| Linalyl acetate | Koc | 518 | Henry | 177 Pa·m³/mol | |
| CAS: 115-95-7 | Conclusion | Low | Dry soil | Yes | |
| EC: 204-116-4 | Surface tension | Not relevant | Moist soil | Yes | |
| p-mentha-1,4(8)-diene | Koc | 1120 | Henry | Not relevant | |
| CAS: 586-62-9 | Conclusion | Low | Dry soil | Not relevant | |
| EC: 209-578-0 | Surface tension | 2,865E-2 N/m (25 °C) | Moist soil | Not relevant | |
| 2-methylundecanal | Koc | 4000 | Henry | Not relevant | |
| CAS: 110-41-8 | Conclusion | Low | Dry soil | Not relevant | |
| EC: 203-765-0 | Surface tension | Not relevant | Moist soil | Not relevant | |

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 07 01 04* | other organic solvents, washing liquids and mother liquors | Hazardous |

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

- CONTINUED ON NEXT PAGE
Date of compilation: 09/09/2020 Revised: 03/01/2025 Version: 3 (Replaced 2) Page 15/18



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CLIP IT FRESH FOCUS

SECTION 14: TRANSPORT INFORMATION (continued)



14.1 UN number or ID number: UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 14.2 UN proper shipping name:

(Citronella, ext.)

9

14.3 Transport hazard class(es):

Labels:

14.4 Packing group: III 14.5 Environmental hazards: Yes

14.6 Special precautions for user

Special regulations: 274, 335, 375, 601

Tunnel restriction code:

Physico-Chemical properties: see section 9

Limited quantities: 5 L

14.7 Maritime transport in bulk according to IMO

instruments:

Not relevant

Transport of dangerous goods by sea:

With regard to IMDG 41-22:

14.1 UN number or ID number: UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 14.2 UN proper shipping name:

(Citronella, ext.)

14.3 Transport hazard class(es): 9

9 Lahels: III

14.4 Packing group: 14.5 Marine pollutant: Yes

14.6 Special precautions for user

Special regulations: 335, 969, 274 FmS Codes: F-A, S-F

Physico-Chemical properties: see section 9

Limited quantities: 51

Segregation group: Not relevant Not relevant 14.7 Maritime transport in bulk

according to IMO instruments:

Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:



Date of compilation: 09/09/2020

14.1 UN number or ID number:

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Citronella, ext.)

14.3 Transport hazard class(es): 9

> Labels: 9

14.4 Packing group: III14.5 Environmental hazards: Yes

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Maritime transport in bulk

according to IMO instruments:

Not relevant

Version: 3 (Replaced 2)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Revised: 03/01/2025



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

CLIP IT FRESH FOCUS

SECTION 15: REGULATORY INFORMATION (continued)

- Article 95, REGULATION (EU) No 528/2012: Orange sweet, ext. (8028-48-6) PT: (19)
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Not relevant

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H317: May cause an allergic skin reaction.

H411: Toxic to aquatic life with long lasting effects.

H315: Causes skin irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 3: H226 - Flammable liquid and vapour.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Eye Irrit. 2: Calculation method Skin Sens. 1B: Calculation method Aquatic Chronic 2: Calculation method Skin Irrit. 2: Calculation method

Advice related to training:





CLIP IT FRESH FOCUS

SECTION 16: OTHER INFORMATION (continued)

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET
Date of compilation: 09/09/2020 Revised: 03/01/2025 Version: 3 (Replaced 2) Page 18/18