

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

L.1 Product identifier: Car Perfume ELITE IN BLACK

Other means of identification:

UFI: V8D3-G04S-U008-TMPC

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses (Consumer use): Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

MB ELIX sp. z oo sp.k. ul. Skarżyńskiego 26 54-530 Wrocław - Poland

Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68

lab@elix.pl www.elixscent.com

1.4 Emergency telephone number: 0048 71 387 85 33 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Irrit. 2: Eye irritation, Category 2, H319

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Labelling of packages where the contents do not exceed 125 ml:

Warning



Hazard statements:

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, hexyl cinnamaldehyde, coumarin, linalool, 2,2,6-trimethyl-a-propylcyclohexanepropanol, linalyl acetate, d-limonene, benzyl salicylate, alpha-methyl-1,3-benzodioxole-5-propionaldehyde, pin-2(10)-ene, 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one, cinnamaldehyde.

UFI: V8D3-G04S-U008-TMPC

2.3 Other hazards:

Product does not meet PBT/vPvB criteria


Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Not relevant

3.2 Mixture:





Car Perfume ELITE IN BLACK

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentratio
CAS:	56539-66-3	3-methoxy-3-methyll	butan-1-ol ⁽¹⁾ Self-classifie	d
C: ndex:	260-252-4 Not relevant 01-2119976333-33- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	25 - <30%
AS:	34590-94-8	Dipropylene Glycol M	ethyl Ether ⁽²⁾ Not classifie	d
	252-104-2 Not relevant 01-2119450011-60- XXXX	Regulation 1272/2008		25 - <30%
AS:	18479-58-8	2,6-dimethyloct-7-en	-2-ol ⁽¹⁾ Self-classifie	d
	242-362-4 Not relevant 01-2119457274-37- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	2 - <3%
AS:	54464-57-2	1-(1,2,3,4,5,6,7,8-oct	tahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one(1) Self-classifie	d
	259-174-3 Not relevant 01-2119489989-04	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	2 - <3%
AS:	20298-69-5	cis-2-tert-butylcycloh	nexyl acetate ⁽¹⁾ Self-classifie	d
	243-718-1 Not relevant 01-2119970713-33- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411	1 - <2%
CAS:	101-86-0	Hexyl cinnamaldehyd	e(1) Self-classifie	d
EC: Index: REACH:	202-983-3 Not relevant 01-2119533092-50	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	1 - <2%
CAS:	91-64-5 Coumarin (1)		Self-classifie	d
	202-086-7 Not relevant 01-2119949300-45-XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Skin Sens. 1B: H317 - Warning	1 - <2%
CAS:	1222-05-5	1,3,4,6,7,8-hexahydr	o-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran(1) ATP ATP01	
	214-946-9 603-212-00-7 01-2119488227-29- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	1 - <2%
CAS:	78-70-6	Linalool ⁽¹⁾	Self-classifie	d
	201-134-4 603-235-00-2 01-2119474016-42-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	1 - <2%
CAS:	70788-30-6	2,2,6-trimethyl-a-pro	pylcyclohexanepropanol(1) Self-classifie	d
	274-892-7 Not relevant Not relevant	Regulation 1272/2008	Skin Sens. 1B: H317 - Warning	0.5 - <0.75%
CAS:	115-95-7	Linalyl acetate(1)	Self-classifie	d
	204-116-4 Not relevant 01-2119454789-19-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.5 - <0.75%
CAS:	5989-27-5	d-limonene(1)	ATP ATP17	
	227-813-5 601-096-00-2 01-2119529223-47-XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger	0.5 - <0.75%
CAS:	118-58-1	Benzyl salicylate(1)	ATP ATP17	
	204-262-9 607-754-00-5 01-2119969442-31-XXXX	Regulation 1272/2008	Skin Sens. 1B: H317 - Warning	0.25 - <0.5%
CAS:	1205-17-0	alpha-methyl-1,3-ber	nzodioxole-5-propionaldehyde(1) Self-classifie	d
	214-881-6 Not relevant : 01-2120740119-58-XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	0.1 - <0.25%
AS:	33704-61-9	1,2,3,5,6,7-hexahydro	o-1,1,2,3,3-pentamethyl-4H-inden-4-one(1) Self-classifie	d
	251-649-3 Not relevant 01-2119977131-40-XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0.1 - <0.25%

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 (2) Substance with a Union workplace exposure limit

- CONTINUED ON NEXT PAGE -Date of compilation: 14/05/2025 Version: 1 Page 2/18



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification	Chemical name/Classification			
CAS:	127-91-3	Pin-2(10)-ene(1)	Self-classifi	ed	
EC: Index: REACH:	204-872-5 Not relevant : 01-2119519230-54-XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	\$	0.1 - <0.25%
CAS:	99-85-4	p-mentha-1,4-diene(1	Self-classifi	ed	
EC: Index: REACH:	202-794-6 Not relevant : 01-2120780478-40- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Repr. 2: H361 - Danger	\$	0.1 - <0.25%
CAS:	104-55-2	Cinnamaldehyde(1)	Self-classifi	ed	
EC: Index: REACH:	203-213-9 Not relevant : 01-2119935242-45-XXXX	Regulation 1272/2008	Acute Tox. 4: H312; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1A: H317 - Warning	?	0.036 - <0.1%

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 (2) Substance with a Union workplace exposure limit

Other information:

	Identification		M-factor
d-limonene		Acute	1
CAS: 5989-27-5	EC: 227-813-5	Chronic	1

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicit	Genus	
Coumarin	LD50 oral	500 mg/kg	Rat
	LD50 dermal	Not relevant	
EC: 202-086-7	LC50 inhalation vapour	Not relevant	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Date of compilation: 14/05/2025 Version: 1 Page 3/18

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

SECTION 5: FIREFIGHTING MEASURES (continued)

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

SECTION 7: HANDLING AND STORAGE (continued)

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits			
Dipropylene Glycol Methyl Ether (1)	IOELV (8h)	50 ppm	308 mg/m ³	
CAS: 34590-94-8	IOELV (STEL)			

(1) Skin

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
3-methoxy-3-methylbutan-1-ol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 56539-66-3	Dermal	Not relevant	Not relevant	6,25 mg/kg	Not relevant
EC: 260-252-4	Inhalation	Not relevant	Not relevant	18 mg/m³	Not relevant
Dipropylene Glycol Methyl Ether	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 34590-94-8	Dermal	Not relevant	Not relevant	283 mg/kg	Not relevant
EC: 252-104-2	Inhalation	Not relevant	Not relevant	308 mg/m ³	Not relevant
2,6-dimethyloct-7-en-2-ol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 18479-58-8	Dermal	Not relevant	Not relevant	20,8 mg/kg	Not relevant
EC: 242-362-4	Inhalation	Not relevant	Not relevant	73,5 mg/m³	Not relevant
Coumarin	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 91-64-5	Dermal	Not relevant	Not relevant	0,79 mg/kg	Not relevant
EC: 202-086-7	Inhalation	Not relevant	Not relevant	6,78 mg/m ³	Not relevant
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 1222-05-5	Dermal	Not relevant	Not relevant	36,7 mg/kg	Not relevant
EC: 214-946-9	Inhalation	Not relevant	Not relevant	13,5 mg/m³	Not relevant
Linalool	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 78-70-6	Dermal	Not relevant	Not relevant	3,5 mg/kg	Not relevant
EC: 201-134-4	Inhalation	Not relevant	Not relevant	24,58 mg/m ³	Not relevant





Car Perfume ELITE IN BLACK


SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Linalyl acetate	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 115-95-7	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant	
EC: 204-116-4	Inhalation	Not relevant	Not relevant	2,75 mg/m ³	Not relevant	
d-limonene	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 5989-27-5	Dermal	Not relevant	Not relevant	9,5 mg/kg	Not relevant	
EC: 227-813-5	Inhalation	Not relevant	Not relevant	66,7 mg/m ³	Not relevant	
Benzyl salicylate	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 118-58-1	Dermal	Not relevant	Not relevant	2,21 mg/kg	Not relevant	
EC: 204-262-9	Inhalation	Not relevant	Not relevant	7,8 mg/m ³	Not relevant	
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 1205-17-0	Dermal	Not relevant	Not relevant	0,17 mg/kg	Not relevant	
EC: 214-881-6	Inhalation	Not relevant	Not relevant	1,2 mg/m³	Not relevant	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 33704-61-9	Dermal	Not relevant	Not relevant	0,42 mg/kg	Not relevant	
EC: 251-649-3	Inhalation	Not relevant	Not relevant	1,47 mg/m ³	Not relevant	
Pin-2(10)-ene	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 127-91-3	Dermal	Not relevant	Not relevant	0,8 mg/kg	Not relevant	
EC: 204-872-5	Inhalation	Not relevant	Not relevant	5,69 mg/m ³	Not relevant	
p-mentha-1,4-diene	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 99-85-4	Dermal	Not relevant	Not relevant	0,833 mg/kg	Not relevant	
EC: 202-794-6	Inhalation	Not relevant	Not relevant	2,939 mg/m ³	Not relevant	
Cinnamaldehyde	Oral	Not relevant	Not relevant	Not relevant	Not relevant	
CAS: 104-55-2	Dermal	Not relevant	Not relevant	1,75 mg/kg	Not relevant	
EC: 203-213-9	Inhalation	Not relevant	Not relevant	6,11 mg/m ³	Not relevant	

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
3-methoxy-3-methylbutan-1-ol	Oral	Not relevant	Not relevant	2,5 mg/kg	Not relevant
CAS: 56539-66-3	Dermal	Not relevant	Not relevant	3,1 mg/kg	Not relevant
EC: 260-252-4	Inhalation	Not relevant	Not relevant	4,4 mg/m³	Not relevant
Dipropylene Glycol Methyl Ether	Oral	Not relevant	Not relevant	36 mg/kg	Not relevant
CAS: 34590-94-8	Dermal	Not relevant	Not relevant	121 mg/kg	Not relevant
EC: 252-104-2	Inhalation	Not relevant	Not relevant	37,2 mg/m ³	Not relevant
2,6-dimethyloct-7-en-2-ol	Oral	Not relevant	Not relevant	12,5 mg/kg	Not relevant
CAS: 18479-58-8	Dermal	Not relevant	Not relevant	12,5 mg/kg	Not relevant
EC: 242-362-4	Inhalation	Not relevant	Not relevant	21,7 mg/m³	Not relevant
Coumarin	Oral	Not relevant	Not relevant	0,39 mg/kg	Not relevant
CAS: 91-64-5	Dermal	Not relevant	Not relevant	0,39 mg/kg	Not relevant
EC: 202-086-7	Inhalation	Not relevant	Not relevant	1,69 mg/m ³	Not relevant
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Not relevant	Not relevant	2,3 mg/kg	Not relevant
CAS: 1222-05-5	Dermal	Not relevant	Not relevant	22 mg/kg	Not relevant
EC: 214-946-9	Inhalation	Not relevant	Not relevant	4 mg/m³	Not relevant
Linalool	Oral	Not relevant	Not relevant	2,49 mg/kg	Not relevant
CAS: 78-70-6	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
EC: 201-134-4	Inhalation	Not relevant	Not relevant	4,33 mg/m ³	Not relevant
Linalyl acetate	Oral	Not relevant	Not relevant	0,2 mg/kg	Not relevant
CAS: 115-95-7	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
EC: 204-116-4	Inhalation	Not relevant	Not relevant	0,68 mg/m ³	Not relevant
d-limonene	Oral	Not relevant	Not relevant	4,8 mg/kg	Not relevant
CAS: 5989-27-5	Dermal	Not relevant	Not relevant	4,8 mg/kg	Not relevant
EC: 227-813-5	Inhalation	Not relevant	Not relevant	16,6 mg/m ³	Not relevant

Date of compilation: 14/05/2025 Version: 1





Car Perfume ELITE IN BLACK

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Benzyl salicylate	Oral	Not relevant	Not relevant	0,79 mg/kg	Not relevant
CAS: 118-58-1	Dermal	Not relevant	Not relevant	0,79 mg/kg	Not relevant
EC: 204-262-9	Inhalation	Not relevant	Not relevant	1,37 mg/m³	Not relevant
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Oral	Not relevant	Not relevant	0,17 mg/kg	Not relevant
CAS: 1205-17-0	Dermal	Not relevant	Not relevant	0,083 mg/kg	Not relevant
EC: 214-881-6	Inhalation	Not relevant	Not relevant	0,29 mg/m ³	Not relevant
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one	Oral	Not relevant	Not relevant	0,25 mg/kg	Not relevant
CAS: 33704-61-9	Dermal	Not relevant	Not relevant	0,25 mg/kg	Not relevant
EC: 251-649-3	Inhalation	Not relevant	Not relevant	0,44 mg/m ³	Not relevant
Pin-2(10)-ene	Oral	Not relevant	Not relevant	0,3 mg/kg	Not relevant
CAS: 127-91-3	Dermal	Not relevant	Not relevant	0,3 mg/kg	Not relevant
EC: 204-872-5	Inhalation	Not relevant	Not relevant	1 mg/m³	Not relevant
p-mentha-1,4-diene	Oral	Not relevant	Not relevant	0,417 mg/kg	Not relevant
CAS: 99-85-4	Dermal	Not relevant	Not relevant	0,417 mg/kg	Not relevant
EC: 202-794-6	Inhalation	Not relevant	Not relevant	0,725 mg/m ³	Not relevant
Cinnamaldehyde	Oral	Not relevant	Not relevant	0,625 mg/kg	Not relevant
CAS: 104-55-2	Dermal	Not relevant	Not relevant	0,625 mg/kg	Not relevant
EC: 203-213-9	Inhalation	Not relevant	Not relevant	1,09 mg/m ³	Not relevant

PNEC:

Identification				
Dipropylene Glycol Methyl Ether	STP	4168 mg/L	Fresh water	19 mg/L
CAS: 34590-94-8	Soil	2,74 mg/kg	Marine water	1,9 mg/L
EC: 252-104-2	Intermittent	190 mg/L	Sediment (Fresh water)	70,2 mg/kg
	Oral	Not relevant	Sediment (Marine water)	7,02 mg/kg
2,6-dimethyloct-7-en-2-ol	STP	10 mg/L	Fresh water	0,0278 mg/L
CAS: 18479-58-8	Soil	0,103 mg/kg	Marine water	0,00278 mg/L
EC: 242-362-4	Intermittent	0,278 mg/L	Sediment (Fresh water)	0,594 mg/kg
	Oral	0,111 g/kg	Sediment (Marine water)	0,059 mg/kg
cis-2-tert-butylcyclohexyl acetate	STP	10 mg/L	Fresh water	0,057 mg/L
CAS: 20298-69-5	Soil	4,4 mg/kg	Marine water	0,006 mg/L
EC: 243-718-1	Intermittent	Not relevant	Sediment (Fresh water)	7,62 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,762 mg/kg
Coumarin	STP	6,4 mg/L	Fresh water	0,019 mg/L
CAS: 91-64-5	Soil	0,018 mg/kg	Marine water	0,0019 mg/L
EC: 202-086-7	Intermittent	0,0142 mg/L	Sediment (Fresh water)	0,15 mg/kg
	Oral	0,0307 g/kg	Sediment (Marine water)	0,015 mg/kg
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6- c]pyran	STP	1 mg/L	Fresh water	0,0068 mg/L
CAS: 1222-05-5	Soil	1,5 mg/kg	Marine water	0,00044 mg/L
EC: 214-946-9	Intermittent	Not relevant	Sediment (Fresh water)	2 mg/kg
	Oral	20,4 g/kg	Sediment (Marine water)	0,394 mg/kg
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
Linalyl acetate	STP	1 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,001 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,061 mg/kg





Car Perfume ELITE IN BLACK

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
d-limonene	STP	1,8 mg/L	Fresh water	0,014 mg/L
CAS: 5989-27-5	Soil	0,763 mg/kg	Marine water	0,0014 mg/L
EC: 227-813-5	Intermittent	Not relevant	Sediment (Fresh water)	3,85 mg/kg
	Oral	0,133 g/kg	Sediment (Marine water)	0,385 mg/kg
Benzyl salicylate	STP	10 mg/L	Fresh water	0,001 mg/L
CAS: 118-58-1	Soil	1,41 mg/kg	Marine water	0 mg/L
EC: 204-262-9	Intermittent	0,01 mg/L	Sediment (Fresh water)	0,583 mg/kg
	Oral	0,0527 g/kg	Sediment (Marine water)	0,058 mg/kg
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	STP	10 mg/L	Fresh water	0,005 mg/L
CAS: 1205-17-0	Soil	0,008 mg/kg	Marine water	0,001 mg/L
EC: 214-881-6	Intermittent	0,053 mg/L	Sediment (Fresh water)	0,057 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,006 mg/kg
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	STP	10 mg/L	Fresh water	0,004 mg/L
CAS: 33704-61-9	Soil	0,0174 mg/kg	Marine water	0 mg/L
EC: 251-649-3	Intermittent	Not relevant	Sediment (Fresh water)	0,0991 mg/kg
	Oral	0,00111 g/kg	Sediment (Marine water)	0,00991 mg/kg
Pin-2(10)-ene	STP	3,26 mg/L	Fresh water	0,001004 mg/L
CAS: 127-91-3	Soil	0,067 mg/kg	Marine water	0,0001 mg/L
EC: 204-872-5	Intermittent	Not relevant	Sediment (Fresh water)	0,337 mg/kg
	Oral	0,0131 g/kg	Sediment (Marine water)	0,034 mg/kg
p-mentha-1,4-diene	STP	10 mg/L	Fresh water	0,003 mg/L
CAS: 99-85-4	Soil	0,423 mg/kg	Marine water	0 mg/L
EC: 202-794-6	Intermittent	Not relevant	Sediment (Fresh water)	0,49 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,049 mg/kg
Cinnamaldehyde	STP	7,1 mg/L	Fresh water	0,008 mg/L
CAS: 104-55-2	Soil	0,0156 mg/kg	Marine water	0,0008 mg/L
EC: 203-213-9	Intermittent	0,0321 mg/L	Sediment (Fresh water)	0,101 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,0101 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Butyl, Breakthrough time: > 480 min, Thickness: 0.5 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection





Car Perfume ELITE IN BLACK

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2022	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Liquid
Appearance: Fluid

Colour: Light yellow , Colourless

Odour: Pleasant
Odour threshold: Not relevant *

Volatility:

Boiling point at atmospheric pressure: $189 \, ^{\circ}\text{C}$ Vapour pressure at 20 $^{\circ}\text{C}$: $72 \, \text{Pa}$

Vapour pressure at 50 °C: 526,86 Pa (0,53 kPa)

Evaporation rate at 20 °C: Not relevant *

Product description:

Density at 20 °C: 993,4 kg/m³
Relative density at 20 °C: 0,993

Dynamic viscosity at 20 °C: Not relevant *

Kinematic viscosity at 20 °C: Not relevant *

Kinematic viscosity at 40 °C: Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE
Date of compilation: 14/05/2025 Version: 1

Page 9/18



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

Not relevant *

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Concentration: Not relevant * pH: Not relevant * Vapour density at 20 °C: Not relevant * Partition coefficient n-octanol/water 20 °C: Not relevant *

Solubility in water at 20 °C: Not relevant * Not relevant * Solubility properties:

Decomposition temperature: Melting point/freezing point: Not relevant *

Flammability:

Flash Point: 76 °C

Flammability (solid, gas): Not relevant * 235 °C Autoignition temperature: Lower flammability limit: Not relevant * Upper flammability limit: Not relevant *

Particle characteristics:

Median equivalent diameter: Not relevant *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties: Not relevant * Oxidising properties: Not relevant * Corrosive to metals: Not relevant * Heat of combustion: Not relevant * Aerosols-total percentage (by mass) of flammable Not relevant *

components:

Other safety characteristics:

Surface tension at 20 °C: Not relevant * Refraction index: Not relevant * *Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Avoid strong acids Not applicable		Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Coumarin (3); d-limonene (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
2,6-dimethyloct-7-en-2-ol	LD50 oral	3600 mg/kg	
	LD50 dermal		
EC: 242-362-4	LC50 inhalation vapour		



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute	toxicity	Genus	
cis-2-tert-butylcyclohexyl acetate	LD50 oral	4600 mg/kg	Rat	
CAS: 20298-69-5	LD50 dermal			
EC: 243-718-1	LC50 inhalation vapour			
łexyl cinnamaldehyde	LD50 oral	3100 mg/kg	Rat	
CAS: 101-86-0	LD50 dermal	3000 mg/kg	Rabbit	
EC: 202-983-3	LC50 inhalation vapour			
Coumarin	LD50 oral	500 mg/kg	Rat	
CAS: 91-64-5	LD50 dermal	>5000 mg/kg		
EC: 202-086-7	LC50 inhalation dust			
inalool	LD50 oral	3500 mg/kg	Rat	
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit	
EC: 201-134-4	LC50 inhalation vapour			
Dipropylene Glycol Methyl Ether	LD50 oral	>5000 mg/kg	Rat	
CAS: 34590-94-8	LD50 dermal	9510 mg/kg	Rabbit	
EC: 252-104-2	LC50 inhalation vapour			
inalyl acetate	LD50 oral	14500 mg/kg	Rat	
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit	
EC: 204-116-4	LC50 inhalation vapour			
l-limonene	LD50 oral	4400 mg/kg	Rat	
CAS: 5989-27-5	LD50 dermal	>5000 mg/kg	Rabbit	
C: 227-813-5	LC50 inhalation vapour			
Benzyl salicylate	LD50 oral	2200 mg/kg	Rat	
AS: 118-58-1	LD50 dermal	14150 mg/kg	Rabbit	
EC: 204-262-9	LC50 inhalation dust			
lpha-methyl-1,3-benzodioxole-5-propionaldehyde	LD50 oral	3550 mg/kg	Rat	
CAS: 1205-17-0	LD50 dermal			
EC: 214-881-6	LC50 inhalation vapour			
,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	LD50 oral	2900 mg/kg	Rat	
CAS: 33704-61-9	LD50 dermal			
C: 251-649-3	LC50 inhalation dust			
-mentha-1,4-diene	LD50 oral	3850 mg/kg	Rat	
AS: 99-85-4	LD50 dermal			
EC: 202-794-6	LC50 inhalation vapour			
Cinnamaldehyde	LD50 oral	2220 mg/kg	Rat	
CAS: 104-55-2	LD50 dermal	1260 mg/kg	Rabbit	
EC: 203-213-9	LC50 inhalation vapour	68,88 mg/L (4 h)	Rat	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:





Car Perfume ELITE IN BLACK

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus
Dipropylene Glycol Methyl Ether	LC50	10000 mg/L (96 h)	Pimephales promelas	Fish
CAS: 34590-94-8	EC50	1919 mg/L (48 h)	Daphnia magna	Crustacean
EC: 252-104-2	EC50	Not relevant		
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 259-174-3	EC50	>1 - 10 mg/L (72 h)		Algae
cis-2-tert-butylcyclohexyl acetate	LC50	5,6 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 20298-69-5	EC50	17 mg/L (48 h)	Daphnia magna	Crustacean
EC: 243-718-1	EC50	4,2 mg/L (72 h)	Desmodesmus subspicatus	Algae
Hexyl cinnamaldehyde	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 101-86-0	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 202-983-3	EC50	>0.1 - 1 mg/L (72 h)		Algae
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	LC50	0,95 mg/L (96 h)	Oryzias latipes	Fish
CAS: 1222-05-5	EC50	0,194 mg/L (48 h)	Daphnia magna	Crustacean
EC: 214-946-9	EC50	0,723 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-116-4	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
d-limonene	LC50	0,702 mg/L (96 h)	Pimephales promelas	Fish
CAS: 5989-27-5	EC50	0,577 mg/L (48 h)	Daphnia magna	Crustacean
EC: 227-813-5	EC50	Not relevant		
Benzyl salicylate	LC50	1,03 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 118-58-1	EC50	1,2 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-262-9	EC50	1,3 mg/L (72 h)	Selenastrum capricornutum	Algae
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	LC50	5,3 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 1205-17-0	EC50	8 mg/L (48 h)	Daphnia magna	Crustacean
EC: 214-881-6	EC50	28 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	LC50	2,12 mg/L (96 h)	Oryzias latipes	Fish
CAS: 33704-61-9	EC50	1,5 mg/L (48 h)	Daphnia magna	Crustacean
EC: 251-649-3	EC50	10 mg/L (72 h)	Desmodesmus subspicatus	Algae
Pin-2(10)-ene	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 127-91-3	EC50	>0.1 - 1 mg/L (48 h)	N/A	Crustacean
EC: 204-872-5	EC50	>0.1 - 1 mg/L (72 h)		Algae
p-mentha-1,4-diene	LC50	2,8 mg/L (96 h)	N/A	Fish
CAS: 99-85-4	EC50	10,2 mg/L (48 h)	Daphnia magna	Crustacean
EC: 202-794-6	EC50	Not relevant		

Chronic toxicity:

Identification		Concentration	Species	Genus
Dipropylene Glycol Methyl Ether	NOEC	Not relevant		
CAS: 34590-94-8 EC: 252-104-2	NOEC	0,5 mg/L	Daphnia magna	Crustacean
cis-2-tert-butylcyclohexyl acetate	NOEC	0,8 mg/L	Pimephales promelas	Fish
CAS: 20298-69-5 EC: 243-718-1	NOEC	Not relevant		
Cinnamaldehyde	NOEC	15,159 mg/L	N/A	Fish
CAS: 104-55-2 EC: 203-213-9	NOEC	Not relevant		

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradabi	ility
Dipropylene Glycol Methyl Ether	BOD5	Not relevant	Concentration	Not relevant
CAS: 34590-94-8	COD	0 g O2/g	Period	28 days
EC: 252-104-2	BOD5/COD	Not relevant	% Biodegradable	73 %





Car Perfume ELITE IN BLACK

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degra	adability	Biodegradab	ility
2,6-dimethyloct-7-en-2-ol	BOD5	Not relevant	Concentration	10 mg/L
CAS: 18479-58-8	COD	Not relevant	Period	28 days
EC: 242-362-4	BOD5/COD	Not relevant	% Biodegradable	72 %
cis-2-tert-butylcyclohexyl acetate	BOD5	Not relevant	Concentration	100 mg/L
CAS: 20298-69-5	COD	Not relevant	Period	28 days
EC: 243-718-1	BOD5/COD	Not relevant	% Biodegradable	43 %
Coumarin	BOD5	Not relevant	Concentration	100 mg/L
CAS: 91-64-5	COD	Not relevant	Period	14 days
EC: 202-086-7	BOD5/COD	Not relevant	% Biodegradable	100 %
Linalool	BOD5	Not relevant	Concentration	100 mg/L
CAS: 78-70-6	COD	Not relevant	Period	28 days
EC: 201-134-4	BOD5/COD	Not relevant	% Biodegradable	90 %
Linalyl acetate	BOD5	Not relevant	Concentration	81 mg/L
CAS: 115-95-7	COD	Not relevant	Period	28 days
EC: 204-116-4	BOD5/COD	Not relevant	% Biodegradable	80 %
d-limonene	BOD5	Not relevant	Concentration	10 mg/L
CAS: 5989-27-5	COD	Not relevant	Period	28 days
EC: 227-813-5	BOD5/COD	Not relevant	% Biodegradable	71,4 %
Benzyl salicylate	BOD5	Not relevant	Concentration	100 mg/L
CAS: 118-58-1	COD	Not relevant	Period	28 days
EC: 204-262-9	BOD5/COD	Not relevant	% Biodegradable	93 %
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	BOD5	Not relevant	Concentration	100 mg/L
CAS: 1205-17-0	COD	Not relevant	Period	28 days
EC: 214-881-6	BOD5/COD	Not relevant	% Biodegradable	65 %
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one	BOD5	Not relevant	Concentration	100 mg/L
CAS: 33704-61-9	COD	Not relevant	Period	28 days
EC: 251-649-3	BOD5/COD	Not relevant	% Biodegradable	0 %
p-mentha-1,4-diene	BOD5	Not relevant	Concentration	Not relevant
CAS: 99-85-4	COD	Not relevant	Period	28 days
EC: 202-794-6	BOD5/COD	Not relevant	% Biodegradable	27 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccun	nulation potential
Dipropylene Glycol Methyl Ether	BCF	1
CAS: 34590-94-8	Pow Log	-0.06
EC: 252-104-2	Potential	Low
2,6-dimethyloct-7-en-2-ol	BCF	
CAS: 18479-58-8	Pow Log	3.25
EC: 242-362-4	Potential	
cis-2-tert-butylcyclohexyl acetate	BCF	200
CAS: 20298-69-5	Pow Log	4.7
EC: 243-718-1	Potential	High
Hexyl cinnamaldehyde	BCF	17
CAS: 101-86-0	Pow Log	
EC: 202-983-3	Potential	Low
Coumarin	BCF	10
CAS: 91-64-5	Pow Log	1.39
EC: 202-086-7	Potential	Low
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	BCF	1584
CAS: 1222-05-5	Pow Log	5.9
EC: 214-946-9	Potential	Very High



Car Perfume ELITE IN BLACK

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential	
Linalool	BCF	
CAS: 78-70-6	Pow Log	2.97
EC: 201-134-4	Potential	
Linalyl acetate	BCF	174
CAS: 115-95-7	Pow Log	3.9
EC: 204-116-4	Potential	High
d-limonene	BCF	
CAS: 5989-27-5	Pow Log	4.83
EC: 227-813-5	Potential	
Benzyl salicylate	BCF	311
CAS: 118-58-1	Pow Log	4
EC: 204-262-9	Potential	High
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	BCF	
CAS: 1205-17-0	Pow Log	2.4
EC: 214-881-6	Potential	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	BCF	82
CAS: 33704-61-9	Pow Log	4.2
EC: 251-649-3	Potential	Moderate
Pin-2(10)-ene	BCF	440
CAS: 127-91-3	Pow Log	4.35
EC: 204-872-5	Potential	High
Cinnamaldehyde	BCF	8
CAS: 104-55-2	Pow Log	1.9
EC: 203-213-9	Potential	Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
cis-2-tert-butylcyclohexyl acetate	Koc	1300	Henry	Not relevant
CAS: 20298-69-5	Conclusion	Low	Dry soil	Not relevant
EC: 243-718-1	Surface tension	Not relevant	Moist soil	Not relevant
Coumarin	Кос	42	Henry	Not relevant
CAS: 91-64-5	Conclusion	Very High	Dry soil	Not relevant
EC: 202-086-7	Surface tension	Not relevant	Moist soil	Not relevant
Linalyl acetate	Koc	518	Henry	177 Pa·m³/mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
EC: 204-116-4	Surface tension	Not relevant	Moist soil	Yes
d-limonene	Koc	6324	Henry	2533,13 Pa·m³/mol
CAS: 5989-27-5	Conclusion	Immobile	Dry soil	Yes
EC: 227-813-5	Surface tension	2,675E-2 N/m (25 °C)	Moist soil	Yes
Benzyl salicylate	Кос	5600	Henry	Not relevant
CAS: 118-58-1	Conclusion	Immobile	Dry soil	Not relevant
EC: 204-262-9	Surface tension	Not relevant	Moist soil	Not relevant
alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Кос	71	Henry	Not relevant
CAS: 1205-17-0	Conclusion	Very High	Dry soil	Not relevant
EC: 214-881-6	Surface tension	Not relevant	Moist soil	Not relevant
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one	Koc	200	Henry	Not relevant
CAS: 33704-61-9	Conclusion	Moderate	Dry soil	Not relevant
EC: 251-649-3	Surface tension	Not relevant	Moist soil	Not relevant
Pin-2(10)-ene	Koc	Not relevant	Henry	Not relevant
CAS: 127-91-3	Conclusion	Not relevant	Dry soil	Not relevant
EC: 204-872-5	Surface tension	2,685E-2 N/m (25 °C)	Moist soil	Not relevant
p-mentha-1,4-diene	Koc	8038	Henry	Not relevant
CAS: 99-85-4	Conclusion	Immobile	Dry soil	Not relevant
EC: 202-794-6	Surface tension	2,991E-2 N/m (25 °C)	Moist soil	Not relevant

Date of compilation: 14/05/2025 Version: 1 Page 15/18



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorption/desorption		Volatility	
Cinnamaldehyde	Koc	37	Henry	3,546E-1 Pa·m³/mol
CAS: 104-55-2	Conclusion	Very High	Dry soil	Yes
EC: 203-213-9	Surface tension	Not relevant	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Cinnamaldehyde (104-55-2) PT: (2)
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

SECTION 15: REGULATORY INFORMATION (continued)

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Not relevant

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H312 - Harmful in contact with skin.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Lig. 3: H226 - Flammable liquid and vapour.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Classification procedure:

Eye Irrit. 2: Calculation method Skin Sens. 1B: Calculation method Aquatic Chronic 3: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

Car Perfume ELITE IN BLACK

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET
Date of compilation: 14/05/2025 Version: 1 Page 18/18