

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

L.1 Product identifier: ORGANIC AIR PERFUME CHERRY

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

MB ELIX sp. z oo sp.k. ul. Skarżyńskiego 26 54-530 Wrocław - Poland

Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68

lab@elix.pl

https://airfresh24.com/

1.4 Emergency telephone number: 0048 71 387 85 33 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Irrit. 2: Eye irritation, Category 2, H319

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008 (Labelling of packages where the contents do not exceed 125 ml):

Warning



Hazard statements:

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains ethyl 2,3-epoxy-3-phenylbutyrate.

UFI: 8A70-Y0KU-C00M-13SR

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification		Chemical name/Classification		Concentration
64-17-5 200-578-6 603-002-00-5 01-2119457610-43- XXXX	ethanol(1) Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	Self-classified	30 - <35 %
100-52-7 202-860-4 605-012-00-5 01-2119455540-44- XXXX	benzaldehyde(1) Regulation 1272/2008	Acute Tox. 4: H302 - Warning	ATP CLP00	10 - <15 %
34590-94-8 252-104-2 Non-applicable 01-2119450011-60- XXXX	Dipropylene Glycol Mo Regulation 1272/2008	ethyl Ether ⁽²⁾	Not classified	5 - <7,5 %
121-33-5 204-465-2 Non-applicable 01-2119516040-60- XXXX	Vanillin(1) Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	Self-classified	2 - <3 %
104-21-2 203-185-8 Non-applicable Non-applicable	p-anisyl acetate ⁽¹⁾ Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	Self-classified	2 - <3 %
77-83-8 201-061-8 Non-applicable 01-2119967770-28- XXXX	Ethyl 2,3-epoxy-3-phe Regulation 1272/2008	enylbutyrate(1) Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	Self-classified	1 - <2 %
101-84-8 202-981-2 Non-applicable 01-2119472545-33- XXXX	Diphenyl ether ⁽²⁾ Regulation 1272/2008	Aquatic Chronic 2: H411; Eye Irrit. 2: H319 - Warning	Self-classified	0,75 - <1 %
E 78-93-3 201-159-0 x: 606-002-00-3 CH: 01-2119457290-43- XXXX		ATP CLP00	0,25 - <0,5	
1222-05-5 214-946-9 Non-applicable Non-applicable	1,3,4,6,7,8-hexahydro Regulation 1272/2008	o-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ⁽¹⁾ Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	ATP ATP01	0,25 - <0,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 (2) Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
ethanol	% (w/w) >=50: Eye Irrit. 2 - H319
CAS: 64-17-5	
EC: 200-578-6	

SECTION 4: FIRST AID MEASURES

Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 4: FIRST AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal See sections 8 and 13.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
Dipropylene Glycol Methyl Ether	IOELV (8h)	50 ppm	308 mg/m ³
CAS: 34590-94-8	IOELV (STEL)		
Diphenyl ether	IOELV (8h)	1 ppm	7 mg/m³
CAS: 101-84-8 EC: 202-981-2	IOELV (STEL)	2 ppm	14 mg/m³
Butanone	IOELV (8h)	200 ppm	600 mg/m ³
CAS: 78-93-3 EC: 201-159-0	IOELV (STEL)	300 ppm	900 mg/m ³

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

		Short ex	xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	950 mg/m ³	Non-applicable
benzaldehyde	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 100-52-7	Dermal	Non-applicable	Non-applicable	1,14 mg/kg	Non-applicable
EC: 202-860-4	Inhalation	Non-applicable	Non-applicable	9,8 mg/m ³	9,8 mg/m³

Date of compilation: 12/04/2022 Version: 1 Page 4/15



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Sure Long exposure	
Identification		Systemic	Local	Systemic	Local
Dipropylene Glycol Methyl Ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 34590-94-8	Dermal	Non-applicable	Non-applicable	283 mg/kg	Non-applicable
EC: 252-104-2	Inhalation	Non-applicable	Non-applicable	308 mg/m ³	Non-applicable
p-anisyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 104-21-2	Dermal	Non-applicable	Non-applicable	0,7 mg/kg	Non-applicable
EC: 203-185-8	Inhalation	Non-applicable	Non-applicable	2,468 mg/m ³	Non-applicable
Ethyl 2,3-epoxy-3-phenylbutyrate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 77-83-8	Dermal	Non-applicable	Non-applicable	0,7 mg/kg	Non-applicable
EC: 201-061-8	Inhalation	Non-applicable	Non-applicable	2,45 mg/m ³	Non-applicable
Diphenyl ether	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 101-84-8	Dermal	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
EC: 202-981-2	Inhalation	Non-applicable	14 mg/m³	59 mg/m ³	7 mg/m³
Butanone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	1161 mg/kg	Non-applicable
EC: 201-159-0	Inhalation	Non-applicable	Non-applicable	600 mg/m ³	Non-applicable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1222-05-5	Dermal	Non-applicable	Non-applicable	36,7 mg/kg	Non-applicable
EC: 214-946-9	Inhalation	Non-applicable	Non-applicable	13,5 mg/m ³	Non-applicable

DNEL (General population):

		Short e	exposure Long exposure		cposure
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	114 mg/m ³	Non-applicable
benzaldehyde	Oral	Non-applicable	Non-applicable	0,67 mg/kg	Non-applicable
CAS: 100-52-7	Dermal	Non-applicable	Non-applicable	0,67 mg/kg	Non-applicable
EC: 202-860-4	Inhalation	Non-applicable	Non-applicable	4,9 mg/m ³	4,9 mg/m ³
Dipropylene Glycol Methyl Ether	Oral	Non-applicable	Non-applicable	36 mg/kg	Non-applicable
CAS: 34590-94-8	Dermal	Non-applicable	Non-applicable	121 mg/kg	Non-applicable
EC: 252-104-2	Inhalation	Non-applicable	Non-applicable	37,2 mg/m ³	Non-applicable
p-anisyl acetate	Oral	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable
CAS: 104-21-2	Dermal	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable
EC: 203-185-8	Inhalation	Non-applicable	Non-applicable	0,37 mg/m ³	Non-applicable
Ethyl 2,3-epoxy-3-phenylbutyrate	Oral	Non-applicable	Non-applicable	0,35 mg/kg	Non-applicable
CAS: 77-83-8	Dermal	Non-applicable	Non-applicable	0,35 mg/kg	Non-applicable
EC: 201-061-8	Inhalation	Non-applicable	Non-applicable	0,61 mg/m ³	Non-applicable
Butanone	Oral	Non-applicable	Non-applicable	31 mg/kg	Non-applicable
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	412 mg/kg	Non-applicable
EC: 201-159-0	Inhalation	Non-applicable	Non-applicable	106 mg/m ³	Non-applicable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Non-applicable	Non-applicable	2,3 mg/kg	Non-applicable
CAS: 1222-05-5	Dermal	Non-applicable	Non-applicable	22 mg/kg	Non-applicable
EC: 214-946-9	Inhalation	Non-applicable	Non-applicable	4 mg/m³	Non-applicable

PNEC:

Identification				
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
benzaldehyde	STP	7,59 mg/L	Fresh water	0 mg/L
CAS: 100-52-7	Soil	0,001 mg/kg	Marine water	0 mg/L
EC: 202-860-4	Intermittent	0,011 mg/L	Sediment (Fresh water)	0,004 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0 mg/kg
Dipropylene Glycol Methyl Ether	STP	4168 mg/L	Fresh water	19 mg/L
CAS: 34590-94-8	Soil	2,74 mg/kg	Marine water	1,9 mg/L
EC: 252-104-2	Intermittent	190 mg/L	Sediment (Fresh water)	70,2 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	7,02 mg/kg
Vanillin	STP	10 mg/L	Fresh water	0,118 mg/L
CAS: 121-33-5	Soil	11,54 mg/kg	Marine water	0,012 mg/L
EC: 204-465-2	Intermittent	Non-applicable	Sediment (Fresh water)	58,22 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	5,822 mg/kg
p-anisyl acetate	STP	0,2 mg/L	Fresh water	0,013 mg/L
CAS: 104-21-2	Soil	0,028 mg/kg	Marine water	0,001 mg/L
EC: 203-185-8	Intermittent	0,131 mg/L	Sediment (Fresh water)	0,18 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,018 mg/kg
Ethyl 2,3-epoxy-3-phenylbutyrate	STP	10 mg/L	Fresh water	0,008 mg/L
CAS: 77-83-8	Soil	0,038 mg/kg	Marine water	0,0084 mg/L
EC: 201-061-8	Intermittent	0,084 mg/L	Sediment (Fresh water)	0,214 mg/kg
	Oral	0,0233 g/kg	Sediment (Marine water)	0,021 mg/kg
Diphenyl ether	STP	10 mg/L	Fresh water	0 mg/L
CAS: 101-84-8	Soil	0,018 mg/kg	Marine water	0 mg/L
EC: 202-981-2	Intermittent	0,005 mg/L	Sediment (Fresh water)	0,093 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,009 mg/kg
Butanone	STP	709 mg/L	Fresh water	55,8 mg/L
CAS: 78-93-3	Soil	22,5 mg/kg	Marine water	55,8 mg/L
EC: 201-159-0	Intermittent	55,8 mg/L	Sediment (Fresh water)	284,74 mg/kg
	Oral	1 g/kg	Sediment (Marine water)	284,7 mg/kg
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6- c]pyran	STP	1 mg/L	Fresh water	0,0068 mg/L
CAS: 1222-05-5	Soil	1,5 mg/kg	Marine water	0,00044 mg/L
EC: 214-946-9	Intermittent	Non-applicable	Sediment (Fresh water)	2 mg/kg
	Oral	20,4 g/kg	Sediment (Marine water)	0,394 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	CE	EN 420:2004+A1:2010	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CE		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Solid

Appearance: Compact

Colour: Beige

Odour: Pleasant

Odour threshold: Non-applicable *

Volatility:

Boiling point at atmospheric pressure:

Vapour pressure at 20 °C:

Vapour pressure at 50 °C:

Non-applicable *

Evaporation rate at 20 °C:

Non-applicable *

Product description:

Concentration:

Density at 20 °C: 1022,1 kg/m³

Relative density at 20 °C: 1,022

Dynamic viscosity at 20 °C: Non-applicable *

Kinematic viscosity at 20 °C: Non-applicable *

Kinematic viscosity at 40 °C: >20,5 mm²/s

*Not relevant due to the nature of the product, not providing information property of its hazards.

Non-applicable *

elix

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

pH: Non-applicable *

Vapour density at 20 °C: Non-applicable *

Partition coefficient n-octanol/water 20 °C: Non-applicable *

Solubility in water at 20 °C: Non-applicable *

Solubility properties: Non-applicable *

Decomposition temperature: Non-applicable *

Melting point/freezing point: Non-applicable *

Flammability:

Flash Point: Non-applicable
Flammability (solid, gas): Non-applicable *

Autoignition temperature: 192 °C

Lower flammability limit: Non-applicable *
Upper flammability limit: Non-applicable *

Explosive (Solid):

Lower explosive limit: Non-applicable *
Upper explosive limit: Non-applicable *

Particle characteristics:

Median equivalent diameter: Non-applicable *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Non-applicable *

Corrosive to metals:

Non-applicable *

Other safety characteristics:

Surface tension at 20 °C: Non-applicable *
Refraction index: Non-applicable *
*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 10: STABILITY AND REACTIVITY (continued)

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

 IARC: Benzyl acetate (3); ethanol (1); propan-2-ol (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

elix

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus	
benzaldehyde	LD50 oral	1100 mg/kg	Rat	
CAS: 100-52-7	LD50 dermal	>5000 mg/kg		
EC: 202-860-4	LC50 inhalation	Non-applicable		
Dipropylene Glycol Methyl Ether	LD50 oral	>5000 mg/kg	Rat	
CAS: 34590-94-8	LD50 dermal	9510 mg/kg	Rabbit	
EC: 252-104-2	LC50 inhalation	Non-applicable		
ethanol	LD50 oral	6200 mg/kg	Rat	
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit	
EC: 200-578-6	LC50 inhalation	124,7 mg/L (4 h)	Rat	
Vanillin	LD50 oral	3500 mg/kg	Rat	
CAS: 121-33-5	LD50 dermal	Non-applicable		
EC: 204-465-2	LC50 inhalation	Non-applicable		
p-anisyl acetate	LD50 oral	>5000 mg/kg	Rat	
CAS: 104-21-2	LD50 dermal	Non-applicable		
EC: 203-185-8	LC50 inhalation	Non-applicable		
Diphenyl ether	LD50 oral	>5000 mg/kg	Rat	
CAS: 101-84-8	LD50 dermal	7940 mg/kg	Rabbit	
EC: 202-981-2	LC50 inhalation	Non-applicable		
Butanone	LD50 oral	4000 mg/kg	Rat	
CAS: 78-93-3	LD50 dermal	6400 mg/kg	Rabbit	
EC: 201-159-0	LC50 inhalation	23,5 mg/L (4 h)	Rat	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

- CONTINUED ON NEXT PAGE
Date of compilation: 12/04/2022 Version: 1

Page 10/15



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae
benzaldehyde	LC50	13,8 mg/L (96 h)	Carassius auratus	Fish
CAS: 100-52-7	EC50	50 mg/L (24 h)	Daphnia magna	Crustacean
EC: 202-860-4	EC50	Non-applicable		
Dipropylene Glycol Methyl Ether	LC50	10000 mg/L (96 h)	Pimephales promelas	Fish
CAS: 34590-94-8	EC50	1919 mg/L (48 h)	Daphnia magna	Crustacean
EC: 252-104-2	EC50	Non-applicable		
Vanillin	LC50	57 mg/L (96 h)	Pimephales promelas	Fish
CAS: 121-33-5	EC50	48,1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-465-2	EC50	120 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Ethyl 2,3-epoxy-3-phenylbutyrate	LC50	4,2 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 77-83-8	EC50	52 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-061-8	EC50	36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Diphenyl ether	LC50	>1 - 10 (96 h)		Fish
CAS: 101-84-8	EC50	>1 - 10 (48 h)		Crustacean
EC: 202-981-2	EC50	>1 - 10 (72 h)		Algae
Butanone	LC50	3220 mg/L (96 h)	Pimephales promelas	Fish
CAS: 78-93-3	EC50	5091 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-159-0	EC50	4300 mg/L (168 h)	Scenedesmus quadricauda	Algae
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	LC50	0,95 mg/L (96 h)	Oryzias latipes	Fish
CAS: 1222-05-5	EC50	0,194 mg/L (48 h)	Daphnia magna	Crustacean
EC: 214-946-9	EC50	0,723 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean
benzaldehyde	NOEC	0,22 mg/L	Pimephales promelas	Fish
CAS: 100-52-7 EC: 202-860-4	NOEC	Non-applicable		
Dipropylene Glycol Methyl Ether	NOEC	Non-applicable		
CAS: 34590-94-8 EC: 252-104-2	NOEC	0,5 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

- CONTINUED ON NEXT PAGE
Date of compilation: 12/04/2022 Version: 1

Page 11/15



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradab	ility
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	Non-applicable	% Biodegradable	89 %
benzaldehyde	BOD5	1,62 g O2/g	Concentration	100 mg/L
CAS: 100-52-7	COD	1,98 g O2/g	Period	14 days
EC: 202-860-4	BOD5/COD	0,82	% Biodegradable	66 %
Dipropylene Glycol Methyl Ether	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 34590-94-8	COD	0 g O2/g	Period	28 days
EC: 252-104-2	BOD5/COD	Non-applicable	% Biodegradable	73 %
Vanillin	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 121-33-5	COD	Non-applicable	Period	14 days
EC: 204-465-2	BOD5/COD	Non-applicable	% Biodegradable	97 %
p-anisyl acetate	BOD5	Non-applicable	Concentration	4 mg/L
CAS: 104-21-2	COD	Non-applicable	Period	28 days
EC: 203-185-8	BOD5/COD	Non-applicable	% Biodegradable	70 %
Ethyl 2,3-epoxy-3-phenylbutyrate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 77-83-8	COD	Non-applicable	Period	28 days
EC: 201-061-8	BOD5/COD	Non-applicable	% Biodegradable	53 %
Diphenyl ether	BOD5	Non-applicable	Concentration	5.6 mg/L
CAS: 101-84-8	COD	Non-applicable	Period	20 days
EC: 202-981-2	BOD5/COD	Non-applicable	% Biodegradable	76 %
Butanone	BOD5	2,03 g O2/g	Concentration	Non-applicable
CAS: 78-93-3	COD	2,31 g O2/g	Period	20 days
EC: 201-159-0	BOD5/COD	0,88	% Biodegradable	89 %

12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential		
ethanol	BCF	3	
CAS: 64-17-5	Pow Log	-0.31	
EC: 200-578-6	Potential	Low	
benzaldehyde	BCF	3	
CAS: 100-52-7	Pow Log	1.48	
EC: 202-860-4	Potential	Low	
Dipropylene Glycol Methyl Ether	BCF	1	
CAS: 34590-94-8	Pow Log	-0.06	
EC: 252-104-2	Potential	Low	



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 12: ECOLOGICAL INFORMATION (continued)


Identification	Bio	Bioaccumulation potential		
Vanillin	BCF	6		
CAS: 121-33-5	Pow Log	1.37		
EC: 204-465-2	Potential	Low		
Diphenyl ether	BCF	196		
CAS: 101-84-8	Pow Log	4.21		
EC: 202-981-2	Potential	High		
Butanone	BCF	3		
CAS: 78-93-3	Pow Log	0.29		
EC: 201-159-0	Potential	Low		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	BCF	1584		
CAS: 1222-05-5	Pow Log	5.9		
EC: 214-946-9	Potential	Very High		

12.4 Mobility in soil:

Identification	Absorp	tion/desorption	Volatility	
ethanol	Koc	1	Henry	4,61E-1 Pa·m³/mol
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes
benzaldehyde	Koc	Non-applicable	Henry	Non-applicable
CAS: 100-52-7	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 202-860-4	Surface tension	3,827E-2 N/m (25 °C)	Moist soil	Non-applicable
Vanillin	Koc	130	Henry	2,128E-4 Pa·m³/mol
CAS: 121-33-5	Conclusion	Very High	Dry soil	Non-applicable
EC: 204-465-2	Surface tension	1,622E-2 N/m (292,85 °C)	Moist soil	Non-applicable
p-anisyl acetate	Кос	Non-applicable	Henry	31,5 Pa·m³/mol
CAS: 104-21-2	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 203-185-8	Surface tension	Non-applicable	Moist soil	Non-applicable
Ethyl 2,3-epoxy-3-phenylbutyrate	Koc	240	Henry	Non-applicable
CAS: 77-83-8	Conclusion	Moderate	Dry soil	Non-applicable
EC: 201-061-8	Surface tension	Non-applicable	Moist soil	Non-applicable
Diphenyl ether	Koc	1960	Henry	Non-applicable
CAS: 101-84-8	Conclusion	Low	Dry soil	Non-applicable
EC: 202-981-2	Surface tension	1,753E-2 N/m (258,4 °C)	Moist soil	Non-applicable

- CONTINUED ON NEXT PAGE
Date of compilation: 12/04/2022 Version: 1

Page 13/15





This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorption/desorption		Volati	ity
Butanone	Koc	30	Henry	5,77 Pa·m³/mol
CAS: 78-93-3	Conclusion	Very High	Dry soil	Yes
EC: 201-159-0	Surface tension	2,396E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME CHERRY

SECTION 15: REGULATORY INFORMATION (continued)

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Eye Irrit. 2: Calculation method Aquatic Chronic 3: Calculation method Skin Sens. 1B: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.