

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

ORGANIC AIR PERFUME LEMON 1.1 **Product identifier:**

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

> MB ELIX sp. z oo sp.k. ul. Skarżyńskiego 26 54-530 Wrocław - Poland

Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68

lab@elix.pl

https://airfresh24.com/

1.4 **Emergency telephone number:** 0048 71 387 85 33 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture: 2.1

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

Label elements:

CLP Regulation (EC) No 1272/2008 (Labelling of packages where the contents do not exceed 125 ml): Warning





Hazard statements:

H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains cineole, citral, citronellal, citronellol, eugenol, geraniol, geranyl acetate, linalool.

8D70-G097-P003-QFCT

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance: 3.1

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification				
CAS:	64-17-5	ethanol ⁽¹⁾	Self-c	lassified		
	200-578-6 603-002-00-5 01-2119457610-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	(1)	30 - <35 %	
CAS:	5392-40-5	Citral ⁽¹⁾	Self-c	classified		
	226-394-6 605-019-00-3 01-2119462829-23- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	1	10 - <15 %	
CAS:	8000-41-7	Terpineol ⁽¹⁾	Self-c	classified		
	232-268-1 Non-applicable 01-2119553062-49- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	(1)	4 - <5 %	
CAS:	106-22-9	Citronellol ⁽¹⁾	Self-c	classified		
	203-375-0 Non-applicable 01-2119453995-23- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	1	1 - <2 %	
CAS:	78-70-6	Linalool ⁽¹⁾	Self-c	classified		
	201-134-4 603-235-00-2 01-2119474016-42- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	1	1 - <2 %	
CAS:	470-82-6	Cineole ⁽¹⁾	Self-c	classified		
	207-431-5 Non-applicable 01-2119967772-24- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Flam. Liq. 3: H226; Skin Sens. 1B: H317 - Warning	(1)	1 - <2 %	
CAS:	105-87-3	Geranyl acetate(1)	Self-c	classified		
	203-341-5 Non-applicable 01-2119973480-35- XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	<u>(1)</u>	1 - <2 %	
CAS:	78-93-3	Butanone ⁽²⁾	ATP (CLP00		
	201-159-0 606-002-00-3 01-2119457290-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger	(1)	0,25 - <0,5 %	
CAS:	106-23-0	Citronellal(1)	Self-c	classified		
	203-376-6 Non-applicable 01-2119474900-37- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	1	0,25 - <0,5 %	
CAS: 97-53-0		Eugenol ⁽¹⁾	Self-c	classified		
	202-589-1 Non-applicable 01-2119971802-33- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	1>	0,25 - <0,5 %	
CAS:	106-24-1	Geraniol ⁽¹⁾	ATP /	ATP15		
	203-377-1 603-241-00-5 01-2119552430-49- XXXX	Regulation 1272/2008	Skin Sens. 1: H317 - Warning	<u>(1)</u>	0,1 - <0,25 %	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit	
ethanol CAS: 64-17-5 EC: 200-578-6	% (w/w) >=50: Eye Irrit. 2 - H319	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

⁽²⁾ Substance with a Union workplace exposure limit



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 4: FIRST AID MEASURES (continued)

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

See section 8.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal See sections 8 and 13.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification		Occupational exposure limits		
Butanone		IOELV (8h)	200 ppm	600 mg/m ³	
CAS: 78-93-3	EC: 201-159-0	IOELV (STEL)	300 ppm	900 mg/m ³	

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	950 mg/m ³	Non-applicable
Citral	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5392-40-5	Dermal	Non-applicable	Non-applicable	1,7 mg/kg	Non-applicable
EC: 226-394-6	Inhalation	Non-applicable	Non-applicable	9 mg/m³	Non-applicable
Terpineol Terpineol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 8000-41-7	Dermal	Non-applicable	Non-applicable	6,36 mg/kg	Non-applicable
C: 232-268-1	Inhalation	Non-applicable	Non-applicable	44,8 mg/m³	Non-applicable
Citronellol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 106-22-9	Dermal	Non-applicable	Non-applicable	327,4 mg/kg	Non-applicable
EC: 203-375-0	Inhalation	Non-applicable	10 mg/m ³	161,6 mg/m ³	10 mg/m ³
inalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	3,5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	24,58 mg/m ³	Non-applicable
Cineole	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 470-82-6	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
C: 207-431-5	Inhalation	Non-applicable	Non-applicable	7,05 mg/m ³	Non-applicable
Geranyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 105-87-3	Dermal	Non-applicable	Non-applicable	35,5 mg/kg	Non-applicable
C: 203-341-5	Inhalation	Non-applicable	Non-applicable	62,59 mg/m ³	Non-applicable
Butanone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	1161 mg/kg	Non-applicable
C: 201-159-0	Inhalation	Non-applicable	Non-applicable	600 mg/m ³	Non-applicable
Citronellal	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 106-23-0	Dermal	Non-applicable	Non-applicable	1,7 mg/kg	Non-applicable
C: 203-376-6	Inhalation	Non-applicable	Non-applicable	9 mg/m³	Non-applicable
ugenol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 97-53-0	Dermal	Non-applicable	Non-applicable	6 mg/kg	Non-applicable
C: 202-589-1	Inhalation	Non-applicable	Non-applicable	21,2 mg/m³	Non-applicable
Geraniol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 106-24-1	Dermal	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
EC: 203-377-1	Inhalation	Non-applicable	Non-applicable	161,6 mg/m ³	Non-applicable

DNEL (General population):

		Short	exposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	114 mg/m³	Non-applicable
Citral	Oral	Non-applicable	Non-applicable	0,6 mg/kg	Non-applicable
CAS: 5392-40-5	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 226-394-6	Inhalation	Non-applicable	Non-applicable	2,7 mg/m ³	Non-applicable
Terpineol	Oral	Non-applicable	Non-applicable	2,69 mg/kg	Non-applicable
CAS: 8000-41-7	Dermal	Non-applicable	Non-applicable	2,69 mg/kg	Non-applicable
EC: 232-268-1	Inhalation	Non-applicable	Non-applicable	7,96 mg/m ³	Non-applicable
Citronellol	Oral	Non-applicable	Non-applicable	13,8 mg/kg	Non-applicable
CAS: 106-22-9	Dermal	Non-applicable	Non-applicable	196,4 mg/kg	Non-applicable
EC: 203-375-0	Inhalation	Non-applicable	10 mg/m ³	47,8 mg/m ³	10 mg/m ³
Linalool	Oral	Non-applicable	Non-applicable	2,49 mg/kg	Non-applicable
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	4,33 mg/m ³	Non-applicable

- CONTINUED ON NEXT PAGE -

Page 5/15



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON


SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Cineole	Oral	Non-applicable	Non-applicable	600 mg/kg	Non-applicable
CAS: 470-82-6	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 207-431-5	Inhalation	Non-applicable	Non-applicable	1,74 mg/m³	Non-applicable
Geranyl acetate	Oral	Non-applicable	Non-applicable	8,9 mg/kg	Non-applicable
CAS: 105-87-3	Dermal	Non-applicable	Non-applicable	17,75 mg/kg	Non-applicable
EC: 203-341-5	Inhalation	Non-applicable	Non-applicable	15,4 mg/m³	Non-applicable
Butanone	Oral	Non-applicable	Non-applicable	31 mg/kg	Non-applicable
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	412 mg/kg	Non-applicable
EC: 201-159-0	Inhalation	Non-applicable	Non-applicable	106 mg/m ³	Non-applicable
Citronellal	Oral	Non-applicable	Non-applicable	0,6 mg/kg	Non-applicable
CAS: 106-23-0	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 203-376-6	Inhalation	Non-applicable	Non-applicable	2,7 mg/m ³	Non-applicable
Eugenol	Oral	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
CAS: 97-53-0	Dermal	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
EC: 202-589-1	Inhalation	Non-applicable	Non-applicable	5,22 mg/m ³	Non-applicable
Geraniol	Oral	Non-applicable	Non-applicable	13,75 mg/kg	Non-applicable
CAS: 106-24-1	Dermal	Non-applicable	Non-applicable	7,5 mg/kg	Non-applicable
EC: 203-377-1	Inhalation	Non-applicable	Non-applicable	47,8 mg/m ³	Non-applicable

PNEC:

Identification				
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg
Citral	STP	1,6 mg/L	Fresh water	0,007 mg/L
CAS: 5392-40-5	Soil	0,021 mg/kg	Marine water	0,001 mg/L
EC: 226-394-6	Intermittent	0,068 mg/L	Sediment (Fresh water)	0,125 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,013 mg/kg
Terpineol	STP	2,57 mg/L	Fresh water	0,012 mg/L
CAS: 8000-41-7	Soil	0,045 mg/kg	Marine water	0,0012 mg/L
EC: 232-268-1	Intermittent	0,12 mg/L	Sediment (Fresh water)	0,263 mg/kg
	Oral	0,0166 g/kg	Sediment (Marine water)	0,026 mg/kg
Citronellol	STP	580 mg/L	Fresh water	0,002 mg/L
CAS: 106-22-9	Soil	0,004 mg/kg	Marine water	0 mg/L
EC: 203-375-0	Intermittent	0,024 mg/L	Sediment (Fresh water)	0,026 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,003 mg/kg
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
Cineole	STP	10 mg/L	Fresh water	0,057 mg/L
CAS: 470-82-6	Soil	0,25 mg/kg	Marine water	0,0057 mg/L
EC: 207-431-5	Intermittent	0,57 mg/L	Sediment (Fresh water)	1,425 mg/kg
	Oral	0,04 g/kg	Sediment (Marine water)	0,142 mg/kg
Geranyl acetate	STP	8 mg/L	Fresh water	0,00372 mg/L
CAS: 105-87-3	Soil	0,086 mg/kg	Marine water	0,000372 mg/L
EC: 203-341-5	Intermittent	0,0372 mg/L	Sediment (Fresh water)	0,442 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,044 mg/kg
Butanone	STP	709 mg/L	Fresh water	55,8 mg/L
CAS: 78-93-3	Soil	22,5 mg/kg	Marine water	55,8 mg/L
EC: 201-159-0	Intermittent	55,8 mg/L	Sediment (Fresh water)	284,74 mg/kg
	Oral	1 g/kg	Sediment (Marine water)	284,7 mg/kg

Date of compilation: 12/04/2022 Version: 1





This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Citronellal	STP	4 mg/L	Fresh water	0,009 mg/L
CAS: 106-23-0	Soil	0,027 mg/kg	Marine water	0,001 mg/L
EC: 203-376-6	Intermittent	0,087 mg/L	Sediment (Fresh water)	0,159 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,016 mg/kg
Eugenol	STP	Non-applicable	Fresh water	0,00113 mg/L
CAS: 97-53-0	Soil	0,015 mg/kg	Marine water	0,000113 mg/L
EC: 202-589-1	Intermittent	0,0113 mg/L	Sediment (Fresh water)	0,081 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,008 mg/kg
Geraniol	STP	0,7 mg/L	Fresh water	0,011 mg/L
CAS: 106-24-1	Soil	0,017 mg/kg	Marine water	0,001 mg/L
EC: 203-377-1	Intermittent	0,108 mg/L	Sediment (Fresh water)	0,115 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,011 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	CAT III	EN 420:2004+A1:2010	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CE		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Date of compilation: 12/04/2022 Version: 1 Page 7/15



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Beige
Odour:

Pleasant

Odour threshold: Non-applicable *

Volatility:

Boiling point at atmospheric pressure:

Vapour pressure at 20 °C:

Vapour pressure at 50 °C:

Non-applicable *

Non-applicable *

Non-applicable *

Non-applicable *

Non-applicable *

Product description:

Density at 20 °C: 995,8 kg/m³ Relative density at 20 °C: 0,996

Non-applicable * Dynamic viscosity at 20 °C: Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: >20,5 mm²/s Non-applicable * Concentration: pH: Non-applicable * Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable *

Flammability:

Flash Point: Non-applicable
Flammability (solid, gas): Non-applicable *
Autoignition temperature: 202 °C

Lower flammability limit: Non-applicable *
Upper flammability limit: Non-applicable *

Explosive (Solid):

Lower explosive limit: Non-applicable *
Upper explosive limit: Non-applicable *

Particle characteristics:

Median equivalent diameter: Non-applicable *

9.2 Other information:

 ${}^*\mathrm{Not}$ relevant due to the nature of the product, not providing information property of its hazards.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Non-applicable *

Corrosive to metals:

Non-applicable *

Non-applicable *

Non-applicable *

Aerosols-total percentage (by mass) of flammable

Non-applicable *

components:

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Non-applicable *

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Eugenol (3); ethanol (1); propan-2-ol (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

	Identification		cute toxicity	Genus	
Citral		LD50 oral	4950 mg/kg	Rat	
CAS: 5392-40-5		LD50 dermal	2250 mg/kg	Rabbit	
EC: 226-394-6		LC50 inhalation	Non-applicable		
Citronellol		LD50 oral	3450 mg/kg	Rat	
CAS: 106-22-9		LD50 dermal	2650 mg/kg		
EC: 203-375-0		LC50 inhalation	Non-applicable		
Linalool		LD50 oral	3500 mg/kg	Rat	
CAS: 78-70-6		LD50 dermal	5610 mg/kg	Rabbit	
EC: 201-134-4		LC50 inhalation	Non-applicable		
ethanol		LD50 oral	6200 mg/kg	Rat	
CAS: 64-17-5		LD50 dermal	20000 mg/kg	Rabbit	
EC: 200-578-6		LC50 inhalation	124,7 mg/L (4 h)	Rat	
Terpineol		LD50 oral	4300 mg/kg		
CAS: 8000-41-7		LD50 dermal	Non-applicable		
EC: 232-268-1		LC50 inhalation	Non-applicable		
Cineole		LD50 oral	2480 mg/kg	Rat	
CAS: 470-82-6		LD50 dermal	Non-applicable		
EC: 207-431-5		LC50 inhalation	Non-applicable		
Butanone		LD50 oral	4000 mg/kg	Rat	
CAS: 78-93-3		LD50 dermal	6400 mg/kg	Rabbit	
EC: 201-159-0		LC50 inhalation	23,5 mg/L (4 h)	Rat	

- CONTINUED ON NEXT PAGE
Date of compilation: 12/04/2022 Version: 1

Page 10/15



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	A	Acute toxicity	
Citronellal	LD50 oral	2500 mg/kg	Rat
CAS: 106-23-0	LD50 dermal	Non-applicable	
EC: 203-376-6	LC50 inhalation	Non-applicable	
Eugenol	LD50 oral	2300 mg/kg	Rat
CAS: 97-53-0	LD50 dermal	>5000 mg/kg	
EC: 202-589-1	LC50 inhalation	Non-applicable	
Geraniol	LD50 oral	3600 mg/kg	Rat
CAS: 106-24-1	LD50 dermal	>5000 mg/kg	Rabbit
EC: 203-377-1	LC50 inhalation	Non-applicable	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Identification Concentration		Genus	
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish	
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae	
Citral	LC50	6,1 mg/L (24 h)	Oryzias latipes	Fish	
CAS: 5392-40-5	EC50	11 mg/L (24 h)	Daphnia magna	Crustacean	
EC: 226-394-6	EC50	16 mg/L (72 h)	Scenedesmus subspicatus	Algae	
Cineole	LC50	>10 - 100 (96 h)		Fish	
CAS: 470-82-6	EC50	>10 - 100 (48 h)		Crustacean	
EC: 207-431-5	EC50	>10 - 100 (72 h)		Algae	
Geranyl acetate	LC50	>10 - 100 (96 h)		Fish	
CAS: 105-87-3	EC50	>10 - 100 (48 h)		Crustacean	
EC: 203-341-5	EC50	>10 - 100 (72 h)		Algae	

- CONTINUED ON NEXT PAGE
Date of compilation: 12/04/2022 Version: 1

Page 11/15



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration		Species	Genus
Butanone	LC50	3220 mg/L (96 h)	Pimephales promelas	Fish
CAS: 78-93-3	EC50	5091 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-159-0	EC50	4300 mg/L (168 h)	Scenedesmus quadricauda	Algae
Eugenol	LC50	60,8 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 97-53-0	EC50	Non-applicable		
EC: 202-589-1	EC50	Non-applicable		

Chronic toxicity:

Identification	Concentration		Species	Genus
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean

12.2 Persistence and degradability:

Identification	Degr	adability	Biodegradab	ility
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	Non-applicable	% Biodegradable	89 %
Citral	BOD5	0,56 g O2/g	Concentration	100 mg/L
CAS: 5392-40-5	COD	1,99 g O2/g	Period	28 days
EC: 226-394-6	BOD5/COD	0,28	% Biodegradable	92 %
Linalool	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78-70-6	COD	Non-applicable	Period	28 days
EC: 201-134-4	BOD5/COD	Non-applicable	% Biodegradable	90 %
Butanone	BOD5	2,03 g O2/g	Concentration	Non-applicable
CAS: 78-93-3	COD	2,31 g O2/g	Period	20 days
EC: 201-159-0	BOD5/COD	0,88	% Biodegradable	89 %
Geraniol	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 106-24-1	COD	Non-applicable	Period	3 days
EC: 203-377-1	BOD5/COD	Non-applicable	% Biodegradable	95 %

12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential		
ethanol	BCF	3	
CAS: 64-17-5	Pow Log	-0.31	
EC: 200-578-6	Potential	Low	
Citral	BCF	10	
CAS: 5392-40-5	Pow Log	3.45	
EC: 226-394-6	Potential	Low	

- CONTINUED ON NEXT PAGE
Date of compilation: 12/04/2022 Version: 1

Page 12/15

elix®

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioa	accumulation potential
Linalool	BCF	
CAS: 78-70-6	Pow Log	2.97
EC: 201-134-4	Potential	
Cineole	BCF	
CAS: 470-82-6	Pow Log	2.74
EC: 207-431-5	Potential	
Butanone	BCF	3
CAS: 78-93-3	Pow Log	0.29
EC: 201-159-0	Potential	Low
Citronellal	BCF	280
CAS: 106-23-0	Pow Log	3.53
EC: 203-376-6	Potential	High
Eugenol	BCF	31
CAS: 97-53-0	Pow Log	2.27
EC: 202-589-1	Potential	Moderate
Geraniol	BCF	
CAS: 106-24-1	Pow Log	2.6
EC: 203-377-1	Potential	

12.4 Mobility in soil:

Identification	Absorption/desorption		Volati	lity
ethanol	Koc	1	Henry	4,61E-1 Pa·m³/mol
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes
Cineole	Koc	Non-applicable	Henry	Non-applicable
CAS: 470-82-6	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 207-431-5	Surface tension	3,24E-2 N/m (25 °C)	Moist soil	Non-applicable
Butanone	Koc	30	Henry	5,77 Pa·m³/mol
CAS: 78-93-3	Conclusion	Very High	Dry soil	Yes
EC: 201-159-0	Surface tension	2,396E-2 N/m (25 °C)	Moist soil	Yes
Geraniol	Koc	70.79	Henry	Non-applicable
CAS: 106-24-1	Conclusion	Very High	Dry soil	Non-applicable
EC: 203-377-1	Surface tension	Non-applicable	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 12: ECOLOGICAL INFORMATION (continued)

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4); Citronellal; Geraniol (2E)-3,7-dimethylocta-2,6-dien-1-ol (Product-type 18, 19)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ORGANIC AIR PERFUME LEMON

SECTION 16: OTHER INFORMATION (continued)

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction. STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Skin Irrit. 2: Calculation method Skin Sens. 1B: Calculation method Eve Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LD50: Lettal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET
Date of compilation: 12/04/2022 Version: 1

Page 15/15