

## SCENTED BOTTLE GRAND elixir BUBBLE GUM

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier:** SCENTED BOTTLE GRAND elixir BUBBLE GUM

**Other means of identification:**

Non-applicable

**1.2 Relevant identified uses of the substance or mixture and uses advised against:**

Relevant uses: Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

**1.3 Details of the supplier of the safety data sheet:**

MB ELIX sp. z oo sp.k.  
ul. Skarżyńskiego 26  
54-530 Wrocław - Poland  
Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68  
lab@elix.pl  
<https://airfresh24.com/>

**1.4 Emergency telephone number:** 0048 71 387 85 33 (8.00-16.00)

### SECTION 2: HAZARDS IDENTIFICATION

**2.1 Classification of the substance or mixture:**

**CLP Regulation (EC) No 1272/2008:**

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Irrit. 2: Eye irritation, Category 2, H319

Skin Irrit. 2: Skin irritation, Category 2, H315

Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

**2.2 Label elements:**

**CLP Regulation (EC) No 1272/2008** (*Labelling of packages where the contents do not exceed 125 ml*):

**Warning**



**Hazard statements:**

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P302+P352: IF ON SKIN: Wash with plenty of water.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

**Supplementary information:**

Contains ethyl 2,3-epoxy-3-phenylbutyrate, linalool, linalyl acetate.

**UFI:** GM10-X0T1-P00K-M05A

**2.3 Other hazards:**

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1 Substance:**

Non-applicable

**3.2 Mixture:**

**Chemical description:** Mixture composed of chemical products









- CONTINUED ON NEXT PAGE -

## SCENTED BOTTLE GRAND elixir BUBBLE GUM

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification  | Chemical name/Classification   | Concentration  |
|---|--|--|
| CAS: 56539-66-3<br>EC: 260-252-4<br>Index: Non-applicable<br>REACH: 01-2119976333-33-XXXX | <b>3-methoxy-3-methylbutan-1-ol<sup>(1)</sup></b> Self-classified  | <b>25 - &lt;30 %</b><br>      |
|   | Regulation 1272/2008 Eye Irrit. 2: H319 - Warning  |  |
| CAS: 34590-94-8<br>EC: 252-104-2<br>Index: Non-applicable<br>REACH: 01-2119450011-60-XXXX | <b>Dipropylene Glycol Methyl Ether<sup>(2)</sup></b> Not classified  | <b>25 - &lt;30 %</b>   |
|   | Regulation 1272/2008   |  |
| CAS: 78-70-6<br>EC: 201-134-4<br>Index: Non-applicable<br>REACH: Non-applicable           | <b>linalool<sup>(1)</sup></b> Self-classified  | <b>5 - &lt;7,5 %</b><br>      |
|   | Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning                |  |
| CAS: 115-95-7<br>EC: 204-116-4<br>Index: Non-applicable<br>REACH: Non-applicable          | <b>linalyl acetate<sup>(1)</sup></b> Self-classified   | <b>4 - &lt;5 %</b><br>        |
|   | Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning                |  |
| CAS: 77-83-8<br>EC: 201-061-8<br>Index: Non-applicable<br>REACH: Non-applicable           | <b>ethyl 2,3-epoxy-3-phenylbutyrate<sup>(1)</sup></b> Self-classified                                      | <b>4 - &lt;5 %</b><br>        |
|   | Regulation 1272/2008 Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning                                |  |
| CAS: 140-11-4<br>EC: 205-399-7<br>Index: Non-applicable<br>REACH: 01-2119638272-42-XXXX   | <b>Benzyl acetate<sup>(1)</sup></b> Self-classified  | <b>2 - &lt;3 %</b>   |
|   | Regulation 1272/2008 Aquatic Chronic 3: H412   |  |
| CAS: 121-32-4<br>EC: 204-464-7<br>Index: Non-applicable<br>REACH: 01-2119958961-24-XXXX   | <b>3-ethoxy-4-hydroxybenzaldehyde<sup>(1)</sup></b> Self-classified  | <b>1 - &lt;2 %</b><br>      |
|   | Regulation 1272/2008 Eye Irrit. 2: H319 - Warning  |  |
| CAS: 68901-15-5<br>EC: 272-657-3<br>Index: Non-applicable<br>REACH: 01-2120770514-54-XXXX | <b>Allyl (cyclohexyloxy)acetate<sup>(1)</sup></b> Self-classified  | <b>0,5 - &lt;0,75 %</b><br> |
|   | Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning          |  |
| CAS: 128-37-0<br>EC: 204-881-4<br>Index: Non-applicable<br>REACH: 01-2119565113-46-XXXX   | <b>2,6-di-tert-butyl-p-cresol<sup>(1)</sup></b> Self-classified  | <b>0,25 - &lt;0,5 %</b><br> |
|   | Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning                              |  |
| CAS: 123-68-2<br>EC: 204-642-4<br>Index: Non-applicable<br>REACH: 01-2119983573-26-XXXX   | <b>Allyl hexanoate<sup>(1)</sup></b> Self-classified   | <b>0,1 - &lt;0,25 %</b><br> |
|   | Regulation 1272/2008 Acute Tox. 3: H301+H311+H331; Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Danger |  |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>(2)</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

##### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

##### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

- CONTINUED ON NEXT PAGE -

**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 4: FIRST AID MEASURES (continued)**

**By eye contact:**

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

**Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

**Unsuitable extinguishing media:**

Non-applicable

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures:**

**For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

**For emergency responders:**

See section 8.

**6.2 Environmental precautions:**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

**6.4 Reference to other sections:**

- CONTINUED ON NEXT PAGE -

**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Technical measures for storage

Minimum Temp.: 5 °C  
Maximum Temp.: 35 °C  
Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification   | Occupational exposure limits |        |                       |
|--|------------------------------|--------|-----------------------|
|  | IOELV (8h)                   | 50 ppm | 308 mg/m <sup>3</sup> |
| Dipropylene Glycol Methyl Ether<br>CAS: 34590-94-8 EC: 252-104-2 | IOELV (STEL)                 |        |                       |

**DNEL (Workers):**

| Identification  |            | Short exposure |                | Long exposure           |                |
|---|------------|----------------|----------------|-------------------------|----------------|
|   |            | Systemic       | Local          | Systemic                | Local          |
| 3-methoxy-3-methylbutan-1-ol<br>CAS: 56539-66-3<br>EC: 260-252-4    | Oral       | Non-applicable | Non-applicable | Non-applicable          | Non-applicable |
|   | Dermal     | Non-applicable | Non-applicable | 6,25 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable | Non-applicable | 18 mg/m <sup>3</sup>    | Non-applicable |
| Dipropylene Glycol Methyl Ether<br>CAS: 34590-94-8<br>EC: 252-104-2 | Oral       | Non-applicable | Non-applicable | Non-applicable          | Non-applicable |
|   | Dermal     | Non-applicable | Non-applicable | 283 mg/kg               | Non-applicable |
|   | Inhalation | Non-applicable | Non-applicable | 308 mg/m <sup>3</sup>   | Non-applicable |
| linalool<br>CAS: 78-70-6<br>EC: 201-134-4                           | Oral       | Non-applicable | Non-applicable | Non-applicable          | Non-applicable |
|   | Dermal     | Non-applicable | Non-applicable | 3,5 mg/kg               | Non-applicable |
|   | Inhalation | Non-applicable | Non-applicable | 24,58 mg/m <sup>3</sup> | Non-applicable |

- CONTINUED ON NEXT PAGE -

## SCENTED BOTTLE GRAND elixir BUBBLE GUM

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Identification  |            | Short exposure       |                | Long exposure          |                |
|---|------------|----------------------|----------------|------------------------|----------------|
|   |            | Systemic             | Local          | Systemic               | Local          |
| linalyl acetate<br>CAS: 115-95-7<br>EC: 204-116-4                 | Oral       | Non-applicable       | Non-applicable | Non-applicable         | Non-applicable |
|   | Dermal     | Non-applicable       | Non-applicable | 2,5 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable       | Non-applicable | 2,75 mg/m <sup>3</sup> | Non-applicable |
| ethyl 2,3-epoxy-3-phenylbutyrate<br>CAS: 77-83-8<br>EC: 201-061-8 | Oral       | Non-applicable       | Non-applicable | Non-applicable         | Non-applicable |
|   | Dermal     | Non-applicable       | Non-applicable | 0,7 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable       | Non-applicable | 2,45 mg/m <sup>3</sup> | Non-applicable |
| Benzyl acetate<br>CAS: 140-11-4<br>EC: 205-399-7                  | Oral       | Non-applicable       | Non-applicable | Non-applicable         | Non-applicable |
|   | Dermal     | Non-applicable       | Non-applicable | 2,5 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable       | Non-applicable | 9 mg/m <sup>3</sup>    | Non-applicable |
| 3-ethoxy-4-hydroxybenzaldehyde<br>CAS: 121-32-4<br>EC: 204-464-7  | Oral       | Non-applicable       | Non-applicable | Non-applicable         | Non-applicable |
|   | Dermal     | Non-applicable       | Non-applicable | 7 mg/kg                | Non-applicable |
|   | Inhalation | 98 mg/m <sup>3</sup> | Non-applicable | 49 mg/m <sup>3</sup>   | Non-applicable |
| Allyl (cyclohexyloxy)acetate<br>CAS: 68901-15-5<br>EC: 272-657-3  | Oral       | Non-applicable       | Non-applicable | Non-applicable         | Non-applicable |
|   | Dermal     | Non-applicable       | Non-applicable | 0,448 mg/kg            | Non-applicable |
|   | Inhalation | Non-applicable       | Non-applicable | 3,16 mg/m <sup>3</sup> | Non-applicable |
| 2,6-di-tert-butyl-p-cresol<br>CAS: 128-37-0<br>EC: 204-881-4      | Oral       | Non-applicable       | Non-applicable | Non-applicable         | Non-applicable |
|   | Dermal     | Non-applicable       | Non-applicable | 0,5 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable       | Non-applicable | 3,5 mg/m <sup>3</sup>  | Non-applicable |
| Allyl hexanoate<br>CAS: 123-68-2<br>EC: 204-642-4                 | Oral       | Non-applicable       | Non-applicable | Non-applicable         | Non-applicable |
|   | Dermal     | Non-applicable       | Non-applicable | 4,3 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable       | Non-applicable | 15 mg/m <sup>3</sup>   | Non-applicable |

#### DNEL (General population):

| Identification  |            | Short exposure         |                | Long exposure           |                |
|---|------------|------------------------|----------------|-------------------------|----------------|
|   |            | Systemic               | Local          | Systemic                | Local          |
| 3-methoxy-3-methylbutan-1-ol<br>CAS: 56539-66-3<br>EC: 260-252-4    | Oral       | Non-applicable         | Non-applicable | 2,5 mg/kg               | Non-applicable |
|   | Dermal     | Non-applicable         | Non-applicable | 3,1 mg/kg               | Non-applicable |
|   | Inhalation | Non-applicable         | Non-applicable | 4,4 mg/m <sup>3</sup>   | Non-applicable |
| Dipropylene Glycol Methyl Ether<br>CAS: 34590-94-8<br>EC: 252-104-2 | Oral       | Non-applicable         | Non-applicable | 36 mg/kg                | Non-applicable |
|   | Dermal     | Non-applicable         | Non-applicable | 121 mg/kg               | Non-applicable |
|   | Inhalation | Non-applicable         | Non-applicable | 37,2 mg/m <sup>3</sup>  | Non-applicable |
| linalool<br>CAS: 78-70-6<br>EC: 201-134-4                           | Oral       | Non-applicable         | Non-applicable | 2,49 mg/kg              | Non-applicable |
|   | Dermal     | Non-applicable         | Non-applicable | 1,25 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable         | Non-applicable | 4,33 mg/m <sup>3</sup>  | Non-applicable |
| linalyl acetate<br>CAS: 115-95-7<br>EC: 204-116-4                   | Oral       | Non-applicable         | Non-applicable | 0,2 mg/kg               | Non-applicable |
|   | Dermal     | Non-applicable         | Non-applicable | 1,25 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable         | Non-applicable | 0,68 mg/m <sup>3</sup>  | Non-applicable |
| ethyl 2,3-epoxy-3-phenylbutyrate<br>CAS: 77-83-8<br>EC: 201-061-8   | Oral       | Non-applicable         | Non-applicable | 0,35 mg/kg              | Non-applicable |
|   | Dermal     | Non-applicable         | Non-applicable | 0,35 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable         | Non-applicable | 0,61 mg/m <sup>3</sup>  | Non-applicable |
| Benzyl acetate<br>CAS: 140-11-4<br>EC: 205-399-7                    | Oral       | Non-applicable         | Non-applicable | 1,3 mg/kg               | Non-applicable |
|   | Dermal     | Non-applicable         | Non-applicable | 1,3 mg/kg               | Non-applicable |
|   | Inhalation | Non-applicable         | Non-applicable | 2,2 mg/m <sup>3</sup>   | Non-applicable |
| 3-ethoxy-4-hydroxybenzaldehyde<br>CAS: 121-32-4<br>EC: 204-464-7    | Oral       | Non-applicable         | Non-applicable | 2,5 mg/kg               | Non-applicable |
|   | Dermal     | Non-applicable         | Non-applicable | 2,5 mg/kg               | Non-applicable |
|   | Inhalation | 17,5 mg/m <sup>3</sup> | Non-applicable | 8,75 mg/m <sup>3</sup>  | Non-applicable |
| Allyl (cyclohexyloxy)acetate<br>CAS: 68901-15-5<br>EC: 272-657-3    | Oral       | Non-applicable         | Non-applicable | 0,16 mg/kg              | Non-applicable |
|   | Dermal     | Non-applicable         | Non-applicable | 0,16 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable         | Non-applicable | 0,557 mg/m <sup>3</sup> | Non-applicable |
| 2,6-di-tert-butyl-p-cresol<br>CAS: 128-37-0<br>EC: 204-881-4        | Oral       | Non-applicable         | Non-applicable | Non-applicable          | Non-applicable |
|   | Dermal     | Non-applicable         | Non-applicable | 0,25 mg/kg              | Non-applicable |
|   | Inhalation | Non-applicable         | Non-applicable | 0,86 mg/m <sup>3</sup>  | Non-applicable |

- CONTINUED ON NEXT PAGE -

**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Identification                                    |            | Short exposure |                | Long exposure         |                |
|---|------------|----------------|----------------|-----------------------|----------------|
|   |            | Systemic       | Local          | Systemic              | Local          |
| Allyl hexanoate<br>CAS: 123-68-2<br>EC: 204-642-4 | Oral       | Non-applicable | Non-applicable | 2,1 mg/kg             | Non-applicable |
|   | Dermal     | Non-applicable | Non-applicable | 2,1 mg/kg             | Non-applicable |
|   | Inhalation | Non-applicable | Non-applicable | 3,7 mg/m <sup>3</sup> | Non-applicable |

**PNEC:**

| Identification  |              |                |                         |                |  |
|---|--------------|----------------|-------------------------|----------------|--|
| Dipropylene Glycol Methyl Ether<br>CAS: 34590-94-8<br>EC: 252-104-2 | STP          | 4168 mg/L      | Fresh water             | 19 mg/L        |  |
|   | Soil         | 2,74 mg/kg     | Marine water            | 1,9 mg/L       |  |
|   | Intermittent | 190 mg/L       | Sediment (Fresh water)  | 70,2 mg/kg     |  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 7,02 mg/kg     |  |
| linalool<br>CAS: 78-70-6<br>EC: 201-134-4                           | STP          | 10 mg/L        | Fresh water             | 0,2 mg/L       |  |
|   | Soil         | 0,327 mg/kg    | Marine water            | 0,02 mg/L      |  |
|   | Intermittent | 2 mg/L         | Sediment (Fresh water)  | 2,22 mg/kg     |  |
|   | Oral         | 0,0078 g/kg    | Sediment (Marine water) | 0,222 mg/kg    |  |
| linalyl acetate<br>CAS: 115-95-7<br>EC: 204-116-4                   | STP          | 1 mg/L         | Fresh water             | 0,011 mg/L     |  |
|   | Soil         | 0,115 mg/kg    | Marine water            | 0,001 mg/L     |  |
|   | Intermittent | 0,11 mg/L      | Sediment (Fresh water)  | 0,609 mg/kg    |  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,061 mg/kg    |  |
| ethyl 2,3-epoxy-3-phenylbutyrate<br>CAS: 77-83-8<br>EC: 201-061-8   | STP          | 10 mg/L        | Fresh water             | 0,008 mg/L     |  |
|   | Soil         | 0,038 mg/kg    | Marine water            | 0,0084 mg/L    |  |
|   | Intermittent | 0,084 mg/L     | Sediment (Fresh water)  | 0,214 mg/kg    |  |
|   | Oral         | 0,0233 g/kg    | Sediment (Marine water) | 0,021 mg/kg    |  |
| Benzyl acetate<br>CAS: 140-11-4<br>EC: 205-399-7                    | STP          | 8,55 mg/L      | Fresh water             | 0,018 mg/L     |  |
|   | Soil         | 0,094 mg/kg    | Marine water            | 0,002 mg/L     |  |
|   | Intermittent | 0,04 mg/L      | Sediment (Fresh water)  | 0,526 mg/kg    |  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,053 mg/kg    |  |
| 3-ethoxy-4-hydroxybenzaldehyde<br>CAS: 121-32-4<br>EC: 204-464-7    | STP          | 10 mg/L        | Fresh water             | 0,118 mg/L     |  |
|   | Soil         | 2,923 mg/kg    | Marine water            | 0,012 mg/L     |  |
|   | Intermittent | Non-applicable | Sediment (Fresh water)  | 15 mg/kg       |  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 1,5 mg/kg      |  |
| Allyl (cyclohexyloxy)acetate<br>CAS: 68901-15-5<br>EC: 272-657-3    | STP          | 0,3 mg/L       | Fresh water             | 0,00205 mg/L   |  |
|   | Soil         | 0,375 mg/kg    | Marine water            | 0,000205 mg/L  |  |
|   | Intermittent | 0,00205 mg/L   | Sediment (Fresh water)  | 0,0387 mg/kg   |  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,00387 mg/kg  |  |
| 2,6-di-tert-butyl-p-cresol<br>CAS: 128-37-0<br>EC: 204-881-4        | STP          | 0,17 mg/L      | Fresh water             | 0,000199 mg/L  |  |
|   | Soil         | 0,04769 mg/kg  | Marine water            | 0,00002 mg/L   |  |
|   | Intermittent | 0,00199 mg/L   | Sediment (Fresh water)  | 0,0996 mg/kg   |  |
|   | Oral         | 0,00833 g/kg   | Sediment (Marine water) | 0,00996 mg/kg  |  |
| Allyl hexanoate<br>CAS: 123-68-2<br>EC: 204-642-4                   | STP          | 10 mg/L        | Fresh water             | 0,000117 mg/L  |  |
|   | Soil         | 0,000825 mg/kg | Marine water            | 0,000012 mg/L  |  |
|   | Intermittent | 0,00117 mg/L   | Sediment (Fresh water)  | 0,00446 mg/kg  |  |
|   | Oral         | 0,04756 g/kg   | Sediment (Marine water) | 0,000446 mg/kg |  |

**8.2 Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

- CONTINUED ON NEXT PAGE -



### SCENTED BOTTLE GRAND elixir BUBBLE GUM

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)



| Pictogram  | PPE                                   | Labelling   | CEN Standard | Remarks  |
|--|---------------------------------------|---|--------------|--|
| <br>Mandatory hand protection | Protective gloves against minor risks |  |              | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.



#### D.- Eye and face protection

| Pictogram  | PPE   | Labelling   | CEN Standard                    | Remarks   |
|--|---|---|---------------------------------|---|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

#### E.- Body protection

| Pictogram | PPE                  | Labelling   | CEN Standard      | Remarks   |
|-----------|----------------------|---|-------------------|---|
|           | Work clothing        |    |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |

#### F.- Additional emergency measures

| Emergency measure   | Standards                                       | Emergency measure  | Standards                                      |
|---|---|--|--|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

#### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

##### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

##### Appearance:

|                          |  |
|--------------------------|--|
| Physical state at 20 °C: | Liquid   |
| Appearance:              | Fluid  |
| Colour:                  |  Pink |
| Odour:                   | Pleasant   |
| Odour threshold:         | Non-applicable *   |

##### Volatility:

|  |                      |
|--|----------------------|
| Boiling point at atmospheric pressure: | 190 °C               |
| Vapour pressure at 20 °C:              | 74 Pa                |
| Vapour pressure at 50 °C:              | 531,05 Pa (0,53 kPa) |
| Evaporation rate at 20 °C:             | Non-applicable *     |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

**Product description:**

|  |                         |
|--|-------------------------|
| Density at 20 °C:                            | 984,9 kg/m <sup>3</sup> |
| Relative density at 20 °C:                   | 0,985                   |
| Dynamic viscosity at 20 °C:                  | Non-applicable *        |
| Kinematic viscosity at 20 °C:                | Non-applicable *        |
| Kinematic viscosity at 40 °C:                | Non-applicable *        |
| Concentration:                               | Non-applicable *        |
| pH:  | Non-applicable *        |
| Vapour density at 20 °C:                     | Non-applicable *        |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable *        |
| Solubility in water at 20 °C:                | Non-applicable *        |
| Solubility properties:                       | Non-applicable *        |
| Decomposition temperature:                   | Non-applicable *        |
| Melting point/freezing point:                | Non-applicable *        |

**Flammability:**

|                            |                  |
|----------------------------|------------------|
| Flash Point:               | 78 °C            |
| Flammability (solid, gas): | Non-applicable * |
| Autoignition temperature:  | 235 °C           |
| Lower flammability limit:  | Non-applicable * |
| Upper flammability limit:  | Non-applicable * |

**Particle characteristics:**

|                             |                |
|-----------------------------|----------------|
| Median equivalent diameter: | Non-applicable |
|-----------------------------|----------------|

**9.2 Other information:**

**Information with regard to physical hazard classes:**

|  |                  |
|--|------------------|
| Explosive properties:  | Non-applicable * |
| Oxidising properties:  | Non-applicable * |
| Corrosive to metals:   | Non-applicable * |
| Heat of combustion:  | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |

**Other safety characteristics:**

|                           |                  |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index:         | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

**10.2 Chemical stability:**

Chemically stable under the indicated conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:**

Applicable for handling and storage at room temperature:

|                    |                  |                         |          |          |
|--------------------|------------------|-------------------------|----------|----------|
| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|----------|----------|

- CONTINUED ON NEXT PAGE -



**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 10: STABILITY AND REACTIVITY (continued)**

|                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
|----------------|----------------|----------------|----------------|----------------|

**10.5 Incompatible materials:**

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

**10.6 Hazardous decomposition products:**

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: Benzyl acetate (3); 2,6-di-tert-butyl-p-cresol (3); Eugenol (3); d-limonene (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

- CONTINUED ON NEXT PAGE -

**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

| Identification  | Acute toxicity  |                | Genus  |
|---|-----------------|----------------|--------|
| linalool<br>CAS: 78-70-6<br>EC: 201-134-4                           | LD50 oral       | 3500 mg/kg     | Rat    |
|   | LD50 dermal     | 5610 mg/kg     | Rabbit |
|   | LC50 inhalation | Non-applicable |        |
| linalyl acetate<br>CAS: 115-95-7<br>EC: 204-116-4                   | LD50 oral       | 14500 mg/kg    | Rat    |
|   | LD50 dermal     | 5610 mg/kg     | Rabbit |
|   | LC50 inhalation | Non-applicable |        |
| Allyl hexanoate<br>CAS: 123-68-2<br>EC: 204-642-4                   | LD50 oral       | 220 mg/kg      |        |
|   | LD50 dermal     | 300 mg/kg      |        |
|   | LC50 inhalation | 3 mg/L (ATEi)  |        |
| Dipropylene Glycol Methyl Ether<br>CAS: 34590-94-8<br>EC: 252-104-2 | LD50 oral       | >5000 mg/kg    | Rat    |
|   | LD50 dermal     | 9510 mg/kg     | Rabbit |
|   | LC50 inhalation | Non-applicable |        |
| Benzyl acetate<br>CAS: 140-11-4<br>EC: 205-399-7                    | LD50 oral       | 2490 mg/kg     | Rat    |
|   | LD50 dermal     | Non-applicable |        |
|   | LC50 inhalation | Non-applicable |        |
| 3-ethoxy-4-hydroxybenzaldehyde<br>CAS: 121-32-4<br>EC: 204-464-7    | LD50 oral       | 3000 mg/kg     | Rat    |
|   | LD50 dermal     | Non-applicable |        |
|   | LC50 inhalation | Non-applicable |        |
| Allyl (cyclohexyloxy)acetate<br>CAS: 68901-15-5<br>EC: 272-657-3    | LD50 oral       | 620,42 mg/kg   | Rat    |
|   | LD50 dermal     | Non-applicable |        |
|   | LC50 inhalation | Non-applicable |        |
| 2,6-di-tert-butyl-p-cresol<br>CAS: 128-37-0<br>EC: 204-881-4        | LD50 oral       | 10000 mg/kg    | Rat    |
|   | LD50 dermal     | Non-applicable |        |
|   | LC50 inhalation | Non-applicable |        |

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

**Other information**

Non-applicable

**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

**12.1 Toxicity:**

**Acute toxicity:**

| Identification  | Concentration |                   | Species                         | Genus      |
|---|---------------|-------------------|---------------------------------|------------|
| Dipropylene Glycol Methyl Ether<br>CAS: 34590-94-8<br>EC: 252-104-2 | LC50          | 10000 mg/L (96 h) | Pimephales promelas             | Fish       |
|   | EC50          | 1919 mg/L (48 h)  | Daphnia magna                   | Crustacean |
|   | EC50          | Non-applicable    |                                 |            |
| linalyl acetate<br>CAS: 115-95-7<br>EC: 204-116-4                   | LC50          | 11 mg/L (96 h)    | Cyprinus carpio                 | Fish       |
|   | EC50          | 15 mg/L (48 h)    | Daphnia magna                   | Crustacean |
|   | EC50          | 62 mg/L (72 h)    | Desmodesmus subspicatus         | Algae      |
| ethyl 2,3-epoxy-3-phenylbutyrate<br>CAS: 77-83-8<br>EC: 201-061-8   | LC50          | 4,2 mg/L (96 h)   | Oncorhynchus mykiss             | Fish       |
|   | EC50          | 52 mg/L (48 h)    | Daphnia magna                   | Crustacean |
|   | EC50          | 36 mg/L (72 h)    | Pseudokirchneriella subcapitata | Algae      |
| Benzyl acetate<br>CAS: 140-11-4<br>EC: 205-399-7                    | LC50          | Non-applicable    |                                 |            |
|   | EC50          | 17 mg/L (48 h)    | Daphnia magna                   | Crustacean |
|   | EC50          | 110 mg/L (72 h)   | Desmodesmus subspicatus         | Algae      |
| Allyl (cyclohexyloxy)acetate<br>CAS: 68901-15-5<br>EC: 272-657-3    | LC50          | 0,205 mg/L (96 h) | Danio rerio                     | Fish       |
|   | EC50          | 6,09 mg/L (48 h)  | Daphnia magna                   | Crustacean |
|   | EC50          | 36,6 mg/L (72 h)  | Pseudokirchneriella subcapitata | Algae      |
| 2,6-di-tert-butyl-p-cresol<br>CAS: 128-37-0<br>EC: 204-881-4        | LC50          | 0,57 mg/L (96 h)  | Brachydanio rerio               | Fish       |
|   | EC50          | 0,61 mg/L (48 h)  | Daphnia magna                   | Crustacean |
|   | EC50          | Non-applicable    |                                 |            |
| Allyl hexanoate<br>CAS: 123-68-2<br>EC: 204-642-4                   | LC50          | >0.1 - 1 (96 h)   |                                 | Fish       |
|   | EC50          | >0.1 - 1 (48 h)   |                                 | Crustacean |
|   | EC50          | >0.1 - 1 (72 h)   |                                 | Algae      |

**Chronic toxicity:**

| Identification   | Concentration |                | Species         | Genus      |
|--|---------------|----------------|-----------------|------------|
| Dipropylene Glycol Methyl Ether<br>CAS: 34590-94-8 EC: 252-104-2 | NOEC          | Non-applicable |                 |            |
|  | NOEC          | 0,5 mg/L       | Daphnia magna   | Crustacean |
| Benzyl acetate<br>CAS: 140-11-4 EC: 205-399-7                    | NOEC          | 0,92 mg/L      | Oryzias latipes | Fish       |
|  | NOEC          | Non-applicable |                 |            |
| Allyl (cyclohexyloxy)acetate<br>CAS: 68901-15-5 EC: 272-657-3    | NOEC          | Non-applicable |                 |            |
|  | NOEC          | 3,2 mg/L       | Daphnia magna   | Crustacean |
| 2,6-di-tert-butyl-p-cresol<br>CAS: 128-37-0 EC: 204-881-4        | NOEC          | 0,053 mg/L     | Oryzias latipes | Fish       |
|  | NOEC          | 0,069 mg/L     | Daphnia magna   | Crustacean |

- CONTINUED ON NEXT PAGE -

**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

**12.2 Persistence and degradability:**

| Identification  | Degradability |                | Biodegradability |                |
|---|---------------|----------------|------------------|----------------|
|   |               |                |                  |                |
| Dipropylene Glycol Methyl Ether<br>CAS: 34590-94-8<br>EC: 252-104-2 | BOD5          | Non-applicable | Concentration    | Non-applicable |
|   | COD           | 0 g O2/g       | Period           | 28 days        |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 73 %           |
| linalool<br>CAS: 78-70-6<br>EC: 201-134-4                           | BOD5          | Non-applicable | Concentration    | 100 mg/L       |
|   | COD           | Non-applicable | Period           | 28 days        |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 90 %           |
| linalyl acetate<br>CAS: 115-95-7<br>EC: 204-116-4                   | BOD5          | Non-applicable | Concentration    | 81 mg/L        |
|   | COD           | Non-applicable | Period           | 28 days        |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 80 %           |
| ethyl 2,3-epoxy-3-phenylbutyrate<br>CAS: 77-83-8<br>EC: 201-061-8   | BOD5          | Non-applicable | Concentration    | 100 mg/L       |
|   | COD           | Non-applicable | Period           | 28 days        |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 53 %           |
| Benzyl acetate<br>CAS: 140-11-4<br>EC: 205-399-7                    | BOD5          | Non-applicable | Concentration    | 10 mg/L        |
|   | COD           | Non-applicable | Period           | 28 days        |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 100 %          |
| 2,6-di-tert-butyl-p-cresol<br>CAS: 128-37-0<br>EC: 204-881-4        | BOD5          | Non-applicable | Concentration    | 50 mg/L        |
|   | COD           | Non-applicable | Period           | 28 days        |
|   | BOD5/COD      | Non-applicable | % Biodegradable  | 4,5 %          |

**12.3 Bioaccumulative potential:**

| Identification  | Bioaccumulation potential |       |
|---|---------------------------|-------|
|   |                           |       |
| Dipropylene Glycol Methyl Ether<br>CAS: 34590-94-8<br>EC: 252-104-2 | BCF                       | 1     |
|   | Pow Log                   | -0.06 |
|   | Potential                 | Low   |
| linalool<br>CAS: 78-70-6<br>EC: 201-134-4                           | BCF                       |       |
|   | Pow Log                   | 2.97  |
|   | Potential                 |       |
| linalyl acetate<br>CAS: 115-95-7<br>EC: 204-116-4                   | BCF                       | 174   |
|   | Pow Log                   | 3.9   |
|   | Potential                 | High  |
| Benzyl acetate<br>CAS: 140-11-4<br>EC: 205-399-7                    | BCF                       | 8     |
|   | Pow Log                   | 1.96  |
|   | Potential                 | Low   |

- CONTINUED ON NEXT PAGE -

**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 12: ECOLOGICAL INFORMATION (continued)**

| Identification   | Bioaccumulation potential |           |
|--|---------------------------|-----------|
| Allyl (cyclohexyloxy)acetate<br>CAS: 68901-15-5<br>EC: 272-657-3 | BCF                       |           |
|  | Pow Log                   | 2.18      |
|  | Potential                 |           |
| 2,6-di-tert-butyl-p-cresol<br>CAS: 128-37-0<br>EC: 204-881-4     | BCF                       | 1365      |
|  | Pow Log                   | 5.1       |
|  | Potential                 | Very High |

**12.4 Mobility in soil:**

| Identification  | Absorption/desorption |                          | Volatility |                                |
|---|-----------------------|--------------------------|------------|--------------------------------|
| linalyl acetate<br>CAS: 115-95-7<br>EC: 204-116-4                 | Koc                   | 518                      | Henry      | 177 Pa·m <sup>3</sup> /mol     |
|   | Conclusion            | Low                      | Dry soil   | Yes                            |
|   | Surface tension       | Non-applicable           | Moist soil | Yes                            |
| ethyl 2,3-epoxy-3-phenylbutyrate<br>CAS: 77-83-8<br>EC: 201-061-8 | Koc                   | 240                      | Henry      | Non-applicable                 |
|   | Conclusion            | Moderate                 | Dry soil   | Non-applicable                 |
|   | Surface tension       | Non-applicable           | Moist soil | Non-applicable                 |
| Benzyl acetate<br>CAS: 140-11-4<br>EC: 205-399-7                  | Koc                   | Non-applicable           | Henry      | Non-applicable                 |
|   | Conclusion            | Non-applicable           | Dry soil   | Non-applicable                 |
|   | Surface tension       | 3,558E-2 N/m (25 °C)     | Moist soil | Non-applicable                 |
| 3-ethoxy-4-hydroxybenzaldehyde<br>CAS: 121-32-4<br>EC: 204-464-7  | Koc                   | Non-applicable           | Henry      | Non-applicable                 |
|   | Conclusion            | Non-applicable           | Dry soil   | Non-applicable                 |
|   | Surface tension       | 1,87E-2 N/m (276,18 °C)  | Moist soil | Non-applicable                 |
| Allyl (cyclohexyloxy)acetate<br>CAS: 68901-15-5<br>EC: 272-657-3  | Koc                   | 152.71                   | Henry      | 6,23 Pa·m <sup>3</sup> /mol    |
|   | Conclusion            | High                     | Dry soil   | Non-applicable                 |
|   | Surface tension       | Non-applicable           | Moist soil | Non-applicable                 |
| 2,6-di-tert-butyl-p-cresol<br>CAS: 128-37-0<br>EC: 204-881-4      | Koc                   | 8183                     | Henry      | 3,42E-1 Pa·m <sup>3</sup> /mol |
|   | Conclusion            |                          | Dry soil   | Yes                            |
|   | Surface tension       | 1,255E-2 N/m (258,85 °C) | Moist soil | Yes                            |

**12.5 Results of PBT and vPvB assessment:**

Product fails to meet PBT/vPvB criteria

**12.6 Endocrine disrupting properties:**

Endocrine-disrupting properties: The product fails to meet the criteria.

**12.7 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods:**

| Code      | Description  | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 07 01 04* | other organic solvents, washing liquids and mother liquors | Dangerous                                  |

**Type of waste (Regulation (EU) No 1357/2014):**

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

- CONTINUED ON NEXT PAGE -

## SCENTED BOTTLE GRAND elixir BUBBLE GUM

### SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

—tricks and jokes,

—games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

#### Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H319: Causes serious eye irritation.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

**SCENTED BOTTLE GRAND elixir BUBBLE GUM**

**SECTION 16: OTHER INFORMATION (continued)**

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

**Classification procedure:**

Skin Irrit. 2: Calculation method

Skin Sens. 1B: Calculation method

Aquatic Chronic 3: Calculation method

Eye Irrit. 2: Calculation method

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -