

WOODEN DIFFUSER COCONUT

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** WOODEN DIFFUSER COCONUT
Other means of identification:
UFI: OXN3-K0UV-S008-M3HV
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
 Relevant uses (Consumer use): Air freshener
 Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet / Distributor:**
 MB ELIX sp. z oo sp.k.
 ul. Skarżyńskiego 26
 54-530 Wrocław - Poland
 Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68
 lab@elix.pl
 www.elixscent.com
- 1.4 Emergency telephone number:** 0048 71 387 85 33 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
CLP Regulation (EC) No 1272/2008:
 Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412
 Eye Irrit. 2: Eye irritation, Category 2, H319
 Skin Sens. 1B: Sensitisation, skin, Category 1B, H317
- 2.2 Label elements:**
CLP Regulation (EC) No 1272/2008:
 Labelling of packages where the contents do not exceed 125 ml:
Warning

Hazard statements:
 H317 - May cause an allergic skin reaction.
 H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements:
 P101: If medical advice is needed, have product container or label at hand.
 P102: Keep out of reach of children.
 P302+P352: IF ON SKIN: Wash with plenty of water.
 P332+P313: If skin irritation occurs: Get medical advice/attention.
 P501: Dispose of contents/container according to the separated collection system used in your municipality.
Supplementary information:
 Contains 4-tert-butylcyclohexyl acetate, hexyl salicylate, piperonal.
UFI: OXN3-K0UV-S008-M3HV
- 2.3 Other hazards:**
 Product does not meet PBT/vPvB criteria
 Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substance:**
 Not relevant
- 3.2 Mixture:**
Chemical description: Mixture composed of chemical products

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification | Chemical name/Classification | Concentration |
|---|--|------------------------|
| CAS: 56539-66-3 EC: 260-252-4 Index: Not relevant REACH: 01-2119976333-33-XXXX | 3-methoxy-3-methylbutan-1-ol⁽¹⁾ Self-classified Regulation 1272/2008 Eye Irrit. 2: H319 - Warning | 25 - <30% |
| CAS: 34590-94-8 EC: 252-104-2 Index: Not relevant REACH: 01-2119450011-60-XXXX | Dipropylene Glycol Methyl Ether⁽²⁾ Not classified Regulation 1272/2008 | 20 - <25% |
| CAS: 140-11-4 EC: 205-399-7 Index: Not relevant REACH: 01-2119638272-42-XXXX | Benzyl acetate⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Chronic 3: H412 | 2 - <3% |
| CAS: 32210-23-4 EC: 250-954-9 Index: Not relevant REACH: 01-2119976286-24-XXXX | 4-tert-butylcyclohexyl acetate⁽¹⁾ Self-classified Regulation 1272/2008 Skin Sens. 1B: H317 - Warning | 2 - <3% |
| CAS: 104-50-7 EC: 203-208-1 Index: Not relevant REACH: 01-2120793635-41-XXXX | Octan-4-olide⁽¹⁾ Self-classified Regulation 1272/2008 Skin Irrit. 2: H315 - Warning | 2 - <3% |
| CAS: 6259-76-3 EC: 228-408-6 Index: 607-772-00-3 REACH: 01-2119638275-36-XXXX | Hexyl salicylate⁽¹⁾ Self-classified Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Repr. 2: H361; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning | 1 - <2% |
| CAS: 120-57-0 EC: 204-409-7 Index: Not relevant REACH: 01-2119983608-21-XXXX | Piperonal⁽¹⁾ Self-classified Regulation 1272/2008 Repr. 2: H361; Skin Sens. 1B: H317 - Warning | 0.25 - <0.5% |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

⁽²⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EEC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 7: HANDLING AND STORAGE (continued)

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C
Maximum Temp.: 35 °C
Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification | Occupational exposure limits | | |
|---|------------------------------|--------|-----------------------|
| Dipropylene Glycol Methyl Ether ⁽¹⁾ CAS: 34590-94-8 EC: 252-104-2 | IOELV (8h) | 50 ppm | 308 mg/m ³ |
| | IOELV (STEL) | | |

⁽¹⁾ Skin

DNEL (Workers):

| Identification | | Short exposure | | Long exposure | |
|---|------------|----------------|--------------|------------------------|--------------|
| | | Systemic | Local | Systemic | Local |
| 3-methoxy-3-methylbutan-1-ol CAS: 56539-66-3 EC: 260-252-4 | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| | Dermal | Not relevant | Not relevant | 6,25 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 18 mg/m ³ | Not relevant |
| Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2 | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| | Dermal | Not relevant | Not relevant | 283 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 308 mg/m ³ | Not relevant |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| | Dermal | Not relevant | Not relevant | 2,5 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 9 mg/m ³ | Not relevant |
| Octan-4-olide CAS: 104-50-7 EC: 203-208-1 | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| | Dermal | Not relevant | Not relevant | 2,33 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 8,22 mg/m ³ | Not relevant |
| Hexyl salicylate CAS: 6259-76-3 EC: 228-408-6 | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| | Dermal | Not relevant | Not relevant | 6,4 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 1,7 mg/m ³ | Not relevant |
| Piperonal CAS: 120-57-0 EC: 204-409-7 | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| | Dermal | Not relevant | Not relevant | 2,5 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 17,6 mg/m ³ | Not relevant |

DNEL (General population):

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Identification | | Short exposure | | Long exposure | |
|---|------------|----------------|--------------|------------------------|--------------|
| | | Systemic | Local | Systemic | Local |
| 3-methoxy-3-methylbutan-1-ol CAS: 56539-66-3 EC: 260-252-4 | Oral | Not relevant | Not relevant | 2,5 mg/kg | Not relevant |
| | Dermal | Not relevant | Not relevant | 3,1 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 4,4 mg/m ³ | Not relevant |
| Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2 | Oral | Not relevant | Not relevant | 36 mg/kg | Not relevant |
| | Dermal | Not relevant | Not relevant | 121 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 37,2 mg/m ³ | Not relevant |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | Oral | Not relevant | Not relevant | 1,3 mg/kg | Not relevant |
| | Dermal | Not relevant | Not relevant | 1,3 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 2,2 mg/m ³ | Not relevant |
| Octan-4-olide CAS: 104-50-7 EC: 203-208-1 | Oral | Not relevant | Not relevant | 0,833 mg/kg | Not relevant |
| | Dermal | Not relevant | Not relevant | 0,833 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 1,45 mg/m ³ | Not relevant |
| Hexyl salicylate CAS: 6259-76-3 EC: 228-408-6 | Oral | Not relevant | Not relevant | 0,3 mg/kg | Not relevant |
| | Dermal | Not relevant | Not relevant | 3,2 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 0,4 mg/m ³ | Not relevant |
| Piperonal CAS: 120-57-0 EC: 204-409-7 | Oral | Not relevant | Not relevant | 1,25 mg/kg | Not relevant |
| | Dermal | Not relevant | Not relevant | 1,25 mg/kg | Not relevant |
| | Inhalation | Not relevant | Not relevant | 4,3 mg/m ³ | Not relevant |

PNEC:

| Identification | | | | |
|---|--------------|---------------|-------------------------|--------------|
| Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2 | STP | 4168 mg/L | Fresh water | 19 mg/L |
| | Soil | 2,74 mg/kg | Marine water | 1,9 mg/L |
| | Intermittent | 190 mg/L | Sediment (Fresh water) | 70,2 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 7,02 mg/kg |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | STP | 8,55 mg/L | Fresh water | 0,018 mg/L |
| | Soil | 0,094 mg/kg | Marine water | 0,002 mg/L |
| | Intermittent | 0,04 mg/L | Sediment (Fresh water) | 0,526 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,053 mg/kg |
| 4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9 | STP | 12,2 mg/L | Fresh water | 0,0053 mg/L |
| | Soil | 0,42 mg/kg | Marine water | 0,00053 mg/L |
| | Intermittent | 0,053 mg/L | Sediment (Fresh water) | 2,01 mg/kg |
| | Oral | 0,06667 g/kg | Sediment (Marine water) | 0,21 mg/kg |
| Octan-4-olide CAS: 104-50-7 EC: 203-208-1 | STP | 2,86 mg/L | Fresh water | 0,0708 mg/L |
| | Soil | 0,103 mg/kg | Marine water | 0,00708 mg/L |
| | Intermittent | 0,708 mg/L | Sediment (Fresh water) | 0,721 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,0721 mg/kg |
| Hexyl salicylate CAS: 6259-76-3 EC: 228-408-6 | STP | 10 mg/L | Fresh water | 0 mg/L |
| | Soil | 0,054 mg/kg | Marine water | 0 mg/L |
| | Intermittent | 0,004 mg/L | Sediment (Fresh water) | 0,272 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,027 mg/kg |
| Piperonal CAS: 120-57-0 EC: 204-409-7 | STP | 10 mg/L | Fresh water | 0,0025 mg/L |
| | Soil | 0,00084 mg/kg | Marine water | 0,00025 mg/L |
| | Intermittent | 0,025 mg/L | Sediment (Fresh water) | 0,0119 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,0012 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|--|---|---|-------------------|--|
|  Mandatory hand protection | Chemical protective gloves (Material: Nitrile, Breakthrough time: > 120 min, Thickness: 0.2 mm) |  | EN ISO 21420:2020 | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|--|---|---|---|---|
|  Mandatory face protection | Panoramic glasses against splash/projections. |  | EN ISO 16321-1:2022+A1:2025 EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|-----------|----------------------|---|-------------------|---|
| | Work clothing |  | | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
| | Anti-slip work shoes |  | EN ISO 20347:2022 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019 |

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

| Emergency measure | Standards | Emergency measure | Standards |
|---|---|--|--|
|  Emergency shower | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 |  Eyewash stations | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

| | |
|--------------------------|----------------|
| Physical state at 20 °C: | Liquid |
| Appearance: | Fluid |
| Colour: | Light yellow |
| Odour: | Pleasant |
| Odour threshold: | Not relevant * |

Volatility:

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

| | |
|--|---------------------|
| Boiling point at atmospheric pressure: | 183 °C |
| Vapour pressure at 20 °C: | 70 Pa |
| Vapour pressure at 50 °C: | 515,7 Pa (0,52 kPa) |
| Evaporation rate at 20 °C: | Not relevant * |

Product description:

| | |
|--|--------------------------|
| Density at 20 °C: | 1005,8 kg/m ³ |
| Relative density at 20 °C: | 1,006 |
| Dynamic viscosity at 20 °C: | Not relevant * |
| Kinematic viscosity at 20 °C: | Not relevant * |
| Kinematic viscosity at 40 °C: | Not relevant * |
| Concentration: | Not relevant * |
| pH: | Not relevant * |
| Vapour density at 20 °C: | Not relevant * |
| Partition coefficient n-octanol/water 20 °C: | Not relevant * |
| Solubility in water at 20 °C: | Not relevant * |
| Solubility properties: | Not relevant * |
| Decomposition temperature: | Not relevant * |
| Melting point/freezing point: | Not relevant * |

Flammability:

| | |
|----------------------------|----------------|
| Flash Point: | 77 °C |
| Flammability (solid, gas): | Not relevant * |
| Autoignition temperature: | 192 °C |
| Lower flammability limit: | Not relevant * |
| Upper flammability limit: | Not relevant * |

Particle characteristics:

| | |
|-----------------------------|----------------|
| Median equivalent diameter: | Not relevant * |
|-----------------------------|----------------|

9.2 Other information:

Information with regard to physical hazard classes:

| | |
|--|----------------|
| Explosive properties: | Not relevant * |
| Oxidising properties: | Not relevant * |
| Corrosive to metals: | Not relevant * |
| Heat of combustion: | Not relevant * |
| Aerosols-total percentage (by mass) of flammable components: | Not relevant * |

Other safety characteristics:

| | |
|---------------------------|----------------|
| Surface tension at 20 °C: | Not relevant * |
| Refraction index: | Not relevant * |

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 10: STABILITY AND REACTIVITY (continued)

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Not applicable | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health.

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Causes serious eye irritation.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: Benzyl acetate (3: Not classifiable as to its carcinogenicity to humans); C.I.Solvent Red 24 (3: Not classifiable as to its carcinogenicity to humans)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

| Identification | Acute toxicity | | Genus |
|---|------------------------|-------------|--------|
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | LD50 oral | 2490 mg/kg | Rat |
| | LD50 dermal | | |
| | LC50 inhalation vapour | | |
| 4-tert-butylcyclohexyl acetate CAS: 32210-23-4 EC: 250-954-9 | LD50 oral | 3370 mg/kg | |
| | LD50 dermal | | |
| | LC50 inhalation vapour | | |
| Hexyl salicylate CAS: 6259-76-3 EC: 228-408-6 | LD50 oral | >5000 mg/kg | Rat |
| | LD50 dermal | | |
| | LC50 inhalation vapour | | |
| Octan-4-olide CAS: 104-50-7 EC: 203-208-1 | LD50 oral | >5000 mg/kg | Rat |
| | LD50 dermal | >5000 mg/kg | Rabbit |
| | LC50 inhalation vapour | | |
| Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2 | LD50 oral | >5000 mg/kg | Rat |
| | LD50 dermal | 9510 mg/kg | Rabbit |
| | LC50 inhalation vapour | | |
| Piperonal CAS: 120-57-0 EC: 204-409-7 | LD50 oral | 2700 mg/kg | Rat |
| | LD50 dermal | | |
| | LC50 inhalation vapour | | |

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

| Identification | Concentration | | Species | Genus |
|---|---------------|----------------------|-------------------------|------------|
| Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2 | LC50 | 10000 mg/L (96 h) | Pimephales promelas | Fish |
| | EC50 | 1919 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | Not relevant | | |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | LC50 | Not relevant | | |
| | EC50 | 17 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 110 mg/L (72 h) | Desmodesmus subspicatus | Algae |
| Hexyl salicylate CAS: 6259-76-3 EC: 228-408-6 | LC50 | >0.1 - 1 mg/L (96 h) | | Fish |
| | EC50 | >0.1 - 1 mg/L (48 h) | | Crustacean |
| | EC50 | >0.1 - 1 mg/L (72 h) | | Algae |

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 12: ECOLOGICAL INFORMATION (continued)

Chronic toxicity:

| Identification | Concentration | | Species | Genus |
|--|---------------|--------------|-----------------|------------|
| | NOEC | Not relevant | | |
| Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2 | NOEC | Not relevant | Daphnia magna | Crustacean |
| | NOEC | 0,5 mg/L | | |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | NOEC | 0,92 mg/L | Oryzias latipes | Fish |
| | NOEC | Not relevant | | |

12.2 Persistence and degradability:

Substance-specific information:

| Identification | Degradability | | Biodegradability | |
|---|---------------|-----------------------|------------------|--------------|
| | BOD5 | Not relevant | Concentration | Not relevant |
| Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2 | COD | 0 g O ₂ /g | Period | 28 days |
| | BOD5/COD | Not relevant | % Biodegradable | 73 % |
| | BOD5 | Not relevant | Concentration | 10 mg/L |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | COD | Not relevant | Period | 28 days |
| | BOD5/COD | Not relevant | % Biodegradable | 100 % |
| | BOD5 | Not relevant | Concentration | Not relevant |
| Octan-4-olide CAS: 104-50-7 EC: 203-208-1 | COD | Not relevant | Period | 28 days |
| | BOD5/COD | Not relevant | % Biodegradable | 49 % |

12.3 Bioaccumulative potential:

Substance-specific information:

| Identification | Bioaccumulation potential | |
|---|---------------------------|-------|
| | BCF | 1 |
| Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2 | Pow Log | -0.06 |
| | Potential | Low |
| | BCF | 8 |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | Pow Log | 1.96 |
| | Potential | Low |

12.4 Mobility in soil:

| Identification | Absorption/desorption | | Volatility | |
|--|-----------------------|----------------------|------------|--------------|
| | Koc | Not relevant | Henry | Not relevant |
| Benzyl acetate CAS: 140-11-4 EC: 205-399-7 | Conclusion | Not relevant | Dry soil | Not relevant |
| | Surface tension | 3,558E-2 N/m (25 °C) | Moist soil | Not relevant |
| | Koc | 65.84 | Henry | Not relevant |
| Octan-4-olide CAS: 104-50-7 EC: 203-208-1 | Conclusion | High | Dry soil | Not relevant |
| | Surface tension | Not relevant | Moist soil | Not relevant |

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 07 01 04* | other organic solvents, washing liquids and mother liquors | Hazardous |

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER COCONUT

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Not relevant

Texts of the legislative phrases mentioned in section 2:

- H412: Harmful to aquatic life with long lasting effects.
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

WOODEN DIFFUSER COCONUT

SECTION 16: OTHER INFORMATION (continued)

Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Repr. 2: H361 - Suspected of damaging fertility or the unborn child.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Classification procedure:

Aquatic Chronic 3: Calculation method
Skin Sens. 1B: Calculation method
Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>
<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -