


WOODEN DIFFUSER VANILLA

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** WOODEN DIFFUSER VANILLA
Other means of identification:
UFI: G3P3-M07P-D007-XSQ0
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant uses (Consumer use): Air freshener
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet / Distributor:**
MB ELIX sp. z oo sp.k.
ul. Skarżyńskiego 26
54-530 Wrocław - Poland
Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68
lab@elix.pl
www.elixscent.com
- 1.4 Emergency telephone number:** 0048 71 387 85 33 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
CLP Regulation (EC) No 1272/2008:
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412
Eye Irrit. 2: Eye irritation, Category 2, H319
Skin Sens. 1B: Sensitisation, skin, Category 1B, H317
- 2.2 Label elements:**
CLP Regulation (EC) No 1272/2008:
Labelling of packages where the contents do not exceed 125 ml:
Warning

Hazard statements:
H317 - May cause an allergic skin reaction.
H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements:
P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P302+P352: IF ON SKIN: Wash with plenty of water.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P501: Dispose of contents/container according to the separated collection system used in your municipality.
Supplementary information:
Contains coumarin, d-limonene, anisyl alcohol, linalyl acetate, allyl 3-cyclohexylpropionate, linalool.
UFI: G3P3-M07P-D007-XSQ0
- 2.3 Other hazards:**
Product does not meet PBT/vPvB criteria
Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substance:**
Not relevant
- 3.2 Mixture:**
Chemical description: Mixture composed of chemical products

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 56539-66-3 EC: 260-252-4 Index: Not relevant REACH: 01-2119976333-33-XXXX	3-methoxy-3-methylbutan-1-ol⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319 - Warning	Self-classified 30 - <35%
CAS: 34590-94-8 EC: 252-104-2 Index: Not relevant REACH: 01-2119450011-60-XXXX	Dipropylene Glycol Methyl Ether⁽²⁾ Regulation 1272/2008	Not classified 25 - <30%
CAS: 91-64-5 EC: 202-086-7 Index: Not relevant REACH: 01-2119949300-45-XXXX	Coumarin⁽¹⁾ Regulation 1272/2008 Acute Tox. 4: H302; Skin Sens. 1B: H317 - Warning	Self-classified 4 - <5%
CAS: 104-21-2 EC: 203-185-8 Index: Not relevant REACH: 01-2120104878-50-XXXX	Anisyl acetate⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	Self-classified 2 - <3%
CAS: 5989-27-5 EC: 227-813-5 Index: 601-096-00-2 REACH: 01-2119529223-47-XXXX	d-limonene⁽¹⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger	ATP ATP17 2 - <3%
CAS: 105-13-5 EC: 203-273-6 Index: Not relevant REACH: 01-2119934494-33-XXXX	Anisyl alcohol⁽¹⁾ Regulation 1272/2008 Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Sens. 1: H317 - Danger	Self-classified 1 - <2%
CAS: 120-51-4 EC: 204-402-9 Index: 607-085-00-9 REACH: 01-2119976371-33-XXXX	Benzyl benzoate⁽¹⁾ Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning	Self-classified 0.75 - <1%
CAS: 123-68-2 EC: 204-642-4 Index: Not relevant REACH: 01-2119983573-26-XXXX	Allyl hexanoate⁽¹⁾ Regulation 1272/2008 Acute Tox. 3: H301+H311+H331; Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Danger	Self-classified 0.75 - <1%
CAS: 142-19-8 EC: 205-527-1 Index: Not relevant REACH: 01-2119488961-23-XXXX	Allyl heptanoate⁽¹⁾ Regulation 1272/2008 Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Danger	Self-classified 0.75 - <1%
CAS: 115-95-7 EC: 204-116-4 Index: Not relevant REACH: 01-2119454789-19-XXXX	Linalyl acetate⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 0.25 - <0.5%
CAS: 128-37-0 EC: 204-881-4 Index: Not relevant REACH: 01-2119565113-46-XXXX	2,6-di-tert-butyl-p-cresol⁽¹⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	Self-classified 0.1 - <0.25%
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	Linalool⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 0.1 - <0.25%
CAS: 2705-87-5 EC: 220-292-5 Index: Not relevant REACH: 01-2119976355-27-XXXX	Allyl 3-cyclohexylpropionate⁽¹⁾ Regulation 1272/2008 Acute Tox. 4: H302+H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1: H317 - Warning	Self-classified 0.1 - <0.25%

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

⁽²⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	M-factor	
d-limonene	Acute	1
CAS: 5989-27-5 EC: 227-813-5	Chronic	1

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
Coumarin CAS: 91-64-5 EC: 202-086-7	LD50 oral	500 mg/kg	Rat
	LD50 dermal	Not relevant	
	LC50 inhalation vapour	Not relevant	
Anisyl alcohol CAS: 105-13-5 EC: 203-273-6	LD50 oral	1200 mg/kg	Rat
	LD50 dermal	Not relevant	
	LC50 inhalation vapour	Not relevant	
Allyl hexanoate CAS: 123-68-2 EC: 204-642-4	LD50 oral	220 mg/kg	
	LD50 dermal	300 mg/kg	
	LC50 inhalation vapour	3 mg/L	
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	LD50 oral	218 mg/kg	Rat
	LD50 dermal	810 mg/kg	Rabbit
	LC50 inhalation vapour	Not relevant	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	LD50 oral	1500 mg/kg	
	LD50 dermal	Not relevant	
	LC50 inhalation vapour	Not relevant	
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	LD50 oral	585 mg/kg	
	LD50 dermal	1600 mg/kg	
	LC50 inhalation vapour	11 mg/L	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 5: FIREFIGHTING MEASURES (continued)

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EEC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 7: HANDLING AND STORAGE (continued)

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C
Maximum Temp.: 35 °C
Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupational exposure limits		
	IOELV (8h)	50 ppm	308 mg/m ³
Dipropylene Glycol Methyl Ether ⁽¹⁾ CAS: 34590-94-8 EC: 252-104-2	IOELV (STEL)		

⁽¹⁾ Skin

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
3-methoxy-3-methylbutan-1-ol CAS: 56539-66-3 EC: 260-252-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	6,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	18 mg/m ³	Not relevant
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	283 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	308 mg/m ³	Not relevant
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	0,79 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	6,78 mg/m ³	Not relevant
Anisyl acetate CAS: 104-21-2 EC: 203-185-8	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	0,7 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	2,468 mg/m ³	Not relevant
d-limonene CAS: 5989-27-5 EC: 227-813-5	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	9,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	66,7 mg/m ³	Not relevant
Anisyl alcohol CAS: 105-13-5 EC: 203-273-6	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	0,00025 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	4,93 mg/m ³	Not relevant
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	2,6 mg/kg	Not relevant
	Inhalation	102 mg/m ³	Not relevant	5,1 mg/m ³	Not relevant
Allyl hexanoate CAS: 123-68-2 EC: 204-642-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	4,3 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	15 mg/m ³	Not relevant

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	0,84 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	2,97 mg/m ³	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	2,75 mg/m ³	Not relevant
2,6-di-tert-butyl-p-cresol CAS: 128-37-0 EC: 204-881-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	4,7 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	4,4 mg/m ³	Not relevant
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	3,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	24,58 mg/m ³	Not relevant
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	4,3 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	15 mg/m ³	Not relevant

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
3-methoxy-3-methylbutan-1-ol CAS: 56539-66-3 EC: 260-252-4	Oral	Not relevant	Not relevant	2,5 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	3,1 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	4,4 mg/m ³	Not relevant
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	Oral	Not relevant	Not relevant	36 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	121 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	37,2 mg/m ³	Not relevant
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Not relevant	Not relevant	0,39 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	0,39 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	1,69 mg/m ³	Not relevant
Anisyl acetate CAS: 104-21-2 EC: 203-185-8	Oral	Not relevant	Not relevant	0,25 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	0,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,37 mg/m ³	Not relevant
d-limonene CAS: 5989-27-5 EC: 227-813-5	Oral	Not relevant	Not relevant	4,8 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	4,8 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	16,6 mg/m ³	Not relevant
Anisyl alcohol CAS: 105-13-5 EC: 203-273-6	Oral	Not relevant	Not relevant	0,5 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	0,0000298 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,87 mg/m ³	Not relevant
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	Oral	78 mg/kg	Not relevant	0,4 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,3 mg/kg	Not relevant
	Inhalation	25 mg/m ³	Not relevant	1,25 mg/m ³	Not relevant
Allyl hexanoate CAS: 123-68-2 EC: 204-642-4	Oral	Not relevant	Not relevant	2,1 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	2,1 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	3,7 mg/m ³	Not relevant
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	Oral	Not relevant	Not relevant	0,42 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	0,42 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,73 mg/m ³	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Not relevant	Not relevant	0,2 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,68 mg/m ³	Not relevant
2,6-di-tert-butyl-p-cresol CAS: 128-37-0 EC: 204-881-4	Oral	Not relevant	Not relevant	0,25 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,7 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,78 mg/m ³	Not relevant

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Not relevant	Not relevant	2,49 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	4,33 mg/m ³	Not relevant
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	Oral	Not relevant	Not relevant	2,1 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	2,1 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	3,7 mg/m ³	Not relevant

PNEC:

Identification					
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	STP	4168 mg/L	Fresh water	19 mg/L	
	Soil	2,74 mg/kg	Marine water	1,9 mg/L	
	Intermittent	190 mg/L	Sediment (Fresh water)	70,2 mg/kg	
	Oral	Not relevant	Sediment (Marine water)	7,02 mg/kg	
Coumarin CAS: 91-64-5 EC: 202-086-7	STP	6,4 mg/L	Fresh water	0,019 mg/L	
	Soil	0,018 mg/kg	Marine water	0,0019 mg/L	
	Intermittent	0,0142 mg/L	Sediment (Fresh water)	0,15 mg/kg	
	Oral	0,0307 g/kg	Sediment (Marine water)	0,015 mg/kg	
Anisyl acetate CAS: 104-21-2 EC: 203-185-8	STP	0,2 mg/L	Fresh water	0,013 mg/L	
	Soil	0,028 mg/kg	Marine water	0,001 mg/L	
	Intermittent	0,131 mg/L	Sediment (Fresh water)	0,18 mg/kg	
	Oral	Not relevant	Sediment (Marine water)	0,018 mg/kg	
d-limonene CAS: 5989-27-5 EC: 227-813-5	STP	1,8 mg/L	Fresh water	0,014 mg/L	
	Soil	0,763 mg/kg	Marine water	0,0014 mg/L	
	Intermittent	Not relevant	Sediment (Fresh water)	3,85 mg/kg	
	Oral	0,133 g/kg	Sediment (Marine water)	0,385 mg/kg	
Anisyl alcohol CAS: 105-13-5 EC: 203-273-6	STP	Not relevant	Fresh water	0,1 mg/L	
	Soil	Not relevant	Marine water	0,01 mg/L	
	Intermittent	1 mg/L	Sediment (Fresh water)	Not relevant	
	Oral	Not relevant	Sediment (Marine water)	Not relevant	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	STP	100 mg/L	Fresh water	0,017 mg/L	
	Soil	2,12 mg/kg	Marine water	0,002 mg/L	
	Intermittent	Not relevant	Sediment (Fresh water)	10,66 mg/kg	
	Oral	Not relevant	Sediment (Marine water)	1,07 mg/kg	
Allyl hexanoate CAS: 123-68-2 EC: 204-642-4	STP	10 mg/L	Fresh water	0,000117 mg/L	
	Soil	0,000825 mg/kg	Marine water	0,000012 mg/L	
	Intermittent	0,00117 mg/L	Sediment (Fresh water)	0,00446 mg/kg	
	Oral	0,04756 g/kg	Sediment (Marine water)	0,000446 mg/kg	
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	STP	10 mg/L	Fresh water	0,00012 mg/L	
	Soil	0,002 mg/kg	Marine water	0,000012 mg/L	
	Intermittent	0,0012 mg/L	Sediment (Fresh water)	0,012 mg/kg	
	Oral	Not relevant	Sediment (Marine water)	0,001 mg/kg	
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	STP	1 mg/L	Fresh water	0,011 mg/L	
	Soil	0,115 mg/kg	Marine water	0,001 mg/L	
	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg	
	Oral	Not relevant	Sediment (Marine water)	0,061 mg/kg	
2,6-di-tert-butyl-p-cresol CAS: 128-37-0 EC: 204-881-4	STP	100 mg/L	Fresh water	0,0023 mg/L	
	Soil	0,24 mg/kg	Marine water	0,00023 mg/L	
	Intermittent	0,004 mg/L	Sediment (Fresh water)	3,7 mg/kg	
	Oral	16,7 g/kg	Sediment (Marine water)	0,37 mg/kg	
Linalool CAS: 78-70-6 EC: 201-134-4	STP	10 mg/L	Fresh water	0,2 mg/L	
	Soil	0,327 mg/kg	Marine water	0,02 mg/L	
	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg	
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg	

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	STP	0,2 mg/L	Fresh water	0,00013 mg/L
	Soil	0,00475 mg/kg	Marine water	0,000013 mg/L
	Intermittent	0,0013 mg/L	Sediment (Fresh water)	0,02413 mg/kg
	Oral	0,143 g/kg	Sediment (Marine water)	0,002413 mg/kg

8.2 Exposure controls:



A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.11 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection



Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN ISO 16321-1:2022+A1:2025 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2022	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

WOODEN DIFFUSER VANILLA

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:	Liquid
Appearance:	Fluid
Colour:	 Amber
Odour:	Pleasant
Odour threshold:	Not relevant *

Volatility:

Boiling point at atmospheric pressure:	185 °C
Vapour pressure at 20 °C:	79 Pa
Vapour pressure at 50 °C:	567,81 Pa (0,57 kPa)
Evaporation rate at 20 °C:	Not relevant *

Product description:

Density at 20 °C:	980,6 kg/m ³
Relative density at 20 °C:	0,981
Dynamic viscosity at 20 °C:	Not relevant *
Kinematic viscosity at 20 °C:	Not relevant *
Kinematic viscosity at 40 °C:	Not relevant *
Concentration:	Not relevant *
pH:	Not relevant *
Vapour density at 20 °C:	Not relevant *
Partition coefficient n-octanol/water 20 °C:	Not relevant *
Solubility in water at 20 °C:	Not relevant *
Solubility properties:	Not relevant *
Decomposition temperature:	Not relevant *
Melting point/freezing point:	Not relevant *

Flammability:

Flash Point:	75 °C
Flammability (solid, gas):	Not relevant *
Autoignition temperature:	225 °C
Lower flammability limit:	Not relevant *
Upper flammability limit:	Not relevant *

Particle characteristics:

Median equivalent diameter:	Not relevant *
-----------------------------	----------------

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:	Not relevant *
Oxidising properties:	Not relevant *
Corrosive to metals:	Not relevant *
Heat of combustion:	Not relevant *
Aerosols-total percentage (by mass) of flammable components:	Not relevant *

Other safety characteristics:

Surface tension at 20 °C:	Not relevant *
---------------------------	----------------

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Refraction index: Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Causes serious eye irritation.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- IARC: Coumarin (3: Not classifiable as to its carcinogenicity to humans); 2,6-di-tert-butyl-p-cresol (3: Not classifiable as to its carcinogenicity to humans); d-limonene (3: Not classifiable as to its carcinogenicity to humans)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Coumarin CAS: 91-64-5 EC: 202-086-7	LD50 oral	500 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	
	LC50 inhalation dust		
Anisyl acetate CAS: 104-21-2 EC: 203-185-8	LD50 oral	>5000 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation vapour		
Anisyl alcohol CAS: 105-13-5 EC: 203-273-6	LD50 oral	1200 mg/kg	Rat
	LD50 dermal	3000 mg/kg	Rabbit
	LC50 inhalation dust		
Allyl hexanoate CAS: 123-68-2 EC: 204-642-4	LD50 oral	220 mg/kg	
	LD50 dermal	300 mg/kg	
	LC50 inhalation vapour	3 mg/L	
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	LD50 oral	218 mg/kg	Rat
	LD50 dermal	810 mg/kg	Rabbit
	LC50 inhalation vapour		
d-limonene CAS: 5989-27-5 EC: 227-813-5	LD50 oral	4400 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation vapour		
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	LD50 oral	>5000 mg/kg	Rat
	LD50 dermal	9510 mg/kg	Rabbit
	LC50 inhalation vapour		
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	LD50 oral	1500 mg/kg	Rat
	LD50 dermal	4000 mg/kg	Rabbit
	LC50 inhalation vapour		

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute toxicity		Genus
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LD50 oral	14500 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation vapour		
Linalool CAS: 78-70-6 EC: 201-134-4	LD50 oral	3500 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation vapour		
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	LD50 oral	585 mg/kg	Rat
	LD50 dermal	1600 mg/kg	Rabbit
	LC50 inhalation vapour	11 mg/L	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	LC50	10000 mg/L (96 h)	Pimephales promelas	Fish
	EC50	1919 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Not relevant		
d-limonene CAS: 5989-27-5 EC: 227-813-5	LC50	0,702 mg/L (96 h)	Pimephales promelas	Fish
	EC50	0,577 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Not relevant		
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	LC50	2,32 mg/L (96 h)	Danio rerio	Fish
	EC50	3,1 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	0,36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Allyl hexanoate CAS: 123-68-2 EC: 204-642-4	LC50	>0.1 - 1 mg/L (96 h)		Fish
	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	LC50	0,12 mg/L (96 h)	Danio rerio	Fish
	EC50	0,89 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	4,6 mg/L (72 h)	Desmodesmus subspicatus	Algae
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
2,6-di-tert-butyl-p-cresol CAS: 128-37-0 EC: 204-881-4	LC50	>0,57 mg/L (96 h)	Brachydanio rerio	Fish
	EC50	0,48 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	>0,4 mg/L (72 h)	Desmodesmus subspicatus	Algae
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	LC50	0,13 mg/L (96 h)	Pimephales promelas	Fish
	EC50	3,8 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	3 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	NOEC	Not relevant		
	NOEC	0,5 mg/L	Daphnia magna	Crustacean

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration		Species	Genus
	NOEC	Not relevant		
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	NOEC	Not relevant	Daphnia magna	Crustacean
	NOEC	0,258 mg/L		

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
	BOD5	Not relevant	Concentration	Not relevant
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	BOD5	Not relevant	Concentration	Not relevant
	COD	0 g O2/g	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	73 %
Coumarin CAS: 91-64-5 EC: 202-086-7	BOD5	Not relevant	Concentration	100 mg/L
	COD	Not relevant	Period	14 days
	BOD5/COD	Not relevant	% Biodegradable	100 %
Anisyl acetate CAS: 104-21-2 EC: 203-185-8	BOD5	Not relevant	Concentration	4 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	70 %
d-limonene CAS: 5989-27-5 EC: 227-813-5	BOD5	Not relevant	Concentration	10 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	71,4 %
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BOD5	Not relevant	Concentration	100 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	94 %
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	BOD5	Not relevant	Concentration	100 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	81 %
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BOD5	Not relevant	Concentration	81 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	80 %
2,6-di-tert-butyl-p-cresol CAS: 128-37-0 EC: 204-881-4	BOD5	Not relevant	Concentration	50 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	4,5 %
Linalool CAS: 78-70-6 EC: 201-134-4	BOD5	Not relevant	Concentration	100 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	90 %
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	BOD5	Not relevant	Concentration	5 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	86 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
	BCF	Pow Log
Dipropylene Glycol Methyl Ether CAS: 34590-94-8 EC: 252-104-2	BCF	1
	Pow Log	-0.06
	Potential	Low
Coumarin CAS: 91-64-5 EC: 202-086-7	BCF	10
	Pow Log	1.39
	Potential	Low
d-limonene CAS: 5989-27-5 EC: 227-813-5	BCF	
	Pow Log	4.83
	Potential	
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	BCF	193
	Pow Log	4
	Potential	High
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	BCF	473
	Pow Log	2.99
	Potential	High

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential	
	BCF	Pow Log
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	174	3.9
2,6-di-tert-butyl-p-cresol CAS: 128-37-0 EC: 204-881-4	1365	5.1
Linalool CAS: 78-70-6 EC: 201-134-4		2.97
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	860	4.28

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
	Koc	Conclusion	Henry	Not relevant
Coumarin CAS: 91-64-5 EC: 202-086-7	42	Very High	Dry soil	Not relevant
Anisyl acetate CAS: 104-21-2 EC: 203-185-8	Not relevant	Not relevant	Dry soil	Not relevant
d-limonene CAS: 5989-27-5 EC: 227-813-5	6324	Immobilized	Dry soil	Yes
Benzyl benzoate CAS: 120-51-4 EC: 204-402-9	6310	Immobilized	Dry soil	Not relevant
Allyl heptanoate CAS: 142-19-8 EC: 205-527-1	968.3	Low	Dry soil	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	518	Low	Dry soil	Yes
2,6-di-tert-butyl-p-cresol CAS: 128-37-0 EC: 204-881-4	8183	Immobilized	Dry soil	Yes
Allyl 3-cyclohexylpropionate CAS: 2705-87-5 EC: 220-292-5	1820	Low	Dry soil	Not relevant

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Hazardous

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Not relevant

Texts of the legislative phrases mentioned in section 2:

- H317: May cause an allergic skin reaction.
- H412: Harmful to aquatic life with long lasting effects.
- H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

- CONTINUED ON NEXT PAGE -

WOODEN DIFFUSER VANILLA

SECTION 16: OTHER INFORMATION (continued)

CLP Regulation (EC) No 1272/2008:

Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.
Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled.
Acute Tox. 4: H302 - Harmful if swallowed.
Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Eye Dam. 1: H318 - Causes serious eye damage.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Classification procedure:

Skin Sens. 1B: Calculation method
Aquatic Chronic 3: Calculation method
Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>
<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -