

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: gel AIR PERFUME vanilla

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

MB ELIX sp. z oo sp.k. ul. Skarżyńskiego 26 54-530 Wrocław - Poland

Phone: 0048 71 387 85 33 - Fax: 0048 71 722 29 68

lab@elix.pl www.elixscent.com

1.4 Emergency telephone number: 0048 71 387 85 33 (8.00-16.00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Hazard statements:

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P273: Avoid release to the environment.

P302+P352: IF ON SKIN: Wash with plenty of water.

P501: Dispose of contents/container to approved disposal site, in accordance with local regulations.

Supplementary information:

EUH208: Contains coumarin, limonene, anisyl alcohol, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

- CONTINUED ON NEXT PAGE
Date of compilation: 06/03/2020 Revised: 20/07/2023 Version: 2 (Replaced 1) Page 1/14



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification		Chemical name/Classification	Concentration
64-17-5 200-578-6 603-002-00-5 01-2119457610-43- XXXX	ethanol(1) Regulation 1272/2008	Self-classified Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger 1 6	2 - <3 %
91-64-5 202-086-7 Non-applicable 01-2119943756-26	Coumarin ⁽¹⁾ Regulation 1272/2008	Self-classified Acute Tox. 4: H302; Skin Sens. 1B: H317 - Warning	0,75 - <1 %
5989-27-5 227-813-5 Non-applicable 01-2119529223-47	Limonene(1) Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger	0,25 - <0,5 %
105-13-5 203-273-6 Non-applicable 01-2119934494-33	Anisyl alcohol(1) Regulation 1272/2008	Self-classified Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Sens. 1B: H317 - Danger	0,1 - <0,25 %
123-68-2 204-642-4 Non-applicable 01-2119983573-26- XXXX	Allyl hexanoate ⁽¹⁾ Regulation 1272/2008	Self-classified Acute Tox. 3: H301+H311+H331; Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Danger	0,1 - <0,25 %
142-19-8 205-527-1 Non-applicable 01-2119488961-23- XXXX	Allyl heptanoate ⁽¹⁾ Regulation 1272/2008	Self-classified Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Danger	0,1 - <0,25 %
 120-51-4 204-402-9 607-085-00-9 01-2119976371-33- XXXX	Benzyl benzoate(1) Regulation 1272/2008	Self-classified Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411 - Warning	0,1 - <0,25 %
123-92-2 204-662-3 607-130-00-2 01-2119548408-32- XXXX	Isopentyl acetate ⁽²⁾ Regulation 1272/2008	ATP CLP00 Flam. Liq. 3: H226 - Warning	0,01 - <0,1
 78-93-3 201-159-0 606-002-00-3 01-2119457290-43- XXXX	Butanone ⁽²⁾ Regulation 1272/2008	ATP CLP00 Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger	0,01 - <0,1
2634-33-5 220-120-9 Non-applicable 01-2120761540-60-	1,2-benzisothiazol-3(Regulation 1272/2008	2H)-one ⁽¹⁾ Self-classified Acute Tox. 2: H330; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	0,01 - <0,1

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 (2) Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
ethanol CAS: 64-17-5 EC: 200-578-6	% (w/w) >=50: Eye Irrit. 2 - H319
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	% (w/w) >=0,05: Skin Sens. 1 - H317

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acut	Genus	
Allyl hexanoate	LD50 oral	Non-applicable	
CAS: 123-68-2	LD50 dermal	Non-applicable	
EC: 204-642-4	LC50 inhalation	0,5 mg/L (ATEi)	

- CONTINUED ON NEXT PAGE -

SECTION 4: FIRST AID MEASURES



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 4: FIRST AID MEASURES (continued)

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as guickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Preferably use aspiration for cleaning. Given the danger of the product by inhalation, any cleaning method that involves exposure to the product in this way (sweeping, etc.) is not recommended

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

	Identification	Occupational exposure limits		
Isopentyl acetate		IOELV (8h)	50 ppm	270 mg/m ³
CAS: 123-92-2	EC: 204-662-3	IOELV (STEL)	100 ppm	540 mg/m ³
Butanone		IOELV (8h)	200 ppm	600 mg/m ³
CAS: 78-93-3	EC: 201-159-0	IOELV (STEL)	300 ppm	900 mg/m ³

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

			Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable	
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	950 mg/m ³	Non-applicable	
Coumarin	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 91-64-5	Dermal	Non-applicable	Non-applicable	0,79 mg/kg	Non-applicable	
EC: 202-086-7	Inhalation	Non-applicable	Non-applicable	6,78 mg/m ³	Non-applicable	
Limonene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	9,5 mg/kg	Non-applicable	
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	66,7 mg/m ³	Non-applicable	
Anisyl alcohol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 105-13-5	Dermal	Non-applicable	Non-applicable	0,00025 mg/kg	Non-applicable	
EC: 203-273-6	Inhalation	Non-applicable	Non-applicable	4,93 mg/m ³	Non-applicable	
Allyl hexanoate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 123-68-2	Dermal	Non-applicable	Non-applicable	4,3 mg/kg	Non-applicable	
EC: 204-642-4	Inhalation	Non-applicable	Non-applicable	15 mg/m ³	Non-applicable	
Allyl heptanoate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 142-19-8	Dermal	Non-applicable	Non-applicable	0,84 mg/kg	Non-applicable	
EC: 205-527-1	Inhalation	Non-applicable	Non-applicable	2,97 mg/m ³	Non-applicable	
Benzyl benzoate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 120-51-4	Dermal	Non-applicable	Non-applicable	2,6 mg/kg	Non-applicable	
EC: 204-402-9	Inhalation	102 mg/m ³	Non-applicable	5,1 mg/m ³	Non-applicable	
Butanone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	1161 mg/kg	Non-applicable	
EC: 201-159-0	Inhalation	Non-applicable	Non-applicable	600 mg/m ³	Non-applicable	
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,966 mg/kg	Non-applicable	
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6,81 mg/m ³	Non-applicable	

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	114 mg/m³	Non-applicable
Coumarin	Oral	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
CAS: 91-64-5	Dermal	Non-applicable	Non-applicable	0,39 mg/kg	Non-applicable
EC: 202-086-7	Inhalation	Non-applicable	Non-applicable	1,69 mg/m ³	Non-applicable
Limonene	Oral	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	16,6 mg/m ³	Non-applicable
Anisyl alcohol	Oral	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable
CAS: 105-13-5	Dermal	Non-applicable	Non-applicable	0,0000298 mg/kg	Non-applicable
EC: 203-273-6	Inhalation	Non-applicable	Non-applicable	0,87 mg/m ³	Non-applicable
Allyl hexanoate	Oral	Non-applicable	Non-applicable	2,1 mg/kg	Non-applicable
CAS: 123-68-2	Dermal	Non-applicable	Non-applicable	2,1 mg/kg	Non-applicable
EC: 204-642-4	Inhalation	Non-applicable	Non-applicable	3,7 mg/m ³	Non-applicable
Allyl heptanoate	Oral	Non-applicable	Non-applicable	0,42 mg/kg	Non-applicable
CAS: 142-19-8	Dermal	Non-applicable	Non-applicable	0,42 mg/kg	Non-applicable
EC: 205-527-1	Inhalation	Non-applicable	Non-applicable	0,73 mg/m ³	Non-applicable
Benzyl benzoate	Oral	78 mg/kg	Non-applicable	0,4 mg/kg	Non-applicable
CAS: 120-51-4	Dermal	Non-applicable	Non-applicable	1,3 mg/kg	Non-applicable
EC: 204-402-9	Inhalation	25 mg/m ³	Non-applicable	1,25 mg/m ³	Non-applicable

Date of compilation: 06/03/2020 Revised: 20/07/2023 Version: 2 (Replaced 1) **Page 5/14**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Butanone	Oral	Non-applicable	Non-applicable	31 mg/kg	Non-applicable
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	412 mg/kg	Non-applicable
EC: 201-159-0	Inhalation	Non-applicable	Non-applicable	106 mg/m ³	Non-applicable
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,345 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1,2 mg/m³	Non-applicable

PNEC:

Identification				
ethanol	STP	580 mg/L	Fresh water	0,96 mg/L
CAS: 64-17-5	Soil	0,63 mg/kg	Marine water	0,79 mg/L
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh water)	3,6 mg/kg
	Oral	0,38 g/kg	Sediment (Marine water)	2,9 mg/kg
Coumarin	STP	6,4 mg/L	Fresh water	0,019 mg/L
CAS: 91-64-5	Soil	0,018 mg/kg	Marine water	0,0019 mg/L
EC: 202-086-7	Intermittent	0,0142 mg/L	Sediment (Fresh water)	0,15 mg/kg
	Oral	0,0307 g/kg	Sediment (Marine water)	0,015 mg/kg
Limonene	STP	1,8 mg/L	Fresh water	0,014 mg/L
CAS: 5989-27-5	Soil	0,763 mg/kg	Marine water	0,0014 mg/L
EC: 227-813-5	Intermittent	Non-applicable	Sediment (Fresh water)	3,85 mg/kg
	Oral	0,133 g/kg	Sediment (Marine water)	0,385 mg/kg
Anisyl alcohol	STP	Non-applicable	Fresh water	0,1 mg/L
CAS: 105-13-5	Soil	Non-applicable	Marine water	0,01 mg/L
EC: 203-273-6	Intermittent	1 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
Allyl hexanoate	STP	10 mg/L	Fresh water	0,000117 mg/L
CAS: 123-68-2	Soil	0,000825 mg/kg	Marine water	0,000012 mg/L
EC: 204-642-4	Intermittent	0,00117 mg/L	Sediment (Fresh water)	0,00446 mg/kg
	Oral	0,04756 g/kg	Sediment (Marine water)	0,000446 mg/kg
Allyl heptanoate	STP	10 mg/L	Fresh water	0,00012 mg/L
CAS: 142-19-8	Soil	0,002 mg/kg	Marine water	0,000012 mg/L
EC: 205-527-1	Intermittent	0,0012 mg/L	Sediment (Fresh water)	0,012 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,001 mg/kg
Benzyl benzoate	STP	100 mg/L	Fresh water	0,017 mg/L
CAS: 120-51-4	Soil	2,12 mg/kg	Marine water	0,002 mg/L
EC: 204-402-9	Intermittent	Non-applicable	Sediment (Fresh water)	10,66 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1,07 mg/kg
Isopentyl acetate	STP	30 mg/L	Fresh water	0,011 mg/L
CAS: 123-92-2	Soil	0,06 mg/kg	Marine water	0,001 mg/L
EC: 204-662-3	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,335 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,034 mg/kg
Butanone	STP	709 mg/L	Fresh water	55,8 mg/L
CAS: 78-93-3	Soil	22,5 mg/kg	Marine water	55,8 mg/L
EC: 201-159-0	Intermittent	55,8 mg/L	Sediment (Fresh water)	284,74 mg/kg
	Oral	1 g/kg	Sediment (Marine water)	284,7 mg/kg
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00499 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

Date of compilation: 06/03/2020 Revised: 20/07/2023 Version: 2 (Replaced 1) **Page 6/14**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)	CAT III	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CE CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Solid

Appearance: Gel

Colour: Grey

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

elix

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

	And Alexander	
SECT	TON 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Odour:	Pleasant
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	Non-applicable *
	Vapour pressure at 20 °C:	Non-applicable *
	Vapour pressure at 50 °C:	Non-applicable *
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1028,4 kg/m³
	Relative density at 20 °C:	1,028
	Dynamic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 20 °C:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	· · · · · · · · ·
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	225 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive (Solid):	non applicable
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
	Particle characteristics:	поп аррисавіс
	Median equivalent diameter:	Non-applicable *
9.2	Other information:	мот-арріісавіе ·
3.2	Information with regard to physical hazard clas	react.
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Non-applicable *
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	Refraction much	Hori applicable

- CONTINUED ON NEXT PAGE
Date of compilation: 06/03/2020 Revised: 20/07/2023 Version: 2 (Replaced 1) Page 8/14

 ${}^*\mathrm{Not}$ relevant due to the nature of the product, not providing information property of its hazards.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Chromium potassium sulfate dodecahydrate (3); ethanol (1); propan-2-ol (3); Coumarin (3); 2,6-di-tert-butyl-p-cresol (3); Limonene (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Ac	ute toxicity	Genus	
ethanol	LD50 oral	6200 mg/kg	Rat	
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit	
EC: 200-578-6	LC50 inhalation	124,7 mg/L (4 h)	Rat	
Allyl hexanoate	LD50 oral	220 mg/kg		
CAS: 123-68-2	LD50 dermal	300 mg/kg		
EC: 204-642-4	LC50 inhalation	0,5 mg/L (ATEi)		
Allyl heptanoate	LD50 oral	218 mg/kg	Rat	
CAS: 142-19-8	LD50 dermal	810 mg/kg	Rabbit	
EC: 205-527-1	LC50 inhalation	Non-applicable		
Coumarin	LD50 oral	500 mg/kg	Rat	
CAS: 91-64-5	LD50 dermal	>5000 mg/kg		
EC: 202-086-7	LC50 inhalation	Non-applicable		
Anisyl alcohol	LD50 oral	1200 mg/kg	Rat	
CAS: 105-13-5	LD50 dermal	3000 mg/kg	Rabbit	
EC: 203-273-6	LC50 inhalation	Non-applicable		
Benzyl benzoate	LD50 oral	1500 mg/kg	Rat	
CAS: 120-51-4	LD50 dermal	4000 mg/kg	Rabbit	
EC: 204-402-9	LC50 inhalation	Non-applicable		
Isopentyl acetate	LD50 oral	7400 mg/kg	Rat	
CAS: 123-92-2	LD50 dermal	Non-applicable		
EC: 204-662-3	LC50 inhalation	Non-applicable		
Butanone	LD50 oral	4000 mg/kg	Rat	
CAS: 78-93-3	LD50 dermal	6400 mg/kg	Rabbit	
EC: 201-159-0	LC50 inhalation	23,5 mg/L (4 h)	Rat	
1,2-benzisothiazol-3(2H)-one	LD50 oral	532 mg/kg	Rat	
CAS: 2634-33-5	LD50 dermal	Non-applicable		
EC: 220-120-9	LC50 inhalation	Non-applicable		

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Non-applicable

- CONTINUED ON NEXT PAGE
Date of compilation: 06/03/2020 Revised: 20/07/2023 Version: 2 (Replaced 1) Page 10/14

This SDS is an

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae
Limonene	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 5989-27-5	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 227-813-5	EC50	>0.1 - 1 mg/L (72 h)		Algae
Allyl hexanoate	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 123-68-2	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 204-642-4	EC50	>0.1 - 1 mg/L (72 h)		Algae
Allyl heptanoate	LC50	0,12 mg/L (96 h)	Danio rerio	Fish
CAS: 142-19-8	EC50	0,89 mg/L (48 h)	Daphnia magna	Crustacean
EC: 205-527-1	EC50	4,6 mg/L (72 h)	Desmodesmus subspicatus	Algae
Benzyl benzoate	LC50	2,32 mg/L (96 h)	Danio rerio	Fish
CAS: 120-51-4	EC50	3,1 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-402-9	EC50	0,36 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Isopentyl acetate	LC50	Non-applicable		
CAS: 123-92-2	EC50	42 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-662-3	EC50	Non-applicable		
Butanone	LC50	3220 mg/L (96 h)	Pimephales promelas	Fish
CAS: 78-93-3	EC50	5091 mg/L (48 h)	Daphnia magna	Crustacean
EC: 201-159-0	EC50	4300 mg/L (168 h)	Scenedesmus quadricauda	Algae
1,2-benzisothiazol-3(2H)-one	LC50	2,2 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 2634-33-5	EC50	3 mg/L (48 h)	Daphnia magna	Crustacean
EC: 220-120-9	EC50	0,067 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean
Benzyl benzoate	NOEC	Non-applicable		
CAS: 120-51-4 EC: 204-402-9	NOEC	0,258 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degra	adability	Biodegradabi	ility
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	Non-applicable	% Biodegradable	89 %
Coumarin	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 91-64-5	COD	Non-applicable	Period	14 days
EC: 202-086-7	BOD5/COD	Non-applicable	% Biodegradable	100 %
Allyl heptanoate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 142-19-8	COD	Non-applicable	Period	28 days
EC: 205-527-1	BOD5/COD	Non-applicable	% Biodegradable	81 %
Benzyl benzoate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 120-51-4	COD	Non-applicable	Period	28 days
EC: 204-402-9	BOD5/COD	Non-applicable	% Biodegradable	94 %
Butanone	BOD5	2,03 g O2/g	Concentration	Non-applicable
CAS: 78-93-3	COD	2,31 g O2/g	Period	20 days
EC: 201-159-0	BOD5/COD	0,88	% Biodegradable	89 %

Date of compilation: 06/03/2020 Revised: 20/07/2023 Version: 2 (Replaced 1) **Page 11/14**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradabi	lity
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 2634-33-5	COD	Non-applicable	Period	28 days
EC: 220-120-9	BOD5/COD	Non-applicable	% Biodegradable	0 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioacc	cumulation potential
ethanol	BCF	3
CAS: 64-17-5	Pow Log	-0.31
EC: 200-578-6	Potential	Low
Coumarin	BCF	10
CAS: 91-64-5	Pow Log	1.39
EC: 202-086-7	Potential	Low
Allyl heptanoate	BCF	473
CAS: 142-19-8	Pow Log	2.99
EC: 205-527-1	Potential	High
Benzyl benzoate	BCF	193
CAS: 120-51-4	Pow Log	4
EC: 204-402-9	Potential	High
Isopentyl acetate	BCF	10
CAS: 123-92-2	Pow Log	
EC: 204-662-3	Potential	Low
Butanone	BCF	3
CAS: 78-93-3	Pow Log	0.29
EC: 201-159-0	Potential	Low
1,2-benzisothiazol-3(2H)-one	BCF	2
CAS: 2634-33-5	Pow Log	1.45
EC: 220-120-9	Potential	Low

12.4 Mobility in soil:

Identification	Absorp	otion/desorption	Volatility	
ethanol	Кос	1	Henry	4,61E-1 Pa·m³/mol
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 °C)	Moist soil	Yes
Coumarin	Кос	42	Henry	Non-applicable
CAS: 91-64-5	Conclusion	Very High	Dry soil	Non-applicable
EC: 202-086-7	Surface tension	Non-applicable	Moist soil	Non-applicable
Allyl heptanoate	Koc	968.3	Henry	112 Pa·m³/mol
CAS: 142-19-8	Conclusion	Low	Dry soil	Non-applicable
EC: 205-527-1	Surface tension	Non-applicable	Moist soil	Non-applicable
Benzyl benzoate	Koc	6310	Henry	Non-applicable
CAS: 120-51-4	Conclusion	Immobile	Dry soil	Non-applicable
EC: 204-402-9	Surface tension	4,626E-2 N/m (25 °C)	Moist soil	Non-applicable
Sopentyl acetate	Кос	70	Henry	59,78 Pa·m³/mol
CAS: 123-92-2	Conclusion	Very High	Dry soil	Non-applicable
EC: 204-662-3	Surface tension	2,388E-2 N/m (25 °C)	Moist soil	Yes
Butanone	Koc	30	Henry	5,77 Pa·m³/mol
CAS: 78-93-3	Conclusion	Very High	Dry soil	Yes
EC: 201-159-0	Surface tension	2,396E-2 N/m (25 °C)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2-benzisothiazol-3(2H)-one.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4); 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

gel AIR PERFUME vanilla

SECTION 16: OTHER INFORMATION (continued)

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H330 - Fatal if inhaled.

Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction. STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Aquatic Chronic 3: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET
Date of compilation: 06/03/2020 Revised: 20/07/2023 Version: 2 (Replaced 1) Page 14/14